

thm_2Efinite_map_2EFUNION_FMERGE
 (TMKwPF-
 PmU7FFAPCMUjXGeSJVJPCH2f369L3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Efinite_map_2E fmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2E fmap A0 A1) \tag{1}$$

Let $c_2Efinite_map_2EFUNION : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2EFUNION A_27a A_27b \in (((ty_2Efinite_map_2E fmap A_27a A_27b)^{(ty_2Efinite_map_2E fmap A_27a A_27b)})^{(ty_2Efinite_map_2E fmap A_27a A_27b)}) \tag{2}$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \tag{3}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \tag{4}$$

Let $c_2Efinite_map_2E fmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2E fmap_REP A_27a A_27b \in (((ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2E fmap A_27a A_27b)}) \tag{5}$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EOUTL A_27a A_27b \in (A_27a^{(ty_2Esum_2Esum A_27a A_27b)}) \tag{6}$$

Definition 14 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Epred_set_2EINTER) V0s V1t)$

Definition 15 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Epred_set_2EDISJOINT) V0s V1t)$

Definition 16 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** $(the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Ebool_2ECOND) V0t V1t1 V2t2))))$

Definition 18 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap (ap (c_2Emin_2E3D_3D_3E V0t) c_2Ebool_2E7E) V0t))$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((\neg (\neg (p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge (((\neg False) \Leftrightarrow True)))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27b^{A_27a}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A_27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B))))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee ((p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (26)$$

Assume the following.

$$(\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2R \in 2. (((p\ V0P) \vee ((p\ V1Q) \Rightarrow (p\ V2R))) \Leftrightarrow (((p\ V0P) \Rightarrow (p\ V2R)) \wedge ((p\ V1Q) \Rightarrow (p\ V2R)))))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (28)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0b \in 2. (\forall V1f \in (A_27b^{A_27a}). (\forall V2g \in (A_27b^{A_27a}). \\
& \quad (\forall V3x \in A_27a. ((ap\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (A_27b^{A_27a}) \\
V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V0b)\ (ap \\
V1f\ V3x))\ (ap\ V2g\ V3x)))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. \\
& \quad (\forall V3y \in A_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
V1b)\ V2x)\ V3y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V1b)\ (ap\ V0f \\
V2x))\ (ap\ V0f\ V3y)))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\
2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow \\
& \quad (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& \quad (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\
& \quad (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& \quad ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\
V5y_27)))))) \\
& \hspace{15em} (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A_27a\ A_27b). (\forall V1g \in \\
& \quad (ty_2Efinite_map_2E fmap\ A_27a\ A_27b). (((ap\ (c_2Efinite_map_2EFDOM \\
A_27a\ A_27b)\ V0f) = (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V1g)) \wedge \\
& \quad (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ (ap\ (\\
c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f))) \Rightarrow ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
A_27a\ A_27b)\ V0f)\ V2x) = (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a \\
A_27b)\ V1g)\ V2x)))))) \Leftrightarrow (V0f = V1g)) \\
& \hspace{15em} (33)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b). (\forall V1g \in \\
& \quad (ty_2Efinite_map_2Efmap\ A_27a\ A_27b). (((ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_27a\ A_27b)\ V0f) \\
& \quad V1g)) = (ap\ (ap\ (c_2Epred_set_2EUNION\ A_27a)\ (ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_27a\ A_27b)\ V0f))\ (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V1g))) \wedge \\
& \quad (\forall V2x \in A_27a. ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a \\
& \quad A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_27a\ A_27b)\ V0f)\ V1g)) \\
& \quad V2x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V2x)\ (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f)))\ (ap \\
& \quad (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b)\ V0f)\ V2x))\ (ap\ (ap\ (\\
& \quad c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b)\ V1g)\ V2x)))))) \\
& \hspace{15em} (34)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0m \in ((A_27a^{A_27a})^{A_27a}). (\forall V1f \in (ty_2Efinite_map_2Efmap \\
& \quad A_27b\ A_27a). (\forall V2g \in (ty_2Efinite_map_2Efmap\ A_27b\ A_27a). \\
& \quad (((ap\ (c_2Efinite_map_2EFDOM\ A_27b\ A_27a)\ (ap\ (ap\ (ap\ (c_2Efinite_map_2EFMERGE \\
& \quad A_27a\ A_27b)\ V0m)\ V1f)\ V2g)) = (ap\ (ap\ (c_2Epred_set_2EUNION\ A_27b) \\
& \quad (ap\ (c_2Efinite_map_2EFDOM\ A_27b\ A_27a)\ V1f))\ (ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_27b\ A_27a)\ V2g))) \wedge (\forall V3x \in A_27b. ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad A_27b\ A_27a)\ (ap\ (ap\ (ap\ (c_2Efinite_map_2EFMERGE\ A_27a\ A_27b) \\
& \quad V0m)\ V1f)\ V2g))\ V3x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ (ap\ c_2Ebool_2E.7E \\
& \quad (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V3x)\ (ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_27b\ A_27a)\ V1f))))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27b\ A_27a) \\
& \quad V2g)\ V3x))\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ (ap\ c_2Ebool_2E.7E \\
& \quad (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V3x)\ (ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_27b\ A_27a)\ V2g))))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27b\ A_27a) \\
& \quad V1f)\ V3x))\ (ap\ (ap\ V0m\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27b\ A_27a) \\
& \quad V1f)\ V3x))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27b\ A_27a)\ V2g) \\
& \quad V3x))))))))) \\
& \hspace{15em} (35)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& \quad (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t)))))) \\
& \hspace{15em} (36)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg (p\ (ap\ (ap \\
& \quad (c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A_27a)))) \\
& \hspace{15em} (37)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\ & (2^{A.27a}).(\forall V2x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a) \\ & V2x)\ (ap\ (ap\ (c.2Epred_set.2EUNION\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (38) \\ & (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ & A.27a)\ V2x)\ V1t)))))) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\ & (2^{A.27a}).(\forall V2x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a) \\ & V2x)\ (ap\ (ap\ (c.2Epred_set.2EINTER\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (39) \\ & (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ & A.27a)\ V2x)\ V1t)))))) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (41)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (42) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (43) \end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (44)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (45) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \quad (46) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge (\\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in \\
& 2. (((p \ V0p) \Leftrightarrow (p \ (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ 2) \ V1q) \ V2r) \ V3s))) \Leftrightarrow \\
& (((p \ V0p) \vee ((p \ V1q) \vee \neg(p \ V3s))) \wedge ((p \ V0p) \vee ((\neg(p \ V2r) \vee \neg(p \ V1q)))) \wedge \\
& (((p \ V0p) \vee ((\neg(p \ V2r) \vee \neg(p \ V3s))) \wedge ((\neg(p \ V1q) \vee ((p \ V2r) \vee \neg(\\
& p \ V0p)))) \wedge ((p \ V1q) \vee ((p \ V3s) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{50}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{51}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{52}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\
& \forall V0f1 \in (ty_2Efinite_map_2Efmap \ A_27a \ A_27b). (\forall V1f2 \in \\
& (ty_2Efinite_map_2Efmap \ A_27a \ A_27b). (\forall V2m \in ((A_27b^{A_27b})^{A_27b}). \\
& ((p \ (ap \ (ap \ (c_2Epred_set_2EDISJOINT \ A_27a) \ (ap \ (c_2Efinite_map_2EFDOM \\
& A_27a \ A_27b) \ V0f1)) \ (ap \ (c_2Efinite_map_2EFDOM \ A_27a \ A_27b) \ V1f2))) \Rightarrow \\
& ((ap \ (ap \ (ap \ (c_2Efinite_map_2EFMERGE \ A_27b \ A_27a) \ V2m) \ V0f1) \\
& V1f2) = (ap \ (ap \ (c_2Efinite_map_2EFUNION \ A_27a \ A_27b) \ V0f1) \ V1f2))))))
\end{aligned}$$