

thm_2Efinite__map_2EFUNION__FUPDATE__1 (TMHAjK7JX8vTc1iEYrvVKnt6q9CAPyydodC)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 6 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Emin_2E_3D (2^{A_27a}))$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2Efmap A0 A1) \tag{3}$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a A_27b \in (((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)})^{(ty_2Efinite_map_2EFUPDATE A_27a A_27b)}) \tag{4}$$

Definition 7 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then}$ (the $(\lambda x.x \in A \wedge p x)$) of type $\iota \Rightarrow \iota$.

Definition 9 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{5}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{6}$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \tag{7}$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL\ A_27a\ A_27b \in (A_27a^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \tag{8}$$

Definition 10 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2EFUNION$

Let $c_2Efinite_map_2EFUNION : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUNION\ A_27a\ A_27b \in (((ty_2Efinite_map_2Efmap\ A_27a\ A_27b)^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \tag{9}$$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL\ A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \tag{10}$$

Definition 11 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2EFUNION$

Definition 12 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \tag{11}$$

Definition 14 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c$

Definition 15 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A-27a}).(ap (c$

Definition 16 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E3D_3D_3E V0t) c_2Ebool_2E$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (20)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0b \in 2. (\forall V1f \in (A_27b^{A_27a}). (\forall V2g \in (A_27b^{A_27a}). (\forall V3x \in A_27a. ((ap\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b^{A_27a})\ V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V0b)\ (ap\ V1f\ V3x))\ (ap\ V2g\ V3x)))))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. (\forall V3y \in A_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1b)\ V2x)\ V3y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V1b)\ (ap\ V0f\ V2x))\ (ap\ V0f\ V3y)))))))) \quad (28)$$

Assume the following.

$$(\forall V0b \in 2. (\forall V1t1 \in 2. (\forall V2t2 \in 2. ((p\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ 2)\ V0b)\ V1t1)\ V2t2)) \Leftrightarrow (((\neg(p\ V0b)) \vee (p\ V1t1)) \wedge ((p\ V0b) \vee (p\ V2t2)))))) \quad (29)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \Rightarrow (30)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_{.27a}.(\forall V3x_{.27} \in A_{.27a}.(\forall V4y \in A_{.27a}. \\ & (\forall V5y_{.27} \in A_{.27a}.(((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{.27})))) \Rightarrow ((ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) V1Q) V3x_{.27}) \\ & V5y_{.27})))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow ((\forall V0t1 \in A_{.27a}.(\forall V1t2 \in \\ & A_{.27a}.((ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) c_{.2Ebool_{.2ET}} V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}.(\forall V3t2 \in A_{.27a}.((ap \\ & (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) c_{.2Ebool_{.2EF}} V2t1) V3t2) = V3t2)))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\\ & \forall V0f \in (ty_{.2Efinite_map_{.2E fmap}} A_{.27a} A_{.27b}).(\forall V1a \in \\ & A_{.27a}.(\forall V2b \in A_{.27b}.((ap (c_{.2Efinite_map_{.2EFDOM}} A_{.27a} \\ & A_{.27b}) (ap (ap (c_{.2Efinite_map_{.2EFUPDATE}} A_{.27a} A_{.27b}) V0f) (ap \\ & (ap (c_{.2Epair_{.2E_{.2C}} A_{.27a} A_{.27b}) V1a) V2b))) = (ap (ap (c_{.2Epred_set_{.2EINSERT}} \\ & A_{.27a}) V1a) (ap (c_{.2Efinite_map_{.2EFDOM}} A_{.27a} A_{.27b}) V0f)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\\ & \forall V0f \in (ty_{.2Efinite_map_{.2E fmap}} A_{.27a} A_{.27b}).(\forall V1a \in \\ & A_{.27a}.(\forall V2b \in A_{.27b}.(\forall V3x \in A_{.27a}.((ap (ap (c_{.2Efinite_map_{.2EFAPPLY}} \\ & A_{.27a} A_{.27b}) (ap (ap (c_{.2Efinite_map_{.2EFUPDATE}} A_{.27a} A_{.27b}) V0f) \\ & (ap (ap (c_{.2Epair_{.2E_{.2C}} A_{.27a} A_{.27b}) V1a) V2b))) V3x) = (ap (ap (ap \\ & (c_{.2Ebool_{.2ECOND}} A_{.27b}) (ap (ap (c_{.2Emin_{.2E_{.3D}} A_{.27a}) V3x) V1a)) \\ & V2b) (ap (ap (c_{.2Efinite_map_{.2EFAPPLY}} A_{.27a} A_{.27b}) V0f) V3x)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A_{.27a}\ A_{.27b}).(\forall V1g \in \\
& \quad (ty_2Efinite_map_2E fmap\ A_{.27a}\ A_{.27b}).(((ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_{.27a}\ A_{.27b})\ V0f) = (ap\ (c_2Efinite_map_2EFDOM\ A_{.27a}\ A_{.27b})\ V1g)) \wedge \\
& \quad (\forall V2x \in A_{.27a}.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V2x)\ (ap\ (\\
& \quad c_2Efinite_map_2EFDOM\ A_{.27a}\ A_{.27b})\ V0f)))) \Rightarrow ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad A_{.27a}\ A_{.27b})\ V0f)\ V2x) = (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_{.27a} \\
& \quad A_{.27b})\ V1g)\ V2x)))))) \Leftrightarrow (V0f = V1g))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A_{.27a}\ A_{.27b}).(\forall V1g \in \\
& \quad (ty_2Efinite_map_2E fmap\ A_{.27a}\ A_{.27b}).(((ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_{.27a}\ A_{.27b})\ (ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_{.27a}\ A_{.27b})\ V0f) \\
& \quad V1g)) = (ap\ (ap\ (c_2Epred_set_2EUNION\ A_{.27a})\ (ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_{.27a}\ A_{.27b})\ V0f))\ (ap\ (c_2Efinite_map_2EFDOM\ A_{.27a}\ A_{.27b})\ V1g))) \wedge \\
& \quad (\forall V2x \in A_{.27a}.((ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_{.27a} \\
& \quad A_{.27b})\ (ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_{.27a}\ A_{.27b})\ V0f)\ V1g)) \\
& \quad V2x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_{.27b})\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_{.27a})\ V2x)\ (ap\ (c_2Efinite_map_2EFDOM\ A_{.27a}\ A_{.27b})\ V0f)))\ (ap \\
& \quad (ap\ (c_2Efinite_map_2EFAPPLY\ A_{.27a}\ A_{.27b})\ V0f)\ V2x))\ (ap\ (ap\ (\\
& \quad c_2Efinite_map_2EFAPPLY\ A_{.27a}\ A_{.27b})\ V1g)\ V2x))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in \\
& \quad (2^{A_{.27a}}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_{.27a}.((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_{.27a})\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V2x)\ V1t))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in \\
& \quad (2^{A_{.27a}}).(\forall V2x \in A_{.27a}.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a}) \\
& \quad V2x)\ (ap\ (ap\ (c_2Epred_set_2EUNION\ A_{.27a})\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (\\
& \quad (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_{.27a})\ V2x)\ V1t))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in \\
& \quad A_{.27a}.(\forall V2s \in (2^{A_{.27a}}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a}) \\
& \quad V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_{.27a})\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\
& \quad V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V0x)\ V2s))))))
\end{aligned} \tag{39}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (49)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b).(\forall V1g \in \\ & (ty_2Efinite_map_2Efmap\ A_27a\ A_27b).(\forall V2x \in A_27a.(\\ & \forall V3y \in A_27b.((ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_27a\ A_27b) \\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C \\ A_27a\ A_27b)\ V2x)\ V3y)))\ V1g) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE \\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_27a\ A_27b)\ V0f) \\ V1g))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2x)\ V3y)))))) \end{aligned}$$