

thm_2Efinite_map_2EFUPDATE_FUPDATE_LIST_COMMUTE
(TMQsidM-
SAUv1YU9NqwWmg7UooKdPMqfDPBw)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2Efmap A0 A1) \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{2}$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2EFUPDATE A_27a A_27b \in (((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)})^{(ty_2Efinite_map_2EFUPDATE A_27a A_27b)}) \tag{3}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \tag{4}$$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EFOLDL A_27a A_27b \in (((A_27b)^{(ty_2Elist_2Elist A_27a)})^{A_27b})^{((A_27b)^{A_27a})^{A_27b}} \tag{5}$$

Definition 5 We define $c_2Efinite_map_2EFUPDATE_LIST$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap (c_2Elist_2EF$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELIST_TO_SET A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist A_27a)}) \quad (6)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (7)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{(ty_2Elist_2Elist A_27a)}) \quad (8)$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EMAP A_27a A_27b \in (((ty_2Elist_2Elist A_27b)^{(ty_2Elist_2Elist A_27a)})^{(A_27b^{A_27a})}) \quad (9)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ESNOC A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (10)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (11)$$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 9 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (12)$$

Definition 10 We define `c_2Epair_2E_2C` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epair_2E_2C) V0x V1y)$.
Let `c_2Epair_2EFST` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (13)$$

Definition 11 We define `c_2Epred__set_2EEMPTY` to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 12 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (ap (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Definition 13 We define `c_2Ebool_2EIN` to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 14 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (ap (c_2Ebool_2E_5C_2F) V2t))))$

Let `c_2Epred__set_2EGSPEC` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2^{A_27b})}) \end{aligned} \quad (14)$$

Definition 15 We define `c_2Epred__set_2EUNION` to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2Epred_set_2EUNION) V0s V1t)$

Definition 16 We define `c_2Epred__set_2EINSERT` to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2Epred_set_2EINSERT) V0x V1s)$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & \forall V0f \in (ty_2Efinite_map_2E fmap A_27a A_27b).(\forall V1a \in \\ & A_27a.(\forall V2b \in A_27b.(\forall V3c \in A_27a.(\forall V4d \in A_27b. \\ & ((\neg(V1a = V3c)) \Rightarrow ((ap (ap (c_2Efinite_map_2EFUPDATE A_27a A_27b) \\ & (ap (ap (c_2Efinite_map_2EFUPDATE A_27a A_27b) V0f) (ap (ap (c_2Epair_2E_2C \\ & A_27a A_27b) V1a) V2b))) (ap (ap (c_2Epair_2E_2C A_27a A_27b) V3c) \\ & V4d)) = (ap (ap (c_2Efinite_map_2EFUPDATE A_27a A_27b) (ap (ap \\ & (c_2Efinite_map_2EFUPDATE A_27a A_27b) V0f) (ap (ap (c_2Epair_2E_2C \\ & A_27a A_27b) V3c) V4d))) (ap (ap (c_2Epair_2E_2C A_27a A_27b) V1a) \\ & V2b)))))))))) \quad (26) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2Efm\ A.27a\ A.27b).((ap\ (ap \\
& \quad (c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b)\ V0f)\ (c_2Elist_2ENIL \\
& \quad (ty_2Epair_2Eprod\ A.27a\ A.27b)))) = V0f) \wedge (\forall V1h \in (ty_2Epair_2Eprod \\
& \quad A.27a\ A.27b).(\forall V2t \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod \\
& \quad A.27a\ A.27b)).((ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A.27a \\
& \quad A.27b)\ V0f)\ (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ A.27a\ A.27b)) \\
& \quad V1h)\ V2t))) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b) \\
& \quad (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A.27a\ A.27b)\ V0f)\ V1h))\ V2t)))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0fm \in (ty_2Efinite_map_2Efm\ A.27a\ A.27b).(\forall V1kvl1 \in \\
& \quad (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A.27a\ A.27b)).(\forall V2kvl2 \in \\
& \quad (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A.27a\ A.27b)).((ap\ (ap\ (\\
& \quad c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b)\ V0fm)\ (ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad (ty_2Epair_2Eprod\ A.27a\ A.27b))\ V1kvl1)\ V2kvl2))) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b) \\
& \quad V0fm)\ V1kvl1))\ V2kvl2)))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad (\forall V0f \in (A.27b^{A.27a}).((ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b) \\
& \quad V0f)\ (c_2Elist_2ENIL\ A.27a)) = (c_2Elist_2ENIL\ A.27b))) \wedge (\forall V1f \in \\
& \quad (A.27b^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty_2Elist_2Elist \\
& \quad A.27a)).((ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad A.27a)\ V2h)\ V3t))) = (ap\ (ap\ (c_2Elist_2ECONS\ A.27b)\ (ap\ V1f\ V2h)) \\
& \quad (ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b)\ V1f)\ V3t)))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0h \in A.27b.(\forall V1t \in (ty_2Elist_2Elist\ A.27b).((\\
& \quad (ap\ (c_2Elist_2ELIST_TO_SET\ A.27a)\ (c_2Elist_2ENIL\ A.27a)) = \\
& \quad (c_2Epred_set_2EEMPTY\ A.27a)) \wedge ((ap\ (c_2Elist_2ELIST_TO_SET \\
& \quad A.27b)\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27b)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Epred_set_2EINSERT \\
& \quad A.27b)\ V0h)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A.27b)\ V1t)))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\ A.27a).(\forall V1l2 \in (ty_2Elist_2Elist\ A.27a).((ap\ (c_2Elist_2ELIST_TO_SET \\ A.27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A.27a)\ V0l1)\ V1l2)) = (ap\ (ap\ (\\ c_2Epred_set_2EUNION\ A.27a)\ (ap\ (c_2Elist_2ELIST_TO_SET \\ A.27a)\ V0l1))\ (ap\ (c_2Elist_2ELIST_TO_SET\ A.27a)\ V1l2)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1l \in \\ (ty_2Elist_2Elist\ A.27a).((ap\ (ap\ (c_2Elist_2ESNOC\ A.27a)\ V0x) \\ V1l) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A.27a)\ V1l)\ (ap\ (ap\ (c_2Elist_2ECONS \\ A.27a)\ V0x)\ (c_2Elist_2ENIL\ A.27a)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in (A.27b^{A.27a}).(\forall V1x \in A.27a.(\forall V2l \in (\\ ty_2Elist_2Elist\ A.27a).((ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b) \\ V0f)\ (ap\ (ap\ (c_2Elist_2ESNOC\ A.27a)\ V1x)\ V2l)) = (ap\ (ap\ (c_2Elist_2ESNOC \\ A.27b)\ (ap\ V0f\ V1x))\ (ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b)\ V0f)\ V2l)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}). \\ (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1l \in (ty_2Elist_2Elist \\ A.27a).((p\ (ap\ V0P\ V1l)) \Rightarrow (\forall V2x \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ c_2Elist_2ESNOC\ A.27a)\ V2x)\ V1l)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ A.27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0x \in (ty_2Epair_2Eprod\ A.27a\ A.27b).(\exists V1q \in A.27a. \\ (\exists V2r \in A.27b.(V0x = (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b) \\ V1q)\ V2r)))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0x \in A.27a.(\forall V1y \in A.27b.((ap\ (c_2Epair_2EFST\ A.27a \\ A.27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\neg (p\ (ap\ (ap \\ (c_2Ebool_2EIN\ A.27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A.27a)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& V2x)\ (ap\ (ap\ (c_2Epred_set_2EUNION\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (38) \\
& (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& A_27a)\ V2x)\ V1t))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& A_27a. (\forall V2s \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\
& V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s)))))) \quad (39)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0k \in A_27a. (\forall V1kvl \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod \\
& A_27a\ A_27b)). (\forall V2fm \in (ty_2Efinite_map_2Efm\ A_27a \\
& A_27b). (\forall V3v \in A_27b. ((\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& V0k)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (ap\ (ap\ (c_2Elist_2EMAP \\
& (ty_2Epair_2Eprod\ A_27a\ A_27b)\ A_27a)\ (c_2Epair_2EFST\ A_27a\ A_27b)) \\
& V1kvl)))))) \Rightarrow ((ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A_27a \\
& A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V2fm)\ (\\
& ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0k)\ V3v)))\ V1kvl) = (ap\ (ap\ (\\
& c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST \\
& A_27a\ A_27b)\ V2fm)\ V1kvl))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b) \\
& V0k)\ V3v))))))
\end{aligned}$$