

thm_2Efinite__map_2EFUPDATE__LIST__ALL__DISTINCT__REVERSE (TMTg4Ra7yfAsnJEe5mgHiMvCQTW6KDNrswD)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$.

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let `ty_2Efinite__map_2Efmap` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2Efmap A0 A1) \quad (1)$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (2)$$

Let `c_2Efinite__map_2EFUPDATE` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2EFUPDATE A_27a A_27b \in (((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)})^{(ty_2Efinite_map_2EFUPDATE A_27a A_27b)}) \quad (3)$$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (4)$$

Let `c_2Elist_2EFOLDL` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EFOLDL A_27a A_27b \in (((A_27b^{(ty_2Elist_2Elist A_27a)})^{A_27b})^{((A_27b^{A_27a})^{A_27b})}) \quad (5)$$

Definition 5 We define `c_2Efinite_map_2EFUPDATE_LIST` to be $\lambda A_{.27a} : \iota. \lambda A_{.27b} : \iota. (ap (c_2Elist_2EFUPDATE_LIST A_{.27a} A_{.27b}))$

Let `c_2Elist_2EMAP` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow \forall A_{.27b}. nonempty A_{.27b} \Rightarrow c_2Elist_2EMAP A_{.27a} A_{.27b} \in (((ty_2Elist_2Elist A_{.27b})^{(ty_2Elist_2Elist A_{.27a})})^{(A_{.27b}^{A_{.27a}})}) \quad (6)$$

Definition 6 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow q)$ of type ι .

Let `c_2Elist_2EAPPEND` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow c_2Elist_2EAPPEND A_{.27a} \in (((ty_2Elist_2Elist A_{.27a})^{(ty_2Elist_2Elist A_{.27a})})^{(ty_2Elist_2Elist A_{.27a})}) \quad (7)$$

Let `c_2Elist_2EREVERSE` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow c_2Elist_2EREVERSE A_{.27a} \in ((ty_2Elist_2Elist A_{.27a})^{(ty_2Elist_2Elist A_{.27a})}) \quad (8)$$

Let `c_2Elist_2ELIST_TO_SET` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow c_2Elist_2ELIST_TO_SET A_{.27a} \in ((2^{A_{.27a}})^{(ty_2Elist_2Elist A_{.27a})}) \quad (9)$$

Definition 7 We define `c_2Ebool_2EIN` to be $\lambda A_{.27a} : \iota. (\lambda V0x \in A_{.27a}. (\lambda V1f \in (2^{A_{.27a}}). (ap V1f V0x)))$

Definition 8 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow c_2Elist_2ECONS A_{.27a} \in (((ty_2Elist_2Elist A_{.27a})^{(ty_2Elist_2Elist A_{.27a})})^{A_{.27a}}) \quad (10)$$

Let `c_2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow c_2Elist_2ENIL A_{.27a} \in (ty_2Elist_2Elist A_{.27a}) \quad (11)$$

Let `c_2Elist_2EALL_DISTINCT` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow c_2Elist_2EALL_DISTINCT A_{.27a} \in (2^{(ty_2Elist_2Elist A_{.27a})}) \quad (12)$$

Definition 9 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap V2t V1t2)))) V0t1)$

Definition 10 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (13)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_2Epair_2EFSST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFSST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2. ((\neg(\neg(p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow \\ True)) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \forall V0f \in (ty_2Efinite_map_2Efmap A_27a A_27b).(((ap (ap \\
& (c_2Efinite_map_2EFUPDATE_LIST A_27a A_27b) V0f) (c_2Elist_2ENIL \\
& (ty_2Epair_2Eprod A_27a A_27b))) = V0f) \wedge (\forall V1h \in (ty_2Epair_2Eprod \\
& A_27a A_27b).(\forall V2t \in (ty_2Elist_2Elist (ty_2Epair_2Eprod \\
& A_27a A_27b)).((ap (ap (c_2Efinite_map_2EFUPDATE_LIST A_27a \\
& A_27b) V0f) (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod A_27a A_27b)) \\
& V1h) V2t)) = (ap (ap (c_2Efinite_map_2EFUPDATE_LIST A_27a A_27b) \\
& (ap (ap (c_2Efinite_map_2EFUPDATE A_27a A_27b) V0f) V1h)) V2t))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \forall V0fm \in (ty_2Efinite_map_2Efmap A_27a A_27b).(\forall V1kvl1 \in \\
& (ty_2Elist_2Elist (ty_2Epair_2Eprod A_27a A_27b)).(\forall V2kvl2 \in \\
& (ty_2Elist_2Elist (ty_2Epair_2Eprod A_27a A_27b)).((ap (ap (\\
& c_2Efinite_map_2EFUPDATE_LIST A_27a A_27b) V0fm) (ap (ap (c_2Elist_2EAPPEND \\
& (ty_2Epair_2Eprod A_27a A_27b)) V1kvl1) V2kvl2)) = (ap (ap (c_2Efinite_map_2EFUPDATE_LIST \\
& A_27a A_27b) (ap (ap (c_2Efinite_map_2EFUPDATE_LIST A_27a A_27b) \\
& V0fm) V1kvl1)) V2kvl2))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0k \in A_27a. (\forall V1kvl \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod \\
& \quad \quad A_27a\ A_27b)). (\forall V2fm \in (ty_2Efinite_map_2Efmmap\ A_27a \\
& \quad \quad \quad A_27b)). (\forall V3v \in A_27b. ((\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& \quad \quad V0k)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (ap\ (ap\ (c_2Elist_2EMAP \\
& \quad \quad (ty_2Epair_2Eprod\ A_27a\ A_27b)\ A_27a)\ (c_2Epair_2EFST\ A_27a\ A_27b)) \\
& \quad \quad V1kvl)))))) \Rightarrow ((ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A_27a \\
& \quad \quad A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V2fm)\ (\\
& \quad \quad \quad ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0k)\ V3v)))\ V1kvl) = (ap\ (ap\ (\\
& \quad \quad c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST \\
& \quad \quad \quad A_27a\ A_27b)\ V2fm)\ V1kvl))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b) \\
& \quad \quad \quad \quad V0k)\ V3v)))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad (\forall V0f \in (A_27b^{A_27a}). ((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b) \\
& \quad V0f)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL\ A_27b))) \wedge (\forall V1f \in \\
& \quad \quad (A_27b^{A_27a}). (\forall V2h \in A_27a. (\forall V3t \in (ty_2Elist_2Elist \\
& \quad \quad A_27a). ((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad \quad A_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ (ap\ V1f\ V2h)) \\
& \quad \quad \quad (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ V3t)))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}), \\
& \quad (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& \quad \quad A_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a. (p\ (ap\ V0P\ (ap\ (ap\ (\\
& \quad \quad \quad c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& \quad \quad \quad A_27a). (p\ (ap\ V0P\ V3l)))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Elist_2EREVERSE\ A_27a) \\
& \quad (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL\ A_27a)) \wedge (\forall V0h \in \\
& \quad \quad A_27a. (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2EREVERSE \\
& \quad \quad A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad \quad \quad A_27a)\ (ap\ (c_2Elist_2EREVERSE\ A_27a)\ V1t))\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad \quad \quad \quad A_27a)\ V0h)\ (c_2Elist_2ENIL\ A_27a)))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (((p\ (ap\ (c.2Elist.2EALL_DISTINCT \\
& \quad A.27a)\ (c.2Elist.2ENIL\ A.27a))) \Leftrightarrow True) \wedge (\forall V0h \in A.27a. \\
& \forall V1t \in (ty.2Elist.2Elist\ A.27a). ((p\ (ap\ (c.2Elist.2EALL_DISTINCT \\
& \quad A.27a)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V0h)\ V1t))) \Leftrightarrow ((\neg(p\ (ap\ (ap \\
& \quad (c.2Ebool.2EIN\ A.27a)\ V0h)\ (ap\ (c.2Elist.2ELIST_TO_SET\ A.27a) \\
& \quad V1t)))) \wedge (p\ (ap\ (c.2Elist.2EALL_DISTINCT\ A.27a)\ V1t))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0x \in (ty.2Epair.2Eprod\ A.27a\ A.27b). (\exists V1q \in A.27a. \\
& \quad (\exists V2r \in A.27b. (V0x = (ap\ (ap\ (c.2Epair.2E_2C\ A.27a\ A.27b) \\
& \quad V1q)\ V2r))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2EFST\ A.27a \\
& \quad A.27b)\ (ap\ (ap\ (c.2Epair.2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x)))
\end{aligned} \tag{34}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0ls \in (ty.2Elist.2Elist\ (ty.2Epair.2Eprod\ A.27a\ A.27b)). \\
& \quad ((p\ (ap\ (c.2Elist.2EALL_DISTINCT\ A.27a)\ (ap\ (ap\ (c.2Elist.2EMAP \\
& \quad (ty.2Epair.2Eprod\ A.27a\ A.27b)\ A.27a)\ (c.2Epair.2EFST\ A.27a\ A.27b)) \\
& \quad V0ls))) \Rightarrow (\forall V1fm \in (ty.2Efinite_map.2Efmap\ A.27a\ A.27b). \\
& \quad ((ap\ (ap\ (c.2Efinite_map.2EFUPDATE_LIST\ A.27a\ A.27b)\ V1fm) \\
& \quad (ap\ (c.2Elist.2EREVERSE\ (ty.2Epair.2Eprod\ A.27a\ A.27b))\ V0ls)) = \\
& \quad (ap\ (ap\ (c.2Efinite_map.2EFUPDATE_LIST\ A.27a\ A.27b)\ V1fm)\ V0ls))))))
\end{aligned}$$