

# thm\_2Efinite\_map\_2EFUPDATE\_LIST\_APPEND\_COMMUTES (TMZ3arijTxTwrc9DGQu6Ciic7X1yEuASAPJ)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2Efmap A0 A1) \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (2)$$

Let  $c\_2Efinite\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2EFUPDATE A\_27a A\_27b \in (((ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)^{(ty\_2Epair\_2Eprod A\_27a A\_27b)})^{(ty\_2Efinite\_map\_2EFUPDATE A\_27a A\_27b)}) \quad (3)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (4)$$

Let  $c\_2Elist\_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EFOLDL A\_27a A\_27b \in (((A\_27b^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27b})^{((A\_27b^{A\_27a})^{A\_27b})}) \quad (5)$$

**Definition 3** We define  $c\_2Efinite\_map\_2EFUPDATE\_LIST$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(ap (c\_2Elist\_2EFOLDL$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EMAP\ A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(A\_27b^{A\_27a}})) \quad (6)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (7)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (8)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (9)$$

**Definition 4** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p\ (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 5** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\_27a\ V0P))))$

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}\ V0P))))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}\ V2t))))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})}) \quad (10)$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ (V0x\ V1y))$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (11)$$

**Definition 10** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 11** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 12** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 13** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ V2t))))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \end{aligned} \quad (12)$$

**Definition 14** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ V1s)$

**Definition 15** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ V1t)$

**Definition 16** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ V1t)$

**Definition 17** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_21\ 2))$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2. ((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg (p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (19)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \Rightarrow \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & \quad \forall V0f \in (ty\_2Efinite\_map\_2Efmap A_{.27a} A_{.27b}).(((ap (ap \\ & \quad (c\_2Efinite\_map\_2EFUPDATE\_LIST A_{.27a} A_{.27b}) V0f) (c\_2Elist\_2ENIL \\ & \quad (ty\_2Epair\_2Eprod A_{.27a} A_{.27b}))) = V0f) \wedge (\forall V1h \in (ty\_2Epair\_2Eprod \\ & \quad A_{.27a} A_{.27b}).(\forall V2t \in (ty\_2Elist\_2Elist (ty\_2Epair\_2Eprod \\ & \quad A_{.27a} A_{.27b})).(ap (ap (c\_2Efinite\_map\_2EFUPDATE\_LIST A_{.27a} \\ & \quad A_{.27b}) V0f) (ap (ap (c\_2Elist\_2ECONS (ty\_2Epair\_2Eprod A_{.27a} A_{.27b}) \\ & \quad V1h) V2t)) = (ap (ap (c\_2Efinite\_map\_2EFUPDATE\_LIST A_{.27a} A_{.27b}) \\ & \quad (ap (ap (c\_2Efinite\_map\_2EFUPDATE A_{.27a} A_{.27b}) V0f) V1h)) V2t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & \quad \forall V0k \in A_{.27a}.(\forall V1kvl \in (ty\_2Elist\_2Elist (ty\_2Epair\_2Eprod \\ & \quad A_{.27a} A_{.27b})).(\forall V2fm \in (ty\_2Efinite\_map\_2Efmap A_{.27a} \\ & \quad A_{.27b}).(\forall V3v \in A_{.27b}.((\neg (p (ap (ap (c\_2Ebool\_2EIN A_{.27a}) \\ & \quad V0k) (ap (c\_2Elist\_2ELIST\_TO\_SET A_{.27a}) (ap (ap (c\_2Elist\_2EMAP \\ & \quad (ty\_2Epair\_2Eprod A_{.27a} A_{.27b}) A_{.27a}) (c\_2Epair\_2EFST A_{.27a} A_{.27b}) \\ & \quad V1kvl)))))) \Rightarrow ((ap (ap (c\_2Efinite\_map\_2EFUPDATE\_LIST A_{.27a} \\ & \quad A_{.27b}) (ap (ap (c\_2Efinite\_map\_2EFUPDATE A_{.27a} A_{.27b}) V2fm) ( \\ & \quad ap (ap (c\_2Epair\_2E\_2C A_{.27a} A_{.27b}) V0k) V3v))) V1kvl) = (ap (ap ( \\ & \quad c\_2Efinite\_map\_2EFUPDATE A_{.27a} A_{.27b}) (ap (ap (c\_2Efinite\_map\_2EFUPDATE\_LIST \\ & \quad A_{.27a} A_{.27b}) V2fm) V1kvl)) (ap (ap (c\_2Epair\_2E\_2C A_{.27a} A_{.27b}) \\ & \quad V0k) V3v)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & \quad (\forall V0f \in (A_{.27b}^{A_{.27a}}).((ap (ap (c\_2Elist\_2EMAP A_{.27a} A_{.27b}) \\ & \quad V0f) (c\_2Elist\_2ENIL A_{.27a})) = (c\_2Elist\_2ENIL A_{.27b})) \wedge (\forall V1f \in \\ & \quad (A_{.27b}^{A_{.27a}}).(\forall V2h \in A_{.27a}.(\forall V3t \in (ty\_2Elist\_2Elist \\ & \quad A_{.27a}).((ap (ap (c\_2Elist\_2EMAP A_{.27a} A_{.27b}) V1f) (ap (ap (c\_2Elist\_2ECONS \\ & \quad A_{.27a}) V2h) V3t)) = (ap (ap (c\_2Elist\_2ECONS A_{.27b}) (ap V1f V2h)) \\ & \quad (ap (ap (c\_2Elist\_2EMAP A_{.27a} A_{.27b}) V1f) V3t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0h \in A.27b. (\forall V1t \in (ty.2Elist.2Elist\ A.27b). ( \\ (ap\ (c.2Elist.2ELIST\_TO\_SET\ A.27a)\ (c.2Elist.2ENIL\ A.27a)) = \\ (c.2Epred\_set.2EEMPTY\ A.27a)) \wedge ((ap\ (c.2Elist.2ELIST\_TO\_SET \\ A.27b)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27b)\ V0h)\ V1t)) = (ap\ (ap\ (c.2Epred\_set.2EINSERT \\ A.27b)\ V0h)\ (ap\ (c.2Elist.2ELIST\_TO\_SET\ A.27b)\ V1t)))))) \\ (24) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist\ A.27a)}). \\ (((p\ (ap\ V0P\ (c.2Elist.2ENIL\ A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist \\ A.27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a. (p\ (ap\ V0P\ (ap\ (ap\ ( \\ c.2Elist.2ECONS\ A.27a)\ V2h)\ V1t))))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\ A.27a). (p\ (ap\ V0P\ V3l)))))) \\ (25) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0x \in (ty.2Epair.2Eprod\ A.27a\ A.27b). (\exists V1q \in A.27a. \\ (\exists V2r \in A.27b. (V0x = (ap\ (ap\ (c.2Epair.2E\_2C\ A.27a\ A.27b) \\ V1q)\ V2r)))))) \\ (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2EFST\ A.27a \\ A.27b)\ (ap\ (ap\ (c.2Epair.2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x))) \\ (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). ((p\ (ap \\ (ap\ (c.2Epred\_set.2EDISJOINT\ A.27a)\ (c.2Epred\_set.2EEMPTY \\ A.27a))\ V0s)) \wedge (p\ (ap\ (ap\ (c.2Epred\_set.2EDISJOINT\ A.27a)\ V0s) \\ (c.2Epred\_set.2EEMPTY\ A.27a)))))) \\ (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1s \in \\ (2^{A.27a}). (\forall V2t \in (2^{A.27a}). ((p\ (ap\ (ap\ (c.2Epred\_set.2EDISJOINT \\ A.27a)\ (ap\ (ap\ (c.2Epred\_set.2EINSERT\ A.27a)\ V0x)\ V1s))\ V2t)) \Leftrightarrow \\ ((p\ (ap\ (ap\ (c.2Epred\_set.2EDISJOINT\ A.27a)\ V1s)\ V2t)) \wedge (\neg (p\ ( \\ ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V0x)\ V2t))))))) \\ (29) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.((p \vee 0A) \Rightarrow ((\neg(p \vee 0A)) \Rightarrow \text{False}))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \vee 0A) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \vee 0A)) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \vee 0A)) \Rightarrow \text{False}) \Rightarrow (((p \vee 0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Leftrightarrow (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee ((p \vee 1q) \vee (p \vee 2r))) \wedge (((p \vee 0p) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 1q)))) \wedge (((p \vee 1q) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 0p)))) \wedge ((p \vee 2r) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \vee (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee (\neg(p \vee 1q))) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((p \vee 1q) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Rightarrow (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((\neg(p \vee 1q)) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \vee 0p) \Leftrightarrow (\neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p \vee 0p) \Rightarrow (p \vee 1q))) \Rightarrow (p \vee 0p)))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p \vee 0p) \Rightarrow (p \vee 1q))) \Rightarrow (\neg(p \vee 1q)))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (43)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0l1 \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\ & \quad (\forall V1l2 \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)). \\ & \quad (\forall V2fm \in (ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)).((p\ (ap \\ & \quad (ap\ (c\_2Epred\_set\_2EDISJOINT\ A\_27a)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\ & \quad A\_27a)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b) \\ & \quad A\_27a)\ (c\_2Epair\_2EFST\ A\_27a\ A\_27b))\ V0l1)))\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\ & \quad A\_27a)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b) \\ & \quad A\_27a)\ (c\_2Epair\_2EFST\ A\_27a\ A\_27b))\ V1l2)))) \Rightarrow ((ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\_LIST \\ & \quad A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\_LIST\ A\_27a\ A\_27b) \\ & \quad V2fm)\ V0l1))\ V1l2) = (ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\_LIST \\ & \quad A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\_LIST\ A\_27a\ A\_27b) \\ & \quad V2fm)\ V1l2))\ V0l1)))))) \end{aligned}$$