

thm_2Efinite_map_2EFUPDATE_LIST_APPLY_HO_THM
 (TMZnUPbZVMahuucvFCtSd-
 BAigJ9jqKVCLoE)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) P)))$

Definition 4 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELIST_TO_SET A_27a \in ((2^{A_27a}) (ty_2Elist_2Elist A_27a)) \quad (2)$$

Definition 5 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2Efmap A0 A1) \quad (3)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (4)$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b \in (((ty_2Efinite_map_2Efm\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})^{(ty_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)}) \quad (5)$$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDL\ A_27a\ A_27b \in (((A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{A_27b})^{((A_27b)^{A_27a})^{A_27b}} \quad (6)$$

Definition 6 We define $c_2Efinite_map_2EFUPDATE_LIST$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (ap\ (c_2Elist_2EFOLDL\ A_27a\ A_27b))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (7)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (8)$$

Let $c_2Efinite_map_2Efm_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efm_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efm\ A_27a\ A_27b)}) \quad (9)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL\ A_27a\ A_27b \in (A_27a)^{(ty_2Esum_2Esum\ A_27a\ A_27b)} \quad (10)$$

Definition 7 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))))$

Definition 8 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2EFAPPLY\ A_27a\ A_27b)$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (11)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (12)$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b)^{A_27a}}) \quad (13)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (14)$$

Let $c_2Elist_2EEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EEL\ A_27a \in ((A_27a^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (15)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (16)$$

Definition 9 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21\ 2))$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (18)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (19)$$

Definition 13 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ V0m)$

Definition 14 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V1n$

Definition 15 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(V0x = V0x)) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t))) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\ & \quad \forall V0kvl \in (ty_2Elist_2Elist (ty_2Epair_2Eprod A.27a A.27b)). \\ & \quad (\forall V1f \in (ty_2Efinite_map_2Efmmap A.27a A.27b).(\forall V2k \in \\ & \quad A.27a.((\neg(p (ap (ap (c_2Ebool_2EIN A.27a) V2k) (ap (c_2Elist_2ELIST_TO_SET \\ & \quad A.27a) (ap (ap (c_2Elist_2EMAP (ty_2Epair_2Eprod A.27a A.27b) \\ & \quad A.27a) (c_2Epair_2EFST A.27a A.27b)) V0kvl)))))) \Rightarrow ((ap (ap (c_2Efinite_map_2EFAPPLY \\ & \quad A.27a A.27b) (ap (ap (c_2Efinite_map_2EFUPDATE_LIST A.27a A.27b) \\ & \quad V1f) V0kvl)) V2k) = (ap (ap (c_2Efinite_map_2EFAPPLY A.27a A.27b) \\ & \quad V1f) V2k)))))) \quad (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\ & \quad \forall V0kvl \in (ty_2Elist_2Elist (ty_2Epair_2Eprod A.27a A.27b)). \\ & \quad (\forall V1f \in (ty_2Efinite_map_2Efmmap A.27a A.27b).(\forall V2k \in \\ & \quad A.27a.(\forall V3v \in A.27b.(\forall V4n \in ty_2Enum_2Enum.(((p \\ & \quad (ap (ap c_2Eprim_rec_2E_3C V4n) (ap (c_2Elist_2ELENGTH (ty_2Epair_2Eprod \\ & \quad A.27a A.27b)) V0kvl))) \wedge ((V2k = (ap (ap (c_2Elist_2EEL A.27a) V4n) \\ & \quad (ap (ap (c_2Elist_2EMAP (ty_2Epair_2Eprod A.27a A.27b) A.27a) \\ & \quad (c_2Epair_2EFST A.27a A.27b)) V0kvl))) \wedge ((V3v = (ap (ap (c_2Elist_2EEL \\ & \quad A.27b) V4n) (ap (ap (c_2Elist_2EMAP (ty_2Epair_2Eprod A.27a A.27b) \\ & \quad A.27b) (c_2Epair_2ESND A.27a A.27b)) V0kvl))) \wedge (\forall V5m \in ty_2Enum_2Enum. \\ & \quad (((p (ap (ap c_2Eprim_rec_2E_3C V4n) V5m)) \wedge (p (ap (ap c_2Eprim_rec_2E_3C \\ & \quad V5m) (ap (c_2Elist_2ELENGTH (ty_2Epair_2Eprod A.27a A.27b)) V0kvl)))))) \Rightarrow \\ & \quad (\neg((ap (ap (c_2Elist_2EEL A.27a) V5m) (ap (ap (c_2Elist_2EMAP (\\ & \quad ty_2Epair_2Eprod A.27a A.27b) A.27a) (c_2Epair_2EFST A.27a A.27b)) \\ & \quad V0kvl)) = V2k)))))) \Rightarrow ((ap (ap (c_2Efinite_map_2EFAPPLY A.27a \\ & \quad A.27b) (ap (ap (c_2Efinite_map_2EFUPDATE_LIST A.27a A.27b) \\ & \quad V1f) V0kvl)) V2k) = V3v)))))) \quad (28) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (43)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0P \in (2^{A_27a}).(\forall V1f \in (ty_2Efinite_map_2Efmap \\ & \quad A_27b\ A_27a).(\forall V2kvl \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod \\ & \quad A_27b\ A_27a)).(\forall V3k \in A_27b.(((\exists V4n \in ty_2Enum_2Enum. \\ & \quad ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V4n)\ (ap\ (c_2Elist_2ELENGTH\ (ty_2Epair_2Eprod \\ & \quad A_27b\ A_27a))\ V2kvl))) \wedge ((V3k = (ap\ (ap\ (c_2Elist_2EEL\ A_27b)\ V4n) \\ & \quad (ap\ (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27b\ A_27a)\ A_27b) \\ & \quad (c_2Epair_2EFST\ A_27b\ A_27a))\ V2kvl))) \wedge ((p\ (ap\ V0P\ (ap\ (ap\ (c_2Elist_2EEL \\ & \quad A_27a)\ V4n)\ (ap\ (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27b\ A_27a) \\ & \quad A_27a)\ (c_2Epair_2ESND\ A_27b\ A_27a))\ V2kvl)))) \wedge (\forall V5m \in \\ & \quad ty_2Enum_2Enum.(((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V4n)\ V5m)) \wedge (\\ & \quad p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V5m)\ (ap\ (c_2Elist_2ELENGTH\ (ty_2Epair_2Eprod \\ & \quad A_27b\ A_27a))\ V2kvl)))) \Rightarrow (\neg((ap\ (ap\ (c_2Elist_2EEL\ A_27b)\ V5m) \\ & \quad (ap\ (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27b\ A_27a)\ A_27b) \\ & \quad (c_2Epair_2EFST\ A_27b\ A_27a))\ V2kvl)) = V3k)))))) \vee ((\neg(p\ (ap \\ & \quad (ap\ (c_2Ebool_2EIN\ A_27b)\ V3k)\ (ap\ (c_2Elist_2ELIST_TO_SET \\ & \quad A_27b)\ (ap\ (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27b\ A_27a) \\ & \quad A_27b)\ (c_2Epair_2EFST\ A_27b\ A_27a))\ V2kvl)))) \wedge (p\ (ap\ V0P\ (ap \\ & \quad (ap\ (c_2Efinite_map_2EFAPPLY\ A_27b\ A_27a)\ V1f)\ V3k)))) \Rightarrow (p\ (\\ & \quad ap\ V0P\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27b\ A_27a)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST \\ & \quad A_27b\ A_27a)\ V1f)\ V2kvl))\ V3k)))))) \end{aligned}$$