

# thm\_2Efinite\_\_map\_2EFUPDATE\_\_LIST\_\_CANCEL (TMM8RSihfxK88Ato5ToqoXkLxKtZHP6KMwo)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a}))))$

**Definition 4** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V 0t \in 2.V 0t))$ .

Let `ty_2Efinite__map_2Efmap` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty\_2Efinite\_map\_2Efmap } A 0 A 1) \quad (1)$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A 0 A 1) \quad (2)$$

Let `c_2Efinite__map_2EFUPDATE` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c\_2Efinite\_map\_2EFUPDATE } A. 27a A. 27b \in (((\text{ty\_2Efinite\_map\_2Efmap } A. 27a A. 27b)^{(\text{ty\_2Epair\_2Eprod } A. 27a A. 27b)})^{(\text{ty\_2Efinite\_map\_2EFUPDATE } A. 27a A. 27b)}) \quad (3)$$

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty\_2Elist\_2Elist } A 0) \quad (4)$$

Let `c_2Elist_2EFOLDL` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c\_2Elist\_2EFOLDL } A. 27a A. 27b \in (((A. 27b)^{(\text{ty\_2Elist\_2Elist } A. 27a)})^{A. 27b})^{((A. 27b)^{A-27a})^{A-27b}} \quad (5)$$

**Definition 5** We define  $c\_2Efinite\_map\_2EFUPDATE\_LIST$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(ap (c\_2Elist\_2EF$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EMAP A\_27a A\_27b \in (((ty\_2Elist\_2Elist A\_27b)^{(ty\_2Elist\_2Elist A\_27a)})^{(A\_27b^{A\_27a}})) \quad (6)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (7)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (8)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (9)$$

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

**Definition 8** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 9** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a}})) \quad (10)$$

**Definition 10** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \quad (11)$$

**Definition 11** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 12** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E$

**Definition 13** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 14** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b})}) \end{aligned} \quad (12)$$

**Definition 15** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}).(ap (c\_2E$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (16)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg ( \\ p V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (21)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & \forall V0f \in (ty\_2Efinite\_map\_2E fmap A_{.27a} A_{.27b}).(((ap (ap \\ & (c\_2Efinite\_map\_2EFUPDATE\_LIST A_{.27a} A_{.27b}) V0f) (c\_2Elist\_2ENIL \\ & (ty\_2Epair\_2Eprod A_{.27a} A_{.27b}))) = V0f) \wedge (\forall V1h \in (ty\_2Epair\_2Eprod \\ & A_{.27a} A_{.27b}).(\forall V2t \in (ty\_2Elist\_2Elist (ty\_2Epair\_2Eprod \\ & A_{.27a} A_{.27b})).(ap (ap (c\_2Efinite\_map\_2EFUPDATE\_LIST A_{.27a} \\ & A_{.27b}) V0f) (ap (ap (c\_2Elist\_2ECONS (ty\_2Epair\_2Eprod A_{.27a} A_{.27b}) \\ & V1h) V2t)) = (ap (ap (c\_2Efinite\_map\_2EFUPDATE\_LIST A_{.27a} A_{.27b}) \\ & (ap (ap (c\_2Efinite\_map\_2EFUPDATE A_{.27a} A_{.27b}) V0f) V1h)) V2t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & \forall V0k \in A_{.27a}.(\forall V1kvl \in (ty\_2Elist\_2Elist (ty\_2Epair\_2Eprod \\ & A_{.27a} A_{.27b})).(\forall V2fm \in (ty\_2Efinite\_map\_2E fmap A_{.27a} \\ & A_{.27b}).(\forall V3v \in A_{.27b}.((p (ap (ap (c\_2Ebool\_2EIN A_{.27a}) V0k) \\ & (ap (c\_2Elist\_2ELIST\_TO\_SET A_{.27a}) (ap (ap (c\_2Elist\_2EMAP \\ & (ty\_2Epair\_2Eprod A_{.27a} A_{.27b}) A_{.27a}) (c\_2Epair\_2EFST A_{.27a} A_{.27b}) \\ & V1kvl)))))) \Rightarrow ((ap (ap (c\_2Efinite\_map\_2EFUPDATE\_LIST A_{.27a} A_{.27b}) \\ & (ap (ap (c\_2Efinite\_map\_2EFUPDATE A_{.27a} A_{.27b}) V2fm) (ap (ap ( \\ & c\_2Epair\_2E\_2C A_{.27a} A_{.27b}) V0k) V3v))) V1kvl) = (ap (ap (c\_2Efinite\_map\_2EFUPDATE\_LIST \\ & A_{.27a} A_{.27b}) V2fm) V1kvl)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & (\forall V0f \in (A_{.27b}^{A_{.27a}}).((ap (ap (c\_2Elist\_2EMAP A_{.27a} A_{.27b}) \\ & V0f) (c\_2Elist\_2ENIL A_{.27a})) = (c\_2Elist\_2ENIL A_{.27b}))) \wedge (\forall V1f \in \\ & (A_{.27b}^{A_{.27a}}).(\forall V2h \in A_{.27a}.(\forall V3t \in (ty\_2Elist\_2Elist \\ & A_{.27a})).(ap (ap (c\_2Elist\_2EMAP A_{.27a} A_{.27b}) V1f) (ap (ap (c\_2Elist\_2ECONS \\ & A_{.27a} V2h) V3t)) = (ap (ap (c\_2Elist\_2ECONS A_{.27b}) (ap V1f V2h)) \\ & (ap (ap (c\_2Elist\_2EMAP A_{.27a} A_{.27b}) V1f) V3t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0h \in A.27b. (\forall V1t \in (ty.2Elist.2Elist\ A.27b). ( ( \\
& \quad (ap\ (c.2Elist.2ELIST\_TO\_SET\ A.27a)\ (c.2Elist.2ENIL\ A.27a)) = \\
& \quad (c.2Epred\_set.2EEMPTY\ A.27a)) \wedge ((ap\ (c.2Elist.2ELIST\_TO\_SET \\
& A.27b)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27b)\ V0h)\ V1t)) = (ap\ (ap\ (c.2Epred\_set.2EINSERT \\
& A.27b)\ V0h)\ (ap\ (c.2Elist.2ELIST\_TO\_SET\ A.27b)\ V1t)))))) \\
& \hspace{15em} (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist\ A.27a)}). \\
& ((p\ (ap\ V0P\ (c.2Elist.2ENIL\ A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist \\
& A.27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a. (p\ (ap\ V0P\ (ap\ (ap\ ( \\
& c.2Elist.2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\
& A.27a). (p\ (ap\ V0P\ V3l)))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0x \in (ty.2Epair.2Eprod\ A.27a\ A.27b). (\exists V1q \in A.27a. \\
& (\exists V2r \in A.27b. (V0x = (ap\ (ap\ (c.2Epair.2E\_2C\ A.27a\ A.27b) \\
& V1q)\ V2r)))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2EFST\ A.27a \\
& A.27b)\ (ap\ (ap\ (c.2Epair.2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\neg (p\ (ap\ (ap \\
& (c.2Ebool.2EIN\ A.27a)\ V0x)\ (c.2Epred\_set.2EEMPTY\ A.27a)))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in \\
& A.27a. (\forall V2s \in (2^{A.27a}). ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a) \\
& V0x)\ (ap\ (ap\ (c.2Epred\_set.2EINSERT\ A.27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\
& V1y) \vee (p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V0x)\ V2s)))))) \\
& \hspace{15em} (31)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\ & \quad \forall V0ls1 \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27b})). \\ & \quad (\forall V1fm \in (ty\_2Efinite\_map\_2Efm\ A_{.27a}\ A_{.27b}). (\forall V2ls2 \in \\ & \quad (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27b})). (\forall V3k \in \\ & \quad A_{.27a}. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V3k)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\ & \quad A_{.27a})\ (ap\ (ap\ (c\_2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27b}) \\ & \quad A_{.27a})\ (c\_2Epair\_2EFST\ A_{.27a}\ A_{.27b})\ V0ls1)))))) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & \quad A_{.27a})\ V3k)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A_{.27a})\ (ap\ (ap\ (c\_2Elist\_2EMAP \\ & \quad (ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27b})\ A_{.27a})\ (c\_2Epair\_2EFST\ A_{.27a}\ A_{.27b}) \\ & \quad V2ls2)))))) \Rightarrow ((ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\_LIST\ A_{.27a} \\ & \quad A_{.27b})\ (ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\_LIST\ A_{.27a}\ A_{.27b}) \\ & \quad V1fm)\ V0ls1))\ V2ls2) = (ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\_LIST \\ & \quad A_{.27a}\ A_{.27b})\ V1fm)\ V2ls2)))))) \end{aligned}$$