

thm_2Efinite_map_2EFUPDATE_LIST_SAME_KEYS_UNWIN
(TMMgRpRsDVBP-
wNykHgM2ToQ2L7gTtiHeiXv)

October 26, 2020

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b \in (((ty_2Efinite_map_2Efmap\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})^{(ty_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)}) \tag{3}$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{4}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{5}$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \tag{6}$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL\ A_27a\ A_27b \in (A_27a)^{(ty_2Esum_2Esum\ A_27a\ A_27b)} \tag{7}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map$

Definition 5 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 6 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 7 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (8)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \end{aligned} \quad (9)$$

Definition 12 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2$

Definition 13 We define $c_2Epred_set_2Ecompl$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Epred_set$

Let $c_2Efinite_map_2EDRESTRICT : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2EDRESTRICT \\ A_27a A_27b \in (((ty_2Efinite_map_2E fmap A_27a A_27b)^{(2^{A_27a})})^{(ty_2Efinite_map_2E fmap A_27a A_27b)}) \end{aligned} \quad (10)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (11)$$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EFOLDL \\ A_27a A_27b \in (((A_27b^{(ty_2Elist_2Elist A_27a)})^{A_27b})^{(A_27b^{A_27a})^{A_27b}}) \end{aligned} \quad (12)$$

Definition 14 We define $c_2Efinite_map_2EFUPDATE_LIST$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (ap (c_2Elist_2E$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{(ty_2Elist_2Elist A_27a)}) \quad (13)$$

Definition 15 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E21 2) (\lambda V2t \in$

Definition 16 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2$

Definition 17 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF).$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EMAP A_27a A_27b \in (((ty_2Elist_2Elist A_27b)^{(ty_2Elist_2Elist A_27a)})^{(A_27b^{A_27a})}) \quad (14)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELIST_TO_SET A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist A_27a)}) \quad (15)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (16)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (17)$$

Let $c_2Elist_2EALL_DISTINCT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EALL_DISTINCT A_27a \in (2^{(ty_2Elist_2Elist A_27a)}) \quad (18)$$

Definition 18 We define c_2Emin_2E40 to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge$
of type $\iota \Rightarrow \iota$.

Definition 19 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E40$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a)^{(ty_2Epair_2Eprod A_27a A_27b)} \quad (19)$$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee \neg(p V0t))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow \neg(p V0t))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. (\neg(p V0t) \Rightarrow ((p V0t) \Rightarrow False))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. (\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\neg(\exists V1x \in A_27a. (p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A_27a. (\neg(p\ (ap\ V0P\ V2x))))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). (((p\ V0P) \wedge (\forall V2x \in A_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in A_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x))))) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). (((p\ V0P) \vee (\exists V2x \in A_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\exists V3x \in A_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V3x))))) \quad (36)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). (((\forall V2x \in A_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A_27a. (p\ (ap\ V1Q\ V3x))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee ((p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B)))) \wedge (((\neg(p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B))))) \quad (40)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (41)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (42)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ & \quad \forall V0P \in ((2^{A_{.27b}})^{A_{.27a}}).((\forall V1x \in A_{.27a}.(\exists V2y \in \\ & A_{.27b}.(p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A_{.27b}^{A_{.27a}}). \\ & \quad \forall V4x \in A_{.27a}.(p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ & \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A_{.27a}\ A_{.27b}).(\forall V1x \in \\ & \quad A_{.27a}.(\forall V2y \in A_{.27b}.((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\ & A_{.27a}\ A_{.27b})\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_{.27a}\ A_{.27b})\ V0f) \\ & \quad (ap\ (ap\ (c_2Epair_2E_2C\ A_{.27a}\ A_{.27b})\ V1x)\ V2y))))\ V1x) = V2y)))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ & \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A_{.27a}\ A_{.27b}).(((ap\ (ap \\ & (c_2Efinite_map_2EFUPDATE_LIST\ A_{.27a}\ A_{.27b})\ V0f)\ (c_2Elist_2ENIL \\ & (ty_2Epair_2Eprod\ A_{.27a}\ A_{.27b}))) = V0f) \wedge (\forall V1h \in (ty_2Epair_2Eprod \\ & A_{.27a}\ A_{.27b}).(\forall V2t \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod \\ & A_{.27a}\ A_{.27b})).((ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A_{.27a} \\ & A_{.27b})\ V0f)\ (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ A_{.27a}\ A_{.27b}) \\ & V1h)\ V2t)) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A_{.27a}\ A_{.27b}) \\ & (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_{.27a}\ A_{.27b})\ V0f)\ V1h))\ V2t)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ & \quad \forall V0kvl \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_{.27a}\ A_{.27b})). \\ & \quad (\forall V1f \in (ty_2Efinite_map_2E fmap\ A_{.27a}\ A_{.27b}).(\forall V2k \in \\ & A_{.27a}.((\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_{.27a})\ V2k)\ (ap\ (c_2Elist_2ELIST_TO_SET \\ & A_{.27a})\ (ap\ (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_{.27a}\ A_{.27b}) \\ & A_{.27a})\ (c_2Epair_2EFST\ A_{.27a}\ A_{.27b}))\ V0kvl)))))) \Rightarrow ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\ & A_{.27a}\ A_{.27b})\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A_{.27a}\ A_{.27b}) \\ & V1f)\ V0kvl))\ V2k) = (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_{.27a}\ A_{.27b}) \\ & \quad V1f)\ V2k)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0kvl \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b)). \\
& \quad (\forall V1f1 \in (ty_2Efinite_map_2Efmmap\ A_27a\ A_27b). (\forall V2f2 \in \\
& \quad (ty_2Efinite_map_2Efmmap\ A_27a\ A_27b). ((ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST \\
& \quad A_27a\ A_27b)\ V1f1)\ V0kvl) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST \\
& \quad A_27a\ A_27b)\ V2f2)\ V0kvl)) \Leftrightarrow ((ap\ (ap\ (c_2Efinite_map_2EDRESTRICT \\
& \quad A_27a\ A_27b)\ V1f1)\ (ap\ (c_2Epred_set_2Ecompl\ A_27a)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& \quad A_27a)\ (ap\ (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27a\ A_27b) \\
& \quad A_27a)\ (c_2Epair_2EFST\ A_27a\ A_27b))\ V0kvl)))) = (ap\ (ap\ (c_2Efinite_map_2EDRESTRICT \\
& \quad A_27a\ A_27b)\ V2f2)\ (ap\ (c_2Epred_set_2Ecompl\ A_27a)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& \quad A_27a)\ (ap\ (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27a\ A_27b) \\
& \quad A_27a)\ (c_2Epair_2EFST\ A_27a\ A_27b))\ V0kvl))))))))) \\
& \hspace{15em} (47)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist \\
& \quad A_27a). ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) \\
& \quad V0l) = V0l)) \wedge (\forall V1l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l2 \in \\
& \quad (ty_2Elist_2Elist\ A_27a). (\forall V3h \in A_27a. ((ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V3h)\ V1l1))\ V2l2) = (ap\ (ap \\
& \quad (c_2Elist_2ECONS\ A_27a)\ V3h)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a) \\
& \quad V1l1)\ V2l2))))))))) \\
& \hspace{15em} (48)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad (\forall V0f \in (A_27b^{A_27a}). ((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b) \\
& \quad V0f)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL\ A_27b))) \wedge (\forall V1f \in \\
& \quad (A_27b^{A_27a}). (\forall V2h \in A_27a. (\forall V3t \in (ty_2Elist_2Elist \\
& \quad A_27a). ((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad A_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ (ap\ V1f\ V2h)) \\
& \quad (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ V3t))))))))) \\
& \hspace{15em} (49)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0h \in A_27b. (\forall V1t \in (ty_2Elist_2Elist\ A_27b). ((\\
& \quad (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) = \\
& \quad (c_2Epred_set_2EEMPTY\ A_27a)) \wedge ((ap\ (c_2Elist_2ELIST_TO_SET \\
& \quad A_27b)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Epred_set_2EINSERT \\
& \quad A_27b)\ V0h)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27b)\ V1t))))))))) \\
& \hspace{15em} (50)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}), \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & \quad A.27a).(p\ (ap\ V0P\ V1t))) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ & \quad c_2Elist_2ECONS\ A.27a\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & \quad A.27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ & \quad A.27a).(V0l = (c_2Elist_2ENIL\ A.27a)) \vee (\exists V1h \in A.27a.(\\ & \quad \exists V2t \in (ty_2Elist_2Elist\ A.27a).(V0l = (ap\ (ap\ (c_2Elist_2ECONS \\ & \quad \quad A.27a\ V1h)\ V2t)))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a0 \in A.27a.(\forall V1a1 \in \\ & \quad (ty_2Elist_2Elist\ A.27a).(\forall V2a0.27 \in A.27a.(\forall V3a1.27 \in \\ & \quad (ty_2Elist_2Elist\ A.27a).(((ap\ (ap\ (c_2Elist_2ECONS\ A.27a)\ V0a0) \\ & \quad V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A.27a)\ V2a0.27)\ V3a1.27)) \Leftrightarrow ((V0a0 = \\ & \quad \quad V2a0.27) \wedge (V1a1 = V3a1.27)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a1 \in (ty_2Elist_2Elist \\ & \quad A.27a).(\forall V1a0 \in A.27a.(\neg((c_2Elist_2ENIL\ A.27a) = (ap\ (\\ & \quad \quad ap\ (c_2Elist_2ECONS\ A.27a)\ V1a0)\ V0a1)))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0l \in (ty_2Elist_2Elist\ A.27a).(\forall V1f \in (A.27b^{A.27a}). \\ & \quad (((ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b)\ V1f)\ V0l) = (c_2Elist_2ENIL \\ & \quad \quad A.27b)) \Leftrightarrow (V0l = (c_2Elist_2ENIL\ A.27a))) \wedge (((c_2Elist_2ENIL\ A.27b) = \\ & \quad (ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b)\ V1f)\ V0l)) \Leftrightarrow (V0l = (c_2Elist_2ENIL \\ & \quad \quad A.27a)))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (((p\ (ap\ (c_2Elist_2EALL_DISTINCT \\ & \quad A.27a)\ (c_2Elist_2ENIL\ A.27a))) \Leftrightarrow True) \wedge (\forall V0h \in A.27a.(\\ & \quad \forall V1t \in (ty_2Elist_2Elist\ A.27a).(p\ (ap\ (c_2Elist_2EALL_DISTINCT \\ & \quad \quad A.27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27a)\ V0h)\ V1t))) \Leftrightarrow ((\neg(p\ (ap\ (ap \\ & \quad \quad (c_2Ebool_2EIN\ A.27a)\ V0h)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A.27a) \\ & \quad \quad V1t)))) \wedge (p\ (ap\ (c_2Elist_2EALL_DISTINCT\ A.27a)\ V1t)))))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\ & \quad A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\ & \hspace{15em} (57) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in (ty_2Epair_2Eprod\ A_27a\ A_27b). (\exists V1q \in A_27a. \\ & \quad (\exists V2r \in A_27b. (V0x = (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ \\ & \quad V1q)\ V2r)))))) \\ & \hspace{15em} (58) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. ((ap\ (c_2Epair_2EFST\ A_27a \\ & \quad A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V0x))) \\ & \hspace{15em} (59) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (60)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (61)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B)))) \Rightarrow False) \Leftrightarrow \\ & \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\ & \hspace{15em} (62) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B)))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\ & \hspace{15em} (63) \end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (64)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\ & \hspace{15em} (65) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{69}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\
& \forall V0f1 \in (ty_2Efinite_map_2Efmap A.27a A.27b). (\forall V1f2 \in \\
& (ty_2Efinite_map_2Efmap A.27a A.27b). (\forall V2kvl1 \in (ty_2Elist_2Elist \\
& (ty_2Epair_2Eprod A.27a A.27b)). (\forall V3kvl2 \in (ty_2Elist_2Elist \\
& (ty_2Epair_2Eprod A.27a A.27b)). (((ap (ap (c_2Efinite_map_2EFUPDATE_LIST \\
& A.27a A.27b) V0f1) V2kvl1) = (ap (ap (c_2Efinite_map_2EFUPDATE_LIST \\
& A.27a A.27b) V1f2) V3kvl2)) \wedge (((ap (ap (c_2Elist_2EMAP (ty_2Epair_2Eprod \\
& A.27a A.27b) A.27a) (c_2Epair_2EFST A.27a A.27b)) V2kvl1) = (ap \\
& (ap (c_2Elist_2EMAP (ty_2Epair_2Eprod A.27a A.27b) A.27a) (c_2Epair_2EFST \\
& A.27a A.27b)) V3kvl2)) \wedge (p (ap (c_2Elist_2EALL_DISTINCT A.27a) \\
& (ap (ap (c_2Elist_2EMAP (ty_2Epair_2Eprod A.27a A.27b) A.27a) \\
& (c_2Epair_2EFST A.27a A.27b)) V2kvl1)))))) \Rightarrow ((V2kvl1 = V3kvl2) \wedge \\
& (\forall V4kvl \in (ty_2Elist_2Elist (ty_2Epair_2Eprod A.27a A.27b)). \\
& (((ap (ap (c_2Elist_2EMAP (ty_2Epair_2Eprod A.27a A.27b) A.27a) \\
& (c_2Epair_2EFST A.27a A.27b)) V4kvl) = (ap (ap (c_2Elist_2EMAP \\
& (ty_2Epair_2Eprod A.27a A.27b) A.27a) (c_2Epair_2EFST A.27a A.27b)) \\
& V2kvl1)) \Rightarrow ((ap (ap (c_2Efinite_map_2EFUPDATE_LIST A.27a A.27b) \\
& V0f1) V4kvl) = (ap (ap (c_2Efinite_map_2EFUPDATE_LIST A.27a \\
& A.27b) V1f2) V4kvl))))))
\end{aligned}$$