

thm\_2Efinite\_\_map\_2EIMAGE\_\_FRANGE  
(TMGY53CUqwrfG5diiK5GYGkpLJdLSaJuYBP)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 3** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 4** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A\_27a})) A\_27a))$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efinite\_map\_2Efmap\ A0\ A1) \tag{3}$$

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_REP\ A\_27a\ A\_27b \in (((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)}) \tag{4}$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EOUTL\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \tag{5}$$

**Definition 5** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 6** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 7** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2E$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL \\ A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (6)$$

**Definition 8** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2E$

Let  $c\_2Efinite\_map\_2Eo\_f : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ nonempty\ A\_27c \Rightarrow c\_2Efinite\_map\_2Eo\_f\ A\_27a\ A\_27b\ A\_27c \in ((( \\ ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27c)^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)})^{(A\_27c^{A\_27b})}) \end{aligned} \quad (7)$$

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in$

**Definition 12** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap\ P\ x)) \text{ then } (the (\lambda x. x \in A) \wedge$  of type  $\iota \Rightarrow \iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P (ap (c\_2Emin\_2E\_40$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod\ A0\ A1) \quad (8)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (9)$$

**Definition 14** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (10)$$

**Definition 15** We define  $c\_2Efinite\_map\_2EFRANGE$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0f \in (ty\_2Efinite\_map\_2EFRANGE)$

**Definition 16** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0f \in (A.27b^{A.27a}).\lambda V1s \in (c\_2Ebool\_2E21\_2)$

**Definition 17** We define  $c\_2Ebool\_2E21\_2$  to be  $(ap (c\_2Ebool\_2E21\_2) (\lambda V0t \in 2.V0t))$ .

**Definition 18** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E21\_2) (\lambda V2t \in 2.V2t) (V0t1 V1t2))))$

**Definition 19** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E3D\_3D\_3E V0t) c\_2Ebool\_2E21\_2))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee \neg(p V0t))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A.27a.(p V0t) \Leftrightarrow (p V0t)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow \neg(p V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(\neg(p V0t) \Rightarrow ((p V0t) \Rightarrow False))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (20)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in 2.((\exists V2x \in A.27a.((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in A.27a.(p (ap V0P V3x)) \wedge (p V1Q)))))) \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((\forall V2x \in A.27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a.(p (ap V1Q V3x)))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (32)$$

Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. ((\text{ap } (c\_2Ecombin\_2EI A_{.27a}) V0x) = V0x)) \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow \forall A_{.27c}. \\ & \text{nonempty } A_{.27c} \Rightarrow (\forall V0f \in (A_{.27c}^{A_{.27b}}). (\forall V1g \in (\text{ty\_2Efinite\_map\_2E fmap} \\ & A_{.27a} A_{.27b}). ((\text{ap } (c\_2Efinite\_map\_2EFDOM A_{.27a} A_{.27c}) (\text{ap } (\text{ap} \\ & (c\_2Efinite\_map\_2Eo\_f A_{.27a} A_{.27b} A_{.27c}) V0f) V1g)) = (\text{ap } (c\_2Efinite\_map\_2EFDOM \\ & A_{.27a} A_{.27b}) V1g)))))) \quad (34) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow \forall A_{.27c}. \\ & \text{nonempty } A_{.27c} \Rightarrow (\forall V0f \in (A_{.27c}^{A_{.27b}}). (\forall V1g \in (\text{ty\_2Efinite\_map\_2E fmap} \\ & A_{.27a} A_{.27b}). (\forall V2x \in A_{.27a}. ((p (\text{ap } (\text{ap } (c\_2Ebool\_2EIN A_{.27a}) \\ & V2x) (\text{ap } (c\_2Efinite\_map\_2EFDOM A_{.27a} A_{.27b}) V1g))) \Rightarrow ((\text{ap } (\text{ap} \\ & (c\_2Efinite\_map\_2EFAPPLY A_{.27a} A_{.27c}) (\text{ap } (\text{ap } (c\_2Efinite\_map\_2Eo\_f \\ & A_{.27a} A_{.27b} A_{.27c}) V0f) V1g)) V2x) = (\text{ap } V0f (\text{ap } (\text{ap } (c\_2Efinite\_map\_2EFAPPLY \\ & A_{.27a} A_{.27b}) V1g) V2x)))))) \quad (35) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow \forall A_{.27c}. \\ & \text{nonempty } A_{.27c} \Rightarrow (\forall V0x \in A_{.27a}. (\forall V1g \in (\text{ty\_2Efinite\_map\_2E fmap} \\ & A_{.27b} A_{.27a}). (\forall V2f \in (A_{.27c}^{A_{.27a}}). ((p (\text{ap } (\text{ap } (c\_2Ebool\_2EIN \\ & A_{.27a}) V0x) (\text{ap } (c\_2Efinite\_map\_2EFRANGE A_{.27b} A_{.27a}) V1g))) \Rightarrow \\ & (p (\text{ap } (\text{ap } (c\_2Ebool\_2EIN A_{.27c}) (\text{ap } V2f V0x)) (\text{ap } (c\_2Efinite\_map\_2EFRANGE \\ & A_{.27b} A_{.27c}) (\text{ap } (\text{ap } (c\_2Efinite\_map\_2Eo\_f A_{.27b} A_{.27a} A_{.27c}) \\ & V2f) V1g)))))) \quad (36) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\forall V2a \in A\_27a. (\forall V3b \in \\ & \quad A\_27b. (((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\ & \hspace{15em} (37) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & \quad (2^{A\_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & \quad A\_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V1t)))))) \\ & \hspace{15em} (38) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in ((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}). (\forall V1v \in \\ & \quad A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ & \quad A\_27a\ A\_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A\_27b. ((ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A\_27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \\ & \hspace{15em} (39) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0y \in A\_27b. (\forall V1s \in (2^{A\_27a}). (\forall V2f \in (A\_27b)^{A\_27a}). \\ & \quad ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V0y)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\ & \quad A\_27a\ A\_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A\_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ & \quad (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ V1s)))))) \\ & \hspace{15em} (40) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (42)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\ & \hspace{15em} (43) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\ & \hspace{15em} (44) \end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (45)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg( \\
& p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee \\
& ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge (( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{50}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{51}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{52}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V0p)))) \tag{53}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{54}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p))) \tag{55}$$

**Theorem 1**

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow \forall A_{.27c}. \\ & \text{nonempty } A_{.27c} \Rightarrow (\forall V_0 f \in (A_{.27b}^{A_{.27a}}). (\forall V_1 f m \in (\text{ty\_2Efinite\_map\_2E fmap} \\ & \quad A_{.27c} A_{.27a}). ((\text{ap } (\text{ap } (\text{c\_2Epred\_set\_2EIMAGE } A_{.27a} A_{.27b}) V_0 f) \\ & \quad (\text{ap } (\text{c\_2Efinite\_map\_2EFRANGE } A_{.27c} A_{.27a}) V_1 f m)) = (\text{ap } (\text{c\_2Efinite\_map\_2EFRANGE} \\ & \quad A_{.27c} A_{.27b}) (\text{ap } (\text{ap } (\text{c\_2Efinite\_map\_2Eo\_f } A_{.27c} A_{.27a} A_{.27b}) \\ & \quad \quad V_0 f) V_1 f m)))))) \end{aligned}$$