

# thm\_2Efinite\_map\_2EMAP\_KEYS\_FUPDATE (TMJ6ouRCuw75wZDefoiZwNNCxLfzUpkpRKR)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_2E21$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 4** We define  $c\_2Ebool\_2E\_2EF$  to be  $(ap (c\_2Ebool\_2E\_2E21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E21 2) (\lambda V2t \in 2.V2t)))$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.(ap (c\_2Emin\_2E\_40 (2^{A-27a})))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Epair\_2EABS\_prod A.27a A.27b \in ((ty\_2Epair\_2Eprod A.27a A.27b)^{(2^{A-27b})^{A-27a}}) \quad (2)$$

**Definition 9** We define  $c\_2Epair\_2E\_2EC$  to be  $\lambda A.\lambda 27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c\_2Emin\_2E\_40 (2^{A-27a})))$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2Efmap A0 A1) \quad (3)$$

Let  $c\_2Efinite\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2EFUPDATE\ A\_27a\ A\_27b \in (((ty\_2Efinite\_map\_2Efm\ A\_27a\ A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})^{(ty\_2Efinite\_map\_2EFUPDATE\ A\_27a\ A\_27b)}) \quad (4)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (5)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (6)$$

Let  $c\_2Efinite\_map\_2Efm\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efm\_REP\ A\_27a\ A\_27b \in (((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2Efm\ A\_27a\ A\_27b)}) \quad (7)$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EOUTL\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)} \quad (8)$$

**Definition 10** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2EFAPPLY\ A\_27a\ A\_27b)$

Let  $c\_2Efinite\_map\_2EMAP\_KEYS : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c.nonempty\ A\_27c \Rightarrow c\_2Efinite\_map\_2EMAP\_KEYS\ A\_27a\ A\_27b\ A\_27c \in (((ty\_2Efinite\_map\_2Efm\ A\_27b\ A\_27c)^{(ty\_2Efinite\_map\_2Efm\ A\_27a\ A\_27c)})^{(A\_27b)^{A\_27a}}) \quad (9)$$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL\ A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \quad (10)$$

**Definition 11** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)$

**Definition 12** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EET)$ .

**Definition 13** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\_27a\ V0P))))$

**Definition 14** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (11)$$

**Definition 15** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 16** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 17** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2$

**Definition 18** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A$

**Definition 19** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ A\_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \wedge \\ ((p\ V1t2) \wedge (p\ V2t3)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \wedge (p\ V2t3)))))) \end{aligned} \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow \neg(p\ V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(\neg(p\ V0t) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (19)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\
& (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{23}$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \tag{24}$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p V0t))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0t1 \in A.27a.(\forall V1t2 \in \\
& A.27a.(((ap (ap (ap (c_2Ebool_2ECOND A.27a) c_2Ebool_2ET) V0t1) \\
& V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A.27a) c_2Ebool_2EF) \\
& V0t1) V1t2) = V1t2))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ( \\
& (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))))
\end{aligned} \tag{28}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((p \ V1B) \vee (p \ V0A)))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \vee (\neg(p \ V1B)))))) \wedge ((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \wedge (\neg(p \ V1B)))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3)))))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.(((p \ V0x) \Leftrightarrow (p \ V1x\_27)) \wedge ((p \ V1x\_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y\_27)))))) \Rightarrow (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x\_27) \Rightarrow (p \ V3y\_27)))))) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a.(\forall V5y\_27 \in A\_27a.(((p \ V0P) \Leftrightarrow (p \ V1Q)) \wedge ((p \ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge ((\neg(p \ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a \ V0P) \ V2x) \ V4y) = (ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a \ V1Q) \ V3x\_27) \ V5y\_27)))))))))) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow ((\forall V0t1 \in A\_27a.(\forall V1t2 \in A\_27a.((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2ET) \ V0t1) \ V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a.(\forall V3t2 \in A\_27a.((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2EF) \ V2t1) \ V3t2) = V3t2)))))) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow (\forall V0f \in (ty\_2Efinite\_map\_2E fmap \ A\_27a \ A\_27b).(\forall V1a \in A\_27a.(\forall V2b \in A\_27b.((ap \ (c\_2Efinite\_map\_2EFDOM \ A\_27a \ A\_27b) \ (ap \ (ap \ (c\_2Efinite\_map\_2EFUPDATE \ A\_27a \ A\_27b) \ V0f) \ (ap \ (ap \ (c\_2Epair\_2E\_2C \ A\_27a \ A\_27b) \ V1a) \ V2b))) = (ap \ (ap \ (c\_2Epred\_set\_2EINSERT \ A\_27a) \ V1a) \ (ap \ (c\_2Efinite\_map\_2EFDOM \ A\_27a \ A\_27b) \ V0f)))))) \quad (35)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0f \in (ty\_2Efinite\_map\_2E fmap\ A.27a\ A.27b).(\forall V1a \in \\
& \quad A.27a.(\forall V2b \in A.27b.(\forall V3x \in A.27a.((ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\ A.27a\ A.27b)\ V0f) \\
& \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27b)\ V1a)\ V2b)))\ V3x) = (ap\ (ap\ (ap \\
& \quad (c\_2Ebool\_2ECOND\ A.27b)\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ A.27a)\ V3x)\ V1a)) \\
& \quad V2b)\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A.27a\ A.27b)\ V0f)\ V3x)))))) \\
& \hspace{15em} (36)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0f \in (ty\_2Efinite\_map\_2E fmap\ A.27a\ A.27b).(\forall V1g \in \\
& \quad (ty\_2Efinite\_map\_2E fmap\ A.27a\ A.27b).(((ap\ (c\_2Efinite\_map\_2EFDOM \\
& \quad A.27a\ A.27b)\ V0f) = (ap\ (c\_2Efinite\_map\_2EFDOM\ A.27a\ A.27b)\ V1g))) \wedge \\
& \quad (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V2x)\ (ap\ ( \\
& \quad c\_2Efinite\_map\_2EFDOM\ A.27a\ A.27b)\ V0f)))) \Rightarrow ((ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY \\
& \quad A.27a\ A.27b)\ V0f)\ V2x) = (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A.27a \\
& \quad A.27b)\ V1g)\ V2x)))) \Leftrightarrow (V0f = V1g))) \\
& \hspace{15em} (37)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27a}).(\forall V1fm \in (ty\_2Efinite\_map\_2E fmap \\
& \quad A.27a\ A.27c).(((ap\ (c\_2Efinite\_map\_2EFDOM\ A.27b\ A.27c)\ (ap\ ( \\
& \quad ap\ (c\_2Efinite\_map\_2EMAP\_KEYS\ A.27a\ A.27b\ A.27c)\ V0f)\ V1fm)) = \\
& \quad (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A.27a\ A.27b)\ V0f)\ (ap\ (c\_2Efinite\_map\_2EFDOM \\
& \quad A.27a\ A.27c)\ V1fm))) \wedge ((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EINJ\ A.27a \\
& \quad A.27b)\ V0f)\ (ap\ (c\_2Efinite\_map\_2EFDOM\ A.27a\ A.27c)\ V1fm))\ (c\_2Epred\_set\_2EUNIV \\
& \quad A.27b))) \Rightarrow (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a) \\
& \quad V2x)\ (ap\ (c\_2Efinite\_map\_2EFDOM\ A.27a\ A.27c)\ V1fm))) \Rightarrow ((ap\ (ap \\
& \quad (c\_2Efinite\_map\_2EFAPPLY\ A.27b\ A.27c)\ (ap\ (ap\ (c\_2Efinite\_map\_2EMAP\_KEYS \\
& \quad A.27a\ A.27b\ A.27c)\ V0f)\ V1fm))\ (ap\ V0f\ V2x)) = (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY \\
& \quad A.27a\ A.27c)\ V1fm)\ V2x)))))) \\
& \hspace{15em} (38)
\end{aligned}$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
\quad A.27a)\ V0x)\ (c\_2Epred\_set\_2EUNIV\ A.27a)))) \quad (39)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& \quad A.27a.(\forall V2s \in (2^{A.27a}).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a) \\
& \quad V0x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A.27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\
& \quad V1y) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V0x)\ V2s)))))) \\
& \hspace{15em} (40)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0y \in A\_27b. (\forall V1s \in (2^{A\_27a}). (\forall V2f \in (A\_27b^{A\_27a}). \\ & ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V0y)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\ & \quad A\_27a\ A\_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A\_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ & \quad (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ V1s)))))) \\ & \end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in (A\_27b^{A\_27a}). (\forall V1x \in A\_27a. (\forall V2s \in ( \\ & \quad 2^{A\_27a}). ((ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ V0f)\ (ap \\ & (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1x)\ V2s)) = (ap\ (ap\ (c\_2Epred\_set\_2EINSERT \\ & \quad A\_27b)\ (ap\ V0f\ V1x))\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b) \\ & \quad V0f)\ V2s)))))) \\ & \end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in (A\_27b^{A\_27a}). (\forall V1x \in A\_27a. (\forall V2s \in ( \\ & \quad 2^{A\_27a}). (\forall V3t \in (2^{A\_27b}). ((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EINJ \\ & A\_27a\ A\_27b)\ V0f)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1x)\ V2s)) \\ & \quad V3t)) \Leftrightarrow ((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EINJ\ A\_27a\ A\_27b)\ V0f)\ V2s) \\ & \quad V3t)) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ (ap\ V0f\ V1x))\ V3t)) \wedge (\forall V4y \in \\ & \quad A\_27a. (((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V4y)\ V2s)) \wedge ((ap\ V0f\ V1x) = \\ & \quad (ap\ V0f\ V4y))) \Rightarrow (V1x = V4y))))))))) \\ & \end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{44}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{45}$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\ & \end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\ & \end{aligned} \tag{47}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg( \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (( \\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{53}$$

### Theorem 1

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}). (\forall V1fm \in (ty\_2Efinite\_map\_2E fmap \\
& A\_27a\ A\_27c). (\forall V2k \in A\_27a. (\forall V3v \in A\_27c. ((ap\ (ap\ ( \\
& ap\ (ap\ (c\_2Epred\_set\_2EINJ\ A\_27a\ A\_27b)\ V0f)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT \\
& A\_27a)\ V2k)\ (ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27c)\ V1fm)))\ ( \\
& c\_2Epred\_set\_2EUNIV\ A\_27b))) \Rightarrow ((ap\ (ap\ (c\_2Efinite\_map\_2EMAP\_KEYS \\
& A\_27a\ A\_27b\ A\_27c)\ V0f)\ (ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\ A\_27a \\
& A\_27c)\ V1fm)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27c)\ V2k)\ V3v))) = ( \\
& ap\ (ap\ (c\_2Efinite\_map\_2EFUPDATE\ A\_27b\ A\_27c)\ (ap\ (ap\ (c\_2Efinite\_map\_2EMAP\_KEYS \\
& A\_27a\ A\_27b\ A\_27c)\ V0f)\ V1fm))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27b\ A\_27c) \\
& (ap\ V0f\ V2k)\ V3v))))))
\end{aligned}$$