

thm\_2Efinite\_map\_2EMAP\_KEYS\_witness  
(TMYMt2FLXUTqugNnFV6csL1XPZCveNwT6Li)

October 26, 2020

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Ebool\_2EARB\ A.27a \in A.27a \quad (1)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c\_2Ebool\_2ET)$ .

**Definition 4** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t))))$

**Definition 7** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.(\lambda V0f \in (A.27b^{A-27a}).(\lambda V1x \in A.27a.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2x \in 2.V2x))))$

**Definition 8** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t))))$

**Definition 11** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A.\lambda y.y \in A))$  of type  $\iota \Rightarrow \iota$ .

**Definition 12** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V3t \in 2.V3t))))))$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efinite\_map\_2Efmap\ A0\ A1) \quad (2)$$

Let  $c\_2Efinite\_map\_2Ef\_o\_f : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow c\_2Efinite\_map\_2Ef\_o\_f\ A\_27a\ A\_27b\ A\_27c \in \\ & (((ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27c)^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)})^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)}) \end{aligned} \quad (3)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (4)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (5)$$

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_REP \\ & A\_27a\ A\_27b \in (((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)}) \end{aligned} \quad (6)$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EOUTL \\ & A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)} \end{aligned} \quad (7)$$

**Definition 13** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2Efmap\_REP\ A\_27a\ A\_27b)$

Let  $c\_2Efinite\_map\_2EFUN\_FMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2EFUN\_FMAP \\ & A\_27a\ A\_27b \in (((ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)^{(2^{A\_27a})})^{(A\_27b)^{A\_27a}}) \end{aligned} \quad (8)$$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL \\ & A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (9)$$

**Definition 14** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2Efmap\_REP\ A\_27a\ A\_27b)$

**Definition 15** We define  $c\_2Emarker\_2EAbbrev$  to be  $\lambda V0x \in 2.V0x$ .

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (10)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b}})^{A\_27a}) \end{aligned} \quad (11)$$

**Definition 16** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (12)$$

**Definition 17** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x))$

**Definition 18** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 19** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 20** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 21** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone)$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (13)$$

**Definition 22** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (14)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in \\ ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \end{aligned} \quad (15)$$

**Definition 23** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)$

**Definition 24** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS$

**Definition 25** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_ABS$

**Definition 26** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 27** We define  $c\_2Epred\_set\_2ELINV\_OPT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

Let  $c\_2Eoption\_2ETHE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2ETHE\ A\_27a \in (A\_27a^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \quad (16)$$

**Definition 28** We define  $c\_2Epred\_set\_2ELINV$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27a})$

**Definition 29** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27a})$

**Definition 30** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2ELET\ A\_27a\ A\_27b)\ V0f)\ V1x = (ap\ V0f\ V1x))$

**Definition 31** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 32** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E21\ 2))$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1x \in A\_27a.((ap\ (ap\ (c\_2Ebool\_2ELET\ A\_27a\ A\_27b)\ V0f)\ V1x) = (ap\ V0f\ V1x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0t1 \in A.27a. (\forall V1t2 \in A.27a. (((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2EF) V0t1) V1t2) = V1t2)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (28)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A.27a. (\forall V3x.27 \in A.27a. (\forall V4y \in A.27a. (\forall V5y.27 \in A.27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x.27)) \wedge ((\neg(p V1Q)) \Rightarrow (V4y = V5y.27)))))) \Rightarrow ((ap (ap (ap (c.2Ebool.2ECOND A.27a) V0P) V2x) V4y) = (ap (ap (ap (c.2Ebool.2ECOND A.27a) V1Q) V3x.27) V5y.27)))))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow ((\forall V0t1 \in A.27a. (\forall V1t2 \in A.27a. (((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2ET) V0t1) V1t2) = V0t1)) \wedge (\forall V2t1 \in A.27a. (\forall V3t2 \in A.27a. ((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2EF) V2t1) V3t2) = V3t2)))))) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0fm \in (ty.2Efinite\_map.2E fmap A.27a A.27b). (p (ap (c.2Epred\_set.2EFINITE A.27a) (ap (c.2Efinite\_map.2EFDOM A.27a A.27b) V0fm)))) \quad (31)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow \forall A_{.27c}. \\
& nonempty\ A_{.27c} \Rightarrow (\forall V0f \in (ty\_2Efinite\_map\_2E fmap\ A_{.27b} \\
& A_{.27c}).(\forall V1g \in (ty\_2Efinite\_map\_2E fmap\ A_{.27a}\ A_{.27b}). \\
& (((ap\ (c\_2Efinite\_map\_2EFDOM\ A_{.27a}\ A_{.27c})\ (ap\ (ap\ (c\_2Efinite\_map\_2E f\_o\_f \\
& A_{.27a}\ A_{.27b}\ A_{.27c})\ V0f)\ V1g)) = (ap\ (ap\ (c\_2Epred\_set\_2EINTER\ A_{.27a}) \\
& (ap\ (c\_2Efinite\_map\_2EFDOM\ A_{.27a}\ A_{.27b})\ V1g))\ (ap\ (c\_2Epred\_set\_2EGSPEC \\
& A_{.27a}\ A_{.27a})\ (\lambda V2x \in A_{.27a}.(ap\ (ap\ (c\_2Epair\_2E\_2C\ A_{.27a}\ 2) \\
& V2x)\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27b})\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY \\
& A_{.27a}\ A_{.27b})\ V1g)\ V2x))\ (ap\ (c\_2Efinite\_map\_2EFDOM\ A_{.27b}\ A_{.27c}) \\
& V0f)))))) \wedge (\forall V3x \in A_{.27a}.)((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a}) \\
V3x)\ (ap\ (c\_2Efinite\_map\_2EFDOM\ A_{.27a}\ A_{.27c})\ (ap\ (ap\ (c\_2Efinite\_map\_2E f\_o\_f \\
& A_{.27a}\ A_{.27b}\ A_{.27c})\ V0f)\ V1g)))) \Rightarrow ((ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY \\
& A_{.27a}\ A_{.27c})\ (ap\ (ap\ (c\_2Efinite\_map\_2E f\_o\_f\ A_{.27a}\ A_{.27b}\ A_{.27c}) \\
& V0f)\ V1g))\ V3x) = (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A_{.27b}\ A_{.27c}) \\
& V0f)\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A_{.27a}\ A_{.27b})\ V1g)\ V3x))))))))) \\
& (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\
& \forall V0f \in (A_{.27b}^{A_{.27a}}).(\forall V1P \in (2^{A_{.27a}}).((p\ (ap\ (c\_2Epred\_set\_2EFINITE \\
& A_{.27a})\ V1P)) \Rightarrow (((ap\ (c\_2Efinite\_map\_2EFDOM\ A_{.27a}\ A_{.27b})\ (ap\ ( \\
& ap\ (c\_2Efinite\_map\_2EFUN\_FM MAP\ A_{.27a}\ A_{.27b})\ V0f)\ V1P)) = V1P) \wedge \\
& (\forall V2x \in A_{.27a}.)((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V2x)\ V1P)) \Rightarrow \\
& ((ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A_{.27a}\ A_{.27b})\ (ap\ (ap\ (c\_2Efinite\_map\_2EFUN\_FM MAP \\
& A_{.27a}\ A_{.27b})\ V0f)\ V1P))\ V2x) = (ap\ V0f\ V2x))))))))) \\
& (33)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\
& \forall V0x \in A_{.27a}.) (\forall V1y \in A_{.27b}.) (\forall V2a \in A_{.27a}.) (\forall V3b \in \\
& A_{.27b}.) (((ap\ (ap\ (c\_2Epair\_2E\_2C\ A_{.27a}\ A_{.27b})\ V0x)\ V1y) = (ap\ (ap \\
& (c\_2Epair\_2E\_2C\ A_{.27a}\ A_{.27b})\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\
& (34)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\
& \forall V0f \in ((ty\_2Epair\_2Eprod\ A_{.27a}\ 2)^{A_{.27b}}).(\forall V1v \in \\
& A_{.27a}.) ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\
& A_{.27a}\ A_{.27b})\ V0f))) \Leftrightarrow (\exists V2x \in A_{.27b}.) ((ap\ (ap\ (c\_2Epair\_2E\_2C \\
& A_{.27a}\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \\
& (35)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in \\
& (2^{A_{.27a}}).((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A_{.27a})\ V0s)\ V1t)) \Leftrightarrow \\
& ((ap\ (ap\ (c\_2Epred\_set\_2EINTER\ A_{.27a})\ V0s)\ V1t) = V0s)))) \\
& (36)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0y \in A\_27b. (\forall V1s \in (2^{A\_27a}). (\forall V2f \in (A\_27b^{A\_27a}). \\
& \quad ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V0y)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\
& \quad A\_27a\ A\_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A\_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\
& \quad (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ V1s)))))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0x \in A\_27a. (\forall V1s \in (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A\_27a)\ V0x)\ V1s)) \Rightarrow (\forall V2f \in (A\_27b^{A\_27a}). (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A\_27b)\ (ap\ V2f\ V0x))\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ \\
& \quad V2f)\ V1s)))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0f \in (A\_27b^{A\_27a}). (\forall V1s \in (2^{A\_27a}). (\forall V2t \in \\
& \quad (2^{A\_27b}). ((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EINJ\ A\_27a\ A\_27b)\ V0f) \\
& \quad V1s)\ V2t)) \Rightarrow (\forall V3x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\
& \quad V3x)\ V1s)) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Epred\_set\_2ELINV\ A\_27a\ A\_27b)\ V0f) \\
& \quad V1s)\ (ap\ V0f\ V3x)) = V3x)))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0s \in (2^{A\_27a}). ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a) \\
& \quad V0s)) \Rightarrow (\forall V1f \in (A\_27b^{A\_27a}). (p\ (ap\ (c\_2Epred\_set\_2EFINITE \\
& \quad A\_27b)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ V1f)\ V0s)))))))))
\end{aligned} \tag{40}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow (p\ (ap\ (ap\ (c.2Ebool\_2ELET\ (((ty\_2Efinite\_map\_2Efm\ A.27b\ A.27c)^{(ty\_2Efinite\_map\_2Efm\ A.27a\ A.27c)})(A.27b^{A-27a})) \\
& 2)\ (\lambda V0m \in (((ty\_2Efinite\_map\_2Efm\ A.27b\ A.27c)^{(ty\_2Efinite\_map\_2Efm\ A.27a\ A.27c)})(A.27b^{A-27a})) \\
& \quad (ap\ (c.2Ebool\_2E\_21\ (A.27b^{A-27a}))\ (\lambda V1f \in (A.27b^{A-27a}).(ap \\
& \quad (c.2Ebool\_2E\_21\ (ty\_2Efinite\_map\_2Efm\ A.27a\ A.27c))\ (\lambda V2fm \in \\
& \quad (ty\_2Efinite\_map\_2Efm\ A.27a\ A.27c).(ap\ (ap\ c.2Ebool\_2E\_2F\_5C \\
& \quad (ap\ (ap\ (c.2Emin\_2E\_3D\ (2^{A-27b}))\ (ap\ (c.2Efinite\_map\_2EFDOM \\
& \quad A.27b\ A.27c)\ (ap\ (ap\ V0m\ V1f)\ V2fm))))\ (ap\ (ap\ (c.2Epred\_set\_2EIMAGE \\
& \quad A.27a\ A.27b)\ V1f)\ (ap\ (c.2Efinite\_map\_2EFDOM\ A.27a\ A.27c)\ V2fm)))) \\
& \quad (ap\ (ap\ c.2Emin\_2E\_3D\_3D\_3E\ (ap\ (ap\ (ap\ (c.2Epred\_set\_2EINJ\ A.27a \\
& \quad A.27b)\ V1f)\ (ap\ (c.2Efinite\_map\_2EFDOM\ A.27a\ A.27c)\ V2fm))\ (c.2Epred\_set\_2EUNIV \\
& \quad A.27b)))\ (ap\ (c.2Ebool\_2E\_21\ A.27a)\ (\lambda V3x \in A.27a.(ap\ (ap\ c.2Emin\_2E\_3D\_3D\_3E \\
& \quad (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V3x)\ (ap\ (c.2Efinite\_map\_2EFDOM \\
& \quad A.27a\ A.27c)\ V2fm))))\ (ap\ (ap\ (c.2Emin\_2E\_3D\ A.27c)\ (ap\ (ap\ (c.2Efinite\_map\_2EFAPPLY \\
& \quad A.27b\ A.27c)\ (ap\ (ap\ V0m\ V1f)\ V2fm))\ (ap\ V1f\ V3x))))\ (ap\ (ap\ (c.2Efinite\_map\_2EFAPPLY \\
& \quad A.27a\ A.27c)\ V2fm)\ V3x)))))))))\ (\lambda V4f \in (A.27b^{A-27a}).( \\
& \quad \lambda V5fm \in (ty\_2Efinite\_map\_2Efm\ A.27a\ A.27c).(ap\ (ap\ (ap\ ( \\
& \quad c.2Ebool\_2ECOND\ (ty\_2Efinite\_map\_2Efm\ A.27b\ A.27c))\ (ap\ ( \\
& \quad ap\ (ap\ (c.2Epred\_set\_2EINJ\ A.27a\ A.27b)\ V4f)\ (ap\ (c.2Efinite\_map\_2EFDOM \\
& \quad A.27a\ A.27c)\ V5fm))\ (c.2Epred\_set\_2EUNIV\ A.27b)))\ (ap\ (ap\ (c.2Efinite\_map\_2Ef\_o\_f \\
& \quad A.27b\ A.27a\ A.27c)\ V5fm)\ (ap\ (ap\ (c.2Efinite\_map\_2EFUN\_FMAP \\
& \quad A.27b\ A.27a)\ (ap\ (ap\ (c.2Epred\_set\_2ELINV\ A.27a\ A.27b)\ V4f)\ (ap \\
& \quad (c.2Efinite\_map\_2EFDOM\ A.27a\ A.27c)\ V5fm))))\ (ap\ (ap\ (c.2Epred\_set\_2EIMAGE \\
& \quad A.27a\ A.27b)\ V4f)\ (ap\ (c.2Efinite\_map\_2EFDOM\ A.27a\ A.27c)\ V5fm)))) \\
& \quad (ap\ (ap\ (c.2Efinite\_map\_2EFUN\_FMAP\ A.27b\ A.27c)\ (c.2Ebool\_2EARB \\
& \quad (A.27c^{A-27b})))\ (ap\ (ap\ (c.2Epred\_set\_2EIMAGE\ A.27a\ A.27b)\ V4f) \\
& \quad (ap\ (c.2Efinite\_map\_2EFDOM\ A.27a\ A.27c)\ V5fm)))))))))
\end{aligned}$$