

thm_2Efinite_map_ERRESTRICT_FUPDATE
(TMZzWSW-
pDt9dqD37Khd4ZDy25HNszA4YNDQ)

October 26, 2020

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b \in (((ty_2Efinite_map_2Efmap\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})^{(ty_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)}) \quad (3)$$

Let $c_2Efinite_map_2EDRESTRICT : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EDRESTRICT\ A_27a\ A_27b \in (((ty_2Efinite_map_2Efmap\ A_27a\ A_27b)^{(2^{A_27a}})})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)} \quad (4)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E2 to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (5)$$

Definition 3 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge P\ x))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 6 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. V2t))))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (6)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (7)$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS_sum A_27a A_27b) V0e)$

Let $c_2Efinite_map_2Efmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2Efmap_ABS A_27a A_27b \in ((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a}}) \quad (8)$$

Definition 11 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (ap (c_2Efinite_map_2Efmap_ABS A_27a A_27b) V0)$

Definition 12 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap (c_2Ebool_2E_21 2) (V1t1 V2t2))))))$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2Efmap_REP A_27a A_27b \in ((ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap A_27a A_27b)} \quad (9)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EOUTL A_27a A_27b \in (A_27a)^{(ty_2Esum_2Esum A_27a A_27b)} \quad (10)$$

Definition 13 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2Efmap_ABS A_27a A_27b)$

Let $c_2Efinite_map_2ERRESTRICT : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2ERRESTRICT \\ & A_27a\ A_27b \in (((ty_2Efinite_map_2Emap\ A_27a\ A_27b)^{(2^{A-27b})})^{(ty_2Efinite_map_2Emap\ A_27a\ A_27b)}) \end{aligned} \quad (11)$$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL \\ & A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (12)$$

Definition 14 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2EFDOM\ A_27a\ A_27b)$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \end{aligned} \quad (13)$$

Definition 15 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x\ V1y)$

Definition 16 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_4D\ A_27a)\ V0P)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ & A_27a\ A_27b \in ((2^{A-27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A-27b}}) \end{aligned} \quad (14)$$

Definition 17 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2E_3F\ A_27a\ V0x)$

Definition 18 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A-27a}). (ap\ V1f\ V0x)))$

Definition 19 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap\ (c_2Epred_set_2EINTER\ A_27a)\ V0s\ V1t)$

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ V0t1\ V1t2)))$

Definition 21 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A-27a}). (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V0x\ V1s)$

Definition 22 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2E_2ET\ A_27a\ V0x)$

Definition 23 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap\ (c_2Epred_set_2EDIFF\ A_27a)\ V0s\ V1t)$

Definition 24 We define $c_2Epred_set_2ECOMPL$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{A-27a}). (ap\ (ap\ (c_2Epred_set_2ECOMPL\ A_27a)\ V0P))$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p \ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.((p \ V0t) \vee \neg(p \ V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Rightarrow \neg(p \ V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(\neg(p \ V0t) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (23)$$

Assume the following.

$$((\forall V0t \in 2.(\neg(\neg(p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0b \in 2. (\forall V1f \in (A_27b^{A_27a}). (\forall V2g \in (A_27b^{A_27a}). (\forall V3x \in A_27a. ((ap (ap (ap (ap (c_2Ebool_2ECOND (A_27b^{A_27a}) V0b) V1f) V2g) V3x) = (ap (ap (ap (c_2Ebool_2ECOND A_27b) V0b) (ap V1f V3x)) (ap V2g V3x)))))) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. (\forall V3y \in A_27a. ((ap V0f (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1b) V2x) V3y) = (ap (ap (ap (c_2Ebool_2ECOND A_27b) V1b) (ap V0f V2x)) (ap V0f V3y)))))) \quad (32)$$

Assume the following.

$$(\forall V0b \in 2. (\forall V1t1 \in 2. (\forall V2t2 \in 2. ((p (ap (ap (ap (c_2Ebool_2ECOND 2) V0b) V1t1) V2t2)) \Leftrightarrow (((\neg(p V0b)) \vee (p V1t1)) \wedge ((p V0b) \vee (p V2t2)))))) \quad (33)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (34)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\
& (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
& V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\
& V5y_27)))))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0t1 \in A_27a. (\forall V1t2 \in \\
& A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\
& V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a. (\forall V3t2 \in A_27a. ((ap \\
& (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V2t1)\ V3t2) = V3t2))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0f \in (ty_2Efinite_map_2Efmmap\ A_27a\ A_27b). (\forall V1a \in \\
& A_27a. (\forall V2b \in A_27b. ((ap\ (c_2Efinite_map_2EFDOM\ A_27a \\
& A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f)\ (ap \\
& (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1a)\ V2b))) = (ap\ (ap\ (c_2Epred_set_2EINSERT \\
& A_27a)\ V1a)\ (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0f \in (ty_2Efinite_map_2Efmmap\ A_27a\ A_27b). (\forall V1a \in \\
& A_27a. (\forall V2b \in A_27b. (\forall V3x \in A_27a. ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f)\ \\
& (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1a)\ V2b)))\ V3x) = (ap\ (ap\ (ap \\
& (c_2Ebool_2ECOND\ A_27b)\ (ap\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V3x)\ V1a)) \\
& V2b)\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b)\ V0f)\ V3x))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0f \in (ty_2Efinite_map_2Efmmap\ A_27a\ A_27b). (\forall V1g \in \\
& (ty_2Efinite_map_2Efmmap\ A_27a\ A_27b). (((ap\ (c_2Efinite_map_2EFDOM \\
& A_27a\ A_27b)\ V0f) = (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V1g))) \wedge \\
& (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ (ap\ (\\
& c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f)))) \Rightarrow ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& A_27a\ A_27b)\ V0f)\ V2x) = (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a \\
& A_27b)\ V1g)\ V2x)))))) \Leftrightarrow (V0f = V1g))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b).(\forall V1r \in \\
& \quad (2^{A_27a}).(((ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ (ap\ (ap \\
& \quad (c_2Efinite_map_2EDRESTRICT\ A_27a\ A_27b)\ V0f)\ V1r)) = (ap\ (ap \\
& \quad (c_2Epred_set_2EINTER\ A_27a)\ (ap\ (c_2Efinite_map_2EFDOM\ A_27a \\
& \quad A_27b)\ V0f))\ V1r)) \wedge (\forall V2x \in A_27a.((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EDRESTRICT\ A_27a\ A_27b) \\
& \quad V0f)\ V1r))\ V2x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A_27a)\ (ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_27a\ A_27b)\ V0f))\ V1r)))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a \\
& \quad A_27b)\ V0f)\ V2x))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b) \\
& \quad (c_2Efinite_map_2EFEMPTY\ A_27a\ A_27b))\ V2x)))))) \\
& \hspace{15em} (40)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b).(\forall V1r \in \\
& \quad (2^{A_27b}).(((ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ (ap\ (ap \\
& \quad (c_2Efinite_map_2ERRESTRICT\ A_27a\ A_27b)\ V0f)\ V1r)) = (ap\ (c_2Epred_set_2EGSPEC \\
& \quad A_27a\ A_27a)\ (\lambda V2x \in A_27a.(ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2) \\
& \quad V2x)\ (ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x) \\
& \quad (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f)))\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b)\ V0f)\ V2x)) \\
& \quad V1r)))))) \wedge (\forall V3x \in A_27a.((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2ERRESTRICT\ A_27a\ A_27b) \\
& \quad V0f)\ V1r))\ V3x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ (ap\ (ap\ c_2Ebool_2E_2F_5C \\
& \quad (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ (ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_27a\ A_27b)\ V0f)))\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad A_27a\ A_27b)\ V0f)\ V3x))\ V1r)))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad A_27a\ A_27b)\ V0f)\ V3x))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a \\
& \quad A_27b)\ (c_2Efinite_map_2EFEMPTY\ A_27a\ A_27b))\ V3x)))))) \\
& \hspace{15em} (41)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in \\
& \quad A_27b.(((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\
& \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\
& \hspace{15em} (42)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in \\
& \quad (2^{A_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t)))))) \\
& \hspace{15em} (43)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}).(\forall V1v \in \\ & A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ & \quad A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b.((ap\ (ap\ (c_2Epair_2E_2C \\ & \quad A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A_27a)))))) \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in \\ & (2^{A_27a}).(\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ \\ & V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ & A_27a.(\forall V2s \in (2^{A_27a}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ \\ & V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ & V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1s \in \\ & (2^{A_27a}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap\ (c_2Epred_set_2ECOMPL \\ & A_27a)\ V1s))) \Leftrightarrow (\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V1s)))))) \end{aligned} \quad (48)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (50)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (52)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (53)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (57)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (58)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (ty_2Efinite_map_2E fmap\ A_27a\ A_27b).(\forall V1r \in \\ & (2^{A_27b}).(\forall V2x \in A_27a.(\forall V3y \in A_27b.((ap\ (ap\ (c_2Efinite_map_2ERRESTRICT \\ & A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f) \\ & (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2x)\ V3y)))\ V1r) = (ap\ (ap\ (ap \\ & (c_2Ebool_2ECOND\ (ty_2Efinite_map_2E fmap\ A_27a\ A_27b))\ (ap \\ & (ap\ (c_2Ebool_2EIN\ A_27b)\ V3y)\ V1r))\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE \\ & A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2ERRESTRICT\ A_27a\ A_27b) \\ & V0f)\ V1r))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2x)\ V3y)))\ (ap\ (\\ & ap\ (c_2Efinite_map_2ERRESTRICT\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EDRESTRICT \\ & A_27a\ A_27b)\ V0f)\ (ap\ (c_2Epred_set_2E COMPL\ A_27a)\ (ap\ (ap\ (c_2Epred_set_2EINSERT \\ & A_27a)\ V2x)\ (c_2Epred_set_2EEMPTY\ A_27a))))))\ V1r)))))) \end{aligned}$$