

thm_2Efinite_map_2ESAME_KEY_UPDATES_DIFFER (TMJ64bSPjja2pKtoTMT3UBd8uvMyeHTYBW3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $ty_2Efinite_map_2E fmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2E\ fmap\ A0\ A1) \quad (3)$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b \in (((ty_2Efinite_map_2E\ fmap\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})^{(ty_2Efinite_map_2E\ fmap\ A_27a\ A_27b)}) \quad (4)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (5)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (6)$$

Let $c_2Efinite_map_2E fmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2E\ fmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2E\ fmap\ A_27a\ A_27b)}) \quad (7)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL\ A_27a\ A_27b \in (A_27a)^{(ty_2Esum_2Esum\ A_27a\ A_27b)} \quad (8)$$

Definition 11 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2E\ fmap\ A_27a\ A_27b). f$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL\ A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \quad (9)$$

Definition 12 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2E\ fmap\ A_27a\ A_27b). f$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ V1t2)\ V0t1))$

Definition 14 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (10)$$

Definition 15 We define $c_2\text{Epred_set_2EINSERT}$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2\text{Epred_set_2EINSERT} A_27a V0x V1s))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (15)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p (ap V0P V2x)))))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in (2^{A_27a}).((\exists V2x \in A_27a.((p (ap V0P V2x)) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((\exists V3x \in A_27a.(p (ap V0P V3x))) \vee (\exists V4x \in A_27a.(p (ap V1Q V4x))))))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.((\neg((p V0A) \Rightarrow (p V1B))) \Leftrightarrow ((p V0A) \wedge (\neg(p V1B)))))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \vee (p V2C)) \wedge (p V0A)) \Leftrightarrow (((p V1B) \wedge (p V0A)) \vee ((p V2C) \wedge (p V0A)))))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (23)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (24)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}). (\forall V1a \in A_{27a}. ((\exists V2x \in A_{27a}. ((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (25)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow (\forall V0f \in (ty_2Efinite_map_2E fmap A_{27a} A_{27b}). (\forall V1x \in A_{27a}. (\forall V2y \in A_{27b}. ((ap (ap (c_2Efinite_map_2EFAPPLY A_{27a} A_{27b}) (ap (ap (c_2Efinite_map_2EFUPDATE A_{27a} A_{27b}) V0f) (ap (ap (c_2Epair_2E_2C A_{27a} A_{27b}) V1x) V2y))) V1x) = V2y)))))) \quad (26)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow (\forall V0f \in (ty_2Efinite_map_2E fmap A_{27a} A_{27b}). (\forall V1a \in A_{27a}. (\forall V2b \in A_{27b}. ((ap (c_2Efinite_map_2EFDOM A_{27a} A_{27b}) (ap (ap (c_2Efinite_map_2EFUPDATE A_{27a} A_{27b}) V0f) (ap (ap (c_2Epair_2E_2C A_{27a} A_{27b}) V1a) V2b))) = (ap (ap (c_2Epred_set_2EINSERT A_{27a} V1a) (ap (c_2Efinite_map_2EFDOM A_{27a} A_{27b}) V0f)))))) \quad (27)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(\forall V1g \in \\
& \quad (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(((ap\ (c.2Efinite_map_2EFDOM \\
& \quad A.27a\ A.27b)\ V0f) = (ap\ (c.2Efinite_map_2EFDOM\ A.27a\ A.27b)\ V1g)) \wedge \\
& \quad (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V2x)\ (ap\ (\\
& \quad c.2Efinite_map_2EFDOM\ A.27a\ A.27b)\ V0f))) \Rightarrow ((ap\ (ap\ (c.2Efinite_map_2EFAPPLY \\
& \quad A.27a\ A.27b)\ V0f)\ V2x) = (ap\ (ap\ (c.2Efinite_map_2EFAPPLY\ A.27a \\
& \quad A.27b)\ V1g)\ V2x)))))) \Leftrightarrow (V0f = V1g))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& \quad A.27a.(\forall V2s \in (2^{A.27a}).((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a) \\
& \quad V0x)\ (ap\ (ap\ (c.2Epred_set_2EINSERT\ A.27a)\ V1y)\ V2s)))) \Leftrightarrow ((V0x = \\
& \quad V1y) \vee (p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V0x)\ V2s))))))
\end{aligned} \tag{29}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f1 \in (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(\forall V1f2 \in \\
& \quad (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(\forall V2k \in A.27a.(\\
& \quad \quad \forall V3v1 \in A.27b.(\forall V4v2 \in A.27b.((\neg(V3v1 = V4v2)) \Rightarrow (\neg \\
& \quad ((ap\ (ap\ (c.2Efinite_map_2EFUPDATE\ A.27a\ A.27b)\ V0f1)\ (ap\ (ap \\
& \quad (c.2Epair_2E_2C\ A.27a\ A.27b)\ V2k)\ V3v1))) = (ap\ (ap\ (c.2Efinite_map_2EFUPDATE \\
& \quad A.27a\ A.27b)\ V1f2)\ (ap\ (ap\ (c.2Epair_2E_2C\ A.27a\ A.27b)\ V2k)\ V4v2)))))))))
\end{aligned}$$