

thm_2Efinite__map_2Ef__o__ASSOC (TML4kCAZgfT7GPFuXkTKyWahHs7QEsLFbrS)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_EF$

Definition 7 We define $c_2Ecombin_2E_o$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \tag{3}$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)) \tag{4}$$

Definition 13 We define $c_2Efinite_map_2Ef_o$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (ty_2Efinite$

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 15 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2$

Definition 16 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 17 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2)$

Definition 18 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge$
of type $\iota \Rightarrow \iota$.

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (20)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (21)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow \forall A_{.27c}.nonempty\ A_{.27c} \Rightarrow (\forall V0f \in (A_{.27b}^{A_{.27a}}).(\forall V1g \in (A_{.27a}^{A_{.27c}}).(\forall V2x \in A_{.27c}.((ap\ (ap\ (ap\ (c_{.2E}combin_{.2E}o\ A_{.27c}\ A_{.27b}\ A_{.27a})\ V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x)))))) \quad (22)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\forall V0f \in (ty_{.2E}finite_map_{.2E}fmap\ A_{.27a}\ A_{.27b}).(\forall V1g \in (ty_{.2E}finite_map_{.2E}fmap\ A_{.27a}\ A_{.27b}).((V0f = V1g) \Leftrightarrow (((ap\ (c_{.2E}finite_map_{.2E}FDOM\ A_{.27a}\ A_{.27b})\ V0f) = (ap\ (c_{.2E}finite_map_{.2E}FDOM\ A_{.27a}\ A_{.27b})\ V1g)) \wedge (\forall V2x \in A_{.27a}.((p\ (ap\ (ap\ (c_{.2E}bool_{.2E}IN\ A_{.27a})\ V2x)\ (ap\ (c_{.2E}finite_map_{.2E}FDOM\ A_{.27a}\ A_{.27b})\ V0f))) \Rightarrow ((ap\ (ap\ (c_{.2E}finite_map_{.2E}FAPPLY\ A_{.27a}\ A_{.27b})\ V0f)\ V2x) = (ap\ (ap\ (c_{.2E}finite_map_{.2E}FAPPLY\ A_{.27a}\ A_{.27b})\ V1g)\ V2x)))))) \quad (23)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow \forall A_{.27c}.nonempty\ A_{.27c} \Rightarrow (\forall V0f \in (ty_{.2E}finite_map_{.2E}fmap\ A_{.27b}\ A_{.27c}).(\forall V1g \in (A_{.27b}^{A_{.27a}}).((p\ (ap\ (c_{.2E}pred_set_{.2E}FINITE\ A_{.27a})\ (ap\ (c_{.2E}pred_set_{.2E}EGSPEC\ A_{.27a}\ A_{.27a})\ (\lambda V2x \in A_{.27a}.(ap\ (ap\ (c_{.2E}pair_{.2E}_{.2C}\ A_{.27a}\ 2)\ V2x)\ (ap\ (ap\ (c_{.2E}bool_{.2E}IN\ A_{.27b})\ (ap\ V1g\ V2x))\ (ap\ (c_{.2E}finite_map_{.2E}FDOM\ A_{.27b}\ A_{.27c})\ V0f)))))) \Rightarrow ((ap\ (c_{.2E}finite_map_{.2E}FDOM\ A_{.27a}\ A_{.27c})\ (ap\ (ap\ (c_{.2E}finite_map_{.2E}f_{.2E}o\ A_{.27a}\ A_{.27b}\ A_{.27c})\ V0f)\ V1g)) = (ap\ (c_{.2E}pred_set_{.2E}EGSPEC\ A_{.27a}\ A_{.27a})\ (\lambda V3x \in A_{.27a}.(ap\ (ap\ (c_{.2E}pair_{.2E}_{.2C}\ A_{.27a}\ 2)\ V3x)\ (ap\ (ap\ (c_{.2E}bool_{.2E}IN\ A_{.27b})\ (ap\ V1g\ V3x))\ (ap\ (c_{.2E}finite_map_{.2E}FDOM\ A_{.27b}\ A_{.27c})\ V0f)))))) \quad (24)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow (\forall V0f \in (ty_2Efinite_map_2Efmap\ A_27b \\
& A_27c).(\forall V1g \in (A_27b^{A_27a}).((p\ (ap\ (c_2Epred_set_2EFINITE \\
& A_27a)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ (\lambda V2x \in A_27a. \\
& (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ V2x)\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b) \\
& (ap\ V1g\ V2x)))\ (ap\ (c_2Efinite_map_2EFDOM\ A_27b\ A_27c)\ V0f)))))) \Rightarrow \\
& (\forall V3x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ (ap\ (\\
& c_2Efinite_map_2EFDOM\ A_27a\ A_27c)\ (ap\ (ap\ (c_2Efinite_map_2Ef_o \\
& A_27a\ A_27b\ A_27c)\ V0f)\ V1g)))))) \Rightarrow ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& A_27a\ A_27c)\ (ap\ (ap\ (c_2Efinite_map_2Ef_o\ A_27a\ A_27b\ A_27c) \\
& V0f)\ V1g))\ V3x) = (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27b\ A_27c) \\
& V0f)\ (ap\ V1g\ V3x))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow (\forall V0g \in (A_27b^{A_27a}).((\forall V1x \in A_27a. \\
& (\forall V2y \in A_27a.(((ap\ V0g\ V1x) = (ap\ V0g\ V2y)) \Leftrightarrow (V1x = V2y)))) \Rightarrow \\
& (\forall V3f \in (ty_2Efinite_map_2Efmap\ A_27b\ A_27c).(p\ (ap\ (c_2Epred_set_2EFINITE \\
& A_27a)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ (\lambda V4x \in A_27a. \\
& (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ V4x)\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b) \\
& (ap\ V0g\ V4x)))\ (ap\ (c_2Efinite_map_2EFDOM\ A_27b\ A_27c)\ V3f))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in \\
& A_27b.(((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\
& (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}).(\forall V1v \in \\
& A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\
& A_27a\ A_27b)\ V0f)))) \Leftrightarrow (\exists V2x \in A_27b.((ap\ (ap\ (c_2Epair_2E_2C \\
& A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x))))))
\end{aligned} \tag{28}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0g \in (A_27b^{A_27a}). \\ & (\forall V1h \in (A_27a^{A_27c}). (\forall V2f \in (ty_2Efinite_map_2E fmap \\ & A_27b\ A_27d). (((\forall V3x \in A_27a. (\forall V4y \in A_27a. ((ap \\ & V0g\ V3x) = (ap\ V0g\ V4y)) \Leftrightarrow (V3x = V4y)))) \wedge (\forall V5x \in A_27c. (\forall V6y \in \\ & A_27c. (((ap\ V1h\ V5x) = (ap\ V1h\ V6y)) \Leftrightarrow (V5x = V6y)))))) \Rightarrow ((ap\ (ap\ (c_2Efinite_map_2Ef_o \\ & A_27c\ A_27a\ A_27d)\ (ap\ (ap\ (c_2Efinite_map_2Ef_o\ A_27a\ A_27b \\ & A_27d)\ V2f)\ V0g))\ V1h) = (ap\ (ap\ (c_2Efinite_map_2Ef_o\ A_27c\ A_27b \\ & A_27d)\ V2f)\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_27c\ A_27b\ A_27a)\ V0g)\ V1h)))))) \end{aligned}$$