

thm_2Efinite__map_2Efevery__funion (TMPztohoDfL2JJuZdPHiuLaJwZs8xfikYfC)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Efinite_map_2E_fmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2E_fmap A0 A1) \tag{1}$$

Let $c_2Efinite_map_2E_FUNION : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2E_FUNION A_27a A_27b \in (((ty_2Efinite_map_2E_fmap A_27a A_27b)^{(ty_2Efinite_map_2E_fmap A_27a A_27b)})^{(ty_2Efinite_map_2E_fmap A_27a A_27b)}) \tag{2}$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2E_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2E_prod A0 A1) \tag{3}$$

Let $c_2Epair_2E_ABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2E_ABS_prod A_27a A_27b \in ((ty_2Epair_2E_prod A_27a A_27b)^{((2^{A_27b})^{A_27a})}) \tag{4}$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$
 Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (5)$$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then}$ (the $(\lambda x.x \in A \wedge p$
 of type $\iota \Rightarrow \iota$).

Definition 10 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40\ ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.2$
 Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (6)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (7)$$

Definition 11 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS$
 Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (8)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (9)$$

Definition 12 We define $c_2Eoption_2EENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS\ A_27a) ($

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \quad (10)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL\ A_27a\ A_27b \in (A_27a^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \quad (11)$$

Definition 13 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_ma$

Definition 14 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS$

Definition 15 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL \\ A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (12)$$

Definition 16 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map$

Definition 17 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 18 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 19 We define $c_2Efinite_map_2EFLOOKUP$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map$

Definition 20 We define $c_2Efinite_map_2EFEVERY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0P \in (2^{(ty_2Epair_2Epro$

Definition 21 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 22 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2Eoption_CASE \\ A_27a\ A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption\ A_27a)}) \end{aligned} \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ p\ V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (18)$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \quad (19)$$

$$(((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27))))$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow ($$

$$\forall V0f1 \in (ty_2Efinite_map_2E fmap \ A_27b \ A_27a).(\forall V1f2 \in$$

$$(ty_2Efinite_map_2E fmap \ A_27b \ A_27a).(\forall V2k \in A_27b.($$

$$(ap \ (ap \ (c_2Efinite_map_2EFLOOKUP \ A_27b \ A_27a) \ (ap \ (ap \ (c_2Efinite_map_2EFUNION$$

$$A_27b \ A_27a) \ V0f1) \ V1f2)) \ V2k) = (ap \ (ap \ (ap \ (c_2Eoption_2Eoption_CASE$$

$$A_27a \ (ty_2Eoption_2Eoption \ A_27a)) \ (ap \ (ap \ (c_2Efinite_map_2EFLOOKUP$$

$$A_27b \ A_27a) \ V0f1) \ V2k)) \ (ap \ (ap \ (c_2Efinite_map_2EFLOOKUP \ A_27b$$

$$A_27a) \ V1f2) \ V2k)) \ (\lambda V3v \in A_27a.(ap \ (c_2Eoption_2ESOME \ A_27a)$$

$$V3v))))))$$

$$(20)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow ($$

$$\forall V0P \in (2^{(ty_2Epair_2Eprod \ A_27a \ A_27b)}).(\forall V1f \in$$

$$(ty_2Efinite_map_2E fmap \ A_27a \ A_27b).((p \ (ap \ (ap \ (c_2Efinite_map_2EFEVERY$$

$$A_27a \ A_27b) \ V0P) \ V1f)) \Leftrightarrow (\forall V2k \in A_27a.(\forall V3v \in A_27b.$$

$$(((ap \ (ap \ (c_2Efinite_map_2EFLOOKUP \ A_27a \ A_27b) \ V1f) \ V2k) = ($$

$$ap \ (c_2Eoption_2ESOME \ A_27b) \ V3v)) \Rightarrow (p \ (ap \ V0P \ (ap \ (ap \ (c_2Epair_2E_2C$$

$$A_27a \ A_27b) \ V2k) \ V3v))))))$$

$$(21)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption$$

$$A_27a).((V0opt = (c_2Eoption_2ENONE \ A_27a)) \vee (\exists V1x \in A_27a. \quad (22)$$

$$(V0opt = (ap \ (c_2Eoption_2ESOME \ A_27a) \ V1x))))$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow ($$

$$(\forall V0v \in A_27b.(\forall V1f \in (A_27b^{A_27a}).((ap \ (ap \ (ap \ (c_2Eoption_2Eoption_CASE$$

$$A_27a \ A_27b) \ (c_2Eoption_2ENONE \ A_27a)) \ V0v) \ V1f) = V0v))) \wedge (\forall V2x \in$$

$$A_27a.(\forall V3v \in A_27b.(\forall V4f \in (A_27b^{A_27a}).((ap \ (ap$$

$$(ap \ (c_2Eoption_2Eoption_CASE \ A_27a \ A_27b) \ (ap \ (c_2Eoption_2ESOME$$

$$A_27a) \ V2x)) \ V3v) \ V4f) = (ap \ V4f \ V2x))))))$$

$$(23)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in$$

$$A_27a.(((ap \ (c_2Eoption_2ESOME \ A_27a) \ V0x) = (ap \ (c_2Eoption_2ESOME$$

$$A_27a) \ V1y)) \Leftrightarrow (V0x = V1y))))$$

$$(24)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (\\ & \quad \forall V0P \in (2^{(ty_2Epair_2Eprod\ A_{27a}\ A_{27b})}).(\forall V1m1 \in \\ & (ty_2Efinite_map_2E fmap\ A_{27a}\ A_{27b}).(\forall V2m2 \in (ty_2Efinite_map_2E fmap \\ & \quad A_{27a}\ A_{27b}).(((p\ (ap\ (ap\ (c_2Efinite_map_2EFEVERY\ A_{27a}\ A_{27b}) \\ & \quad V0P)\ V1m1)) \wedge (p\ (ap\ (ap\ (c_2Efinite_map_2EFEVERY\ A_{27a}\ A_{27b}) \\ & \quad V0P)\ V2m2)))) \Rightarrow (p\ (ap\ (ap\ (c_2Efinite_map_2EFEVERY\ A_{27a}\ A_{27b}) \\ & \quad V0P)\ (ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_{27a}\ A_{27b})\ V1m1)\ V2m2)))))) \end{aligned}$$