thm_2Efinite__map_2Efmap__EQ__UPTO______FUPDATE__BOTH (TMH8GY3u6qAbzzfc7QLdvKcJ2nzUAR6rqZD)

October 26, 2020

Definition 1 *We define* c_2Emin_2E_3D *to be* $\lambda A.\lambda x \in A.\lambda y \in A.inj\_\_o\ (x = y)$ *of type* $\iota \Rightarrow \iota$.

Definition 2 *We define* c_2Ebool_2ET *to be* $(ap\ (ap\ (\mathsf{c\_2Emin\_2E\_3D}\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1$

Definition 3 *We define* c_2Ebool_2E_21 *to be* $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (\mathsf{c\_2Emin\_2E\_3D}\ (2^{A\_27}$

Definition 4 *We define* c_2Ebool_2EF *to be* $(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 5 *We define* c_2Emin_2E_3D_3D_3E *to be* $\lambda P \in 2.\lambda Q \in 2.inj\_\_o\ (p\ P \Rightarrow p\ Q)$ *of type* ι.

Definition 6 *We define* c_2Ebool_2E_2F_5C *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V2t \in 2$

Definition 7 *We define* c_2Emin_2E_40 *to be* $\lambda A.\lambda P \in 2^A.$**if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** $(the\ (\lambda x.x \in A \wedge p$ *of type* $\iota \Rightarrow \iota$.

Definition 8 *We define* c_2Ebool_2ECOND *to be* $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(a$

Let $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{1}$$

Let $c\_2Epair\_2EABS\_\_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})}) \tag{2}$$

Definition 9 *We define* c_2Epair_2E_2C *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

Let $ty\_2Efinite\_\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efinite\_\_map\_2Efmap\ A0\ A1) \tag{3}$$

Let $c\_2Efinite\_\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_\_map\_2EFUPDAT\ A\_27a\ A\_27b \in (((ty\_2Efinite\_\_map\_2Efmap\ A\_27a\ A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})^{(ty\_2Efinite\_\_map} \tag{4}$$

Let $ty\_2Eone\_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{5}$$

Let $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{6}$$

Let $c\_2Efinite\_\_map\_2Efmap\_\_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_\_map\_2Efmap\_\_REP\ A\_27a\ A\_27b \in (((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_\_map\_2Efmap\ A\_27a\ A\_27b)}) \tag{7}$$

Let $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EOUTL\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \tag{8}$$

Definition 10 *We define* $\mathsf{c\_2Efinite\_\_map\_2EFAPPLY}$ *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_\_ma$

Let $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL\ A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \tag{9}$$

Definition 11 *We define* $\mathsf{c\_2Efinite\_\_map\_2EFDOM}$ *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_\_map$

Definition 12 *We define* $\mathsf{c\_2Epred\_\_set\_2EUNIV}$ *to be* $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.\mathsf{c\_2Ebool\_2ET})$.

Definition 13 *We define* $\mathsf{c\_2Ebool\_2EIN}$ *to be* $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x))$

Definition 14 *We define* $\mathsf{c\_2Ebool\_2E\_7E}$ *to be* $(\lambda V0t \in 2.(ap\ (ap\ \mathsf{c\_2Emin\_2E\_3D\_3D\_3E}\ V0t)\ \mathsf{c\_2Ebool\_2E}$

Let $c\_2Epred\_\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \tag{10}$$

Definition 15 *We define* c_2Epred__set_2EDIFF *to be* $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2I$

Definition 16 *We define* c_2Epred__set_2ECOMPL *to be* $\lambda A\_27a : \iota.\lambda V0P \in (2^{A\_27a}).(ap\ (ap$ (c_2Epred__set

Definition 17 *We define* c_2Epred__set_2EINTER *to be* $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_$

Definition 18 *We define* c_2Efinite__map_2Efmap__EQ__UPTO *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f1 \in (ty\_2E$

Definition 19 *We define* c_2Ebool_2E_5C_2F *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap$ (c_2Ebool_2E_21 2) $(\lambda V2t \in$

Definition 20 *We define* c_2Epred__set_2EINSERT *to be* $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_$

Definition 21 *We define* c_2Epred__set_2EEMPTY *to be* $\lambda A_27a : \iota.(\lambda V0x \in A_27a.$c_2Ebool_2EF).

Definition 22 *We define* c_2Epred__set_2EDELETE *to be* $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1x \in A\_27a.(ap\ (a$

Assume the following.

$$True \tag{11}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{12}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \tag{13}$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \lor (\neg (p\ V0t)))) \tag{14}$$

Assume the following.

$$(\forall V0t \in 2.(((True \land (p\ V0t)) \Leftrightarrow (p\ V0t)) \land ((((p\ V0t) \land True) \Leftrightarrow (p\ V0t)) \land (((False \land (p\ V0t)) \Leftrightarrow False) \land ((((p\ V0t) \land False) \Leftrightarrow False) \land (((p\ V0t) \land (p\ V0t)) \Leftrightarrow (p\ V0t))))))) \tag{15}$$

Assume the following.

$$(\forall V0t \in 2.(((True \lor (p\ V0t)) \Leftrightarrow True) \land ((((p\ V0t) \lor True) \Leftrightarrow True) \land (((False \lor (p\ V0t)) \Leftrightarrow (p\ V0t)) \land ((((p\ V0t) \lor False) \Leftrightarrow (p\ V0t)) \land (((p\ V0t) \lor (p\ V0t)) \Leftrightarrow (p\ V0t))))))) \tag{16}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \land ((((p\ V0t) \Rightarrow True) \Leftrightarrow True) \land (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \land ((((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \land (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))))) \tag{17}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t)))\Leftrightarrow(p\ V0t)))\wedge(((\neg True)\Leftrightarrow False)\wedge((\neg False)\Leftrightarrow True))) \tag{18}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0x \in A\_27a.((V0x = V0x)\Leftrightarrow True)) \tag{19}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y)\Leftrightarrow(V1y = V0x)))) \tag{20}$$

Assume the following.

$$(\forall V0t \in 2.(((True\Leftrightarrow(p\ V0t))\Leftrightarrow(p\ V0t))\wedge((((p\ V0t)\Leftrightarrow True)\Leftrightarrow(p\ V0t))\wedge(((False\Leftrightarrow(p\ V0t))\Leftrightarrow(\neg(p\ V0t)))\wedge(((p\ V0t)\Leftrightarrow False)\Leftrightarrow(\neg(p\ V0t))))))) \tag{21}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0t1 \in A\_27a.(\forall V1t2 \in A\_27a.(((ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27a)\ \mathsf{c\_2Ebool\_2ET})\ V0t1)\ V1t2) = V0t1)\wedge((ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27a)\ \mathsf{c\_2Ebool\_2EF})\ V0t1)\ V1t2) = V1t2)))) \tag{22}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A)\wedge(p\ V1B)))\Leftrightarrow((\neg(p\ V0A))\vee(\neg(p\ V1B))))\wedge((\neg((p\ V0A)\vee(p\ V1B)))\Leftrightarrow((\neg(p\ V0A))\wedge(\neg(p\ V1B))))))) \tag{23}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1)\Rightarrow((p\ V1t2)\Rightarrow(p\ V2t3)))\Leftrightarrow(((p\ V0t1)\wedge(p\ V1t2))\Rightarrow(p\ V2t3)))))) \tag{24}$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.((((p\ V0x)\Leftrightarrow(p\ V1x\_27))\wedge((p\ V1x\_27)\Rightarrow((p\ V2y)\Leftrightarrow(p\ V3y\_27))))\Rightarrow(((p\ V0x)\Rightarrow(p\ V2y))\Leftrightarrow((p\ V1x\_27)\Rightarrow(p\ V3y\_27)))))))) \tag{25}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a.(\forall V5y\_27 \in A\_27a.((((p\ V0P)\Leftrightarrow(p\ V1Q))\wedge(((p\ V1Q)\Rightarrow(V2x = V3x\_27))\wedge((\neg(p\ V1Q))\Rightarrow(V4y = V5y\_27))))\Rightarrow((ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27a)\ V1Q)\ V3x\_27)\ V5y\_27))))))))) \tag{26}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f \in (ty\_2Efinite\_\_map\_2Efmap\ A\_27a\ A\_27b).(\forall V1a \in A\_27a.(\forall V2b \in A\_27b.((ap\ (\mathsf{c\_2Efinite\_\_map\_2EFDOM}\ A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Efinite\_\_map\_2EFUPDATE\ A\_27a\ A\_27b)\ V0f)\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27b)\ V1a)\ V2b))) = (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EINSERT}\ A\_27a)\ V1a)\ (ap\ (\mathsf{c\_2Efinite\_\_map\_2EFDOM}\ A\_27a\ A\_27b)\ V0f)))))) \tag{27}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f \in (ty\_2Efinite\_\_map\_2Efmap\ A\_27a\ A\_27b).(\forall V1a \in A\_27a.(\forall V2b \in A\_27b.(\forall V3x \in A\_27a.((ap\ (ap\ (\mathsf{c\_2Efinite\_\_map\_2EFAPPLY}\ A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Efinite\_\_map\_2EFUPDATE\ A\_27a\ A\_27b)\ V0f)\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27b)\ V1a)\ V2b)))\ V3x) = (ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27b)\ (ap\ (ap\ (\mathsf{c\_2Emin\_2E\_3D}\ A\_27a)\ V3x)\ V1a))\ V2b)\ (ap\ (ap\ (\mathsf{c\_2Efinite\_\_map\_2EFAPPLY}\ A\_27a\ A\_27b)\ V0f)\ V3x))))))) \tag{28}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in (2^{A\_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a.((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V2x)\ V1t))))))) \tag{29}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in (2^{A\_27a}).(\forall V2x \in A\_27a.((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V2x)\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EINTER}\ A\_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V2x)\ V1t))))))) \tag{30}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.(\forall V2s \in (2^{A\_27a}).((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V0x)\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EINSERT}\ A\_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = V1y) \vee (p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V0x)\ V2s))))))) \tag{31}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1x \in A\_27a.(\forall V2y \in A\_27a.((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V1x)\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EDELETE}\ A\_27a)\ V0s)\ V2y))) \Leftrightarrow ((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V1x)\ V0s)) \wedge (\neg (V1x = V2y))))))) \tag{32}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1s \in (2^{A\_27a}).((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V0x)\ (ap\ (\mathsf{c\_2Epred\_\_set\_2ECOMPL}\ A\_27a)\ V1s))) \Leftrightarrow (\neg(p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V0x)\ V1s)))))) \quad (33)$$

Theorem 1

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f1 \in (ty\_2Efinite\_\_map\_2Efmap\ A\_27a\ A\_27b).(\forall V1f2 \in (ty\_2Efinite\_\_map\_2Efmap\ A\_27a\ A\_27b).(\forall V2ks \in (2^{A\_27a}). (\forall V3k \in A\_27a.(\forall V4v \in A\_27b.((p\ (ap\ (ap\ (ap\ (\mathsf{c\_2Efinite\_\_map\_2Efmap\_\_EQ\_\_UPTO}\ A\_27a\ A\_27b)\ V0f1)\ V1f2)\ V2ks)) \Rightarrow (p\ (ap\ (ap\ (ap\ (\mathsf{c\_2Efinite\_\_map\_2Efmap\_\_EQ\_\_UPTO}\ A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Efinite\_\_map\_2EFUPDATE\ A\_27a\ A\_27b)\ V0f1)\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27b)\ V3k)\ V4v)))\ (ap\ (ap\ (c\_2Efinite\_\_map\_2EFUPDATE\ A\_27a\ A\_27b)\ V1f2)\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27b)\ V3k)\ V4v)))\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EDELETE}\ A\_27a)\ V2ks)\ V3k)))))))))$$