

thm_2Efinite_map_2Efmap_rel_FUPDATE_I (TMK7gtgu8KQcs6Z78roS8gud63F6eRJyW7k)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 6 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Ebool_2E_21 2))$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2Efmap A0 A1) \quad (3)$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2EFUPDATE A_27a A_27b \in (((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)})^{(ty_2Efinite_map_2Efmap A_27a A_27b)}) \quad (4)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (5)$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone$

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (6)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (7)$$

Definition 11 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS$

Let $c_2Efinite_map_2E fmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2E fmap_ABS A_27a A_27b \in ((ty_2Efinite_map_2E fmap A_27a A_27b)^{(ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a}}) \quad (8)$$

Definition 12 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap (c_2Efinite_map_2E$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 14 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 15 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (9)$$

Definition 17 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2$

Definition 18 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E2ET)$.

Definition 19 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2$

Definition 20 We define $c_2Epred_set_2Ecompl$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Epred_set$

Let $c_2Efinite_map_2EDRESTRICT : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EDRESTRICT \\ & A_27a\ A_27b \in (((ty_2Efinite_map_2Efm\ A_27a\ A_27b)^{(2^{A_27a})})(ty_2Efinite_map_2Efm\ A_27a\ A_27b)) \end{aligned} \quad (10)$$

Definition 21 We define $c_2Efinite_map_2Efdomsub$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map$

Let $c_2Efinite_map_2Efm_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efm_REP \\ & A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})(ty_2Efinite_map_2Efm\ A_27a\ A_27b)) \end{aligned} \quad (11)$$

Let $c_2Esum_2EOUtl : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUtl \\ & A_27a\ A_27b \in (A_27a^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (12)$$

Definition 22 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL \\ & A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (13)$$

Definition 23 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map$

Definition 24 We define $c_2Efinite_map_2Efm_rel$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0R \in ((2^{A_27$

Definition 25 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap (ap$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2ET) \ V0t1) \ V1t2) = V0t1) \wedge ((ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2EF) \ V0t1) \ V1t2) = V1t2)))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee ((p \ V1B) \wedge (p \ V2C))) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \wedge ((p \ V0A) \vee (p \ V2C)))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V1B) \wedge (p \ V2C)) \vee (p \ V0A)) \Leftrightarrow (((p \ V1B) \vee (p \ V0A)) \wedge ((p \ V2C) \vee (p \ V0A)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (27)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in \\
& 2. (((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow \quad (28) \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27}))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A_{.27a}. (\forall V3x_{.27} \in A_{.27a}. (\forall V4y \in A_{.27a}. \\
& (\forall V5y_{.27} \in A_{.27a}. (((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\
& ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{.27})))))) \Rightarrow ((ap (ap (ap (c_{.2E}bool_{.2E}COND A_{.27a}) \\
& V0P) V2x) V4y) = (ap (ap (ap (c_{.2E}bool_{.2E}COND A_{.27a}) V1Q) V3x_{.27}) \\
& V5y_{.27}))))))))) \quad (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow ((\forall V0t1 \in A_{.27a}. (\forall V1t2 \in \\
& A_{.27a}. ((ap (ap (ap (c_{.2E}bool_{.2E}COND A_{.27a}) c_{.2E}bool_{.2E}ET) V0t1) \\
& V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}. (\forall V3t2 \in A_{.27a}. ((ap \\
& (ap (ap (c_{.2E}bool_{.2E}COND A_{.27a}) c_{.2E}bool_{.2E}EF) V2t1) V3t2) = V3t2)))))) \quad (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow (\\
& \forall V0f \in (ty_{.2E}finite_map_{.2E}fmap A_{.27a} A_{.27b}). (\forall V1x \in \\
& A_{.27a}. (\forall V2y \in A_{.27b}. ((ap (ap (c_{.2E}finite_map_{.2E}FAPPLY \\
& A_{.27a} A_{.27b}) (ap (ap (c_{.2E}finite_map_{.2E}FUPDATE A_{.27a} A_{.27b}) V0f) \\
& (ap (ap (c_{.2E}pair_{.2E}2C A_{.27a} A_{.27b}) V1x) V2y))) V1x) = V2y)))))) \quad (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow (\\
& \forall V0f \in (ty_{.2E}finite_map_{.2E}fmap A_{.27a} A_{.27b}). (\forall V1a \in \\
& A_{.27a}. (\forall V2b \in A_{.27b}. ((ap (c_{.2E}finite_map_{.2E}FDOM A_{.27a} \\
& A_{.27b}) (ap (ap (c_{.2E}finite_map_{.2E}FUPDATE A_{.27a} A_{.27b}) V0f) (ap \\
& (ap (c_{.2E}pair_{.2E}2C A_{.27a} A_{.27b}) V1a) V2b))) = (ap (ap (c_{.2E}pred_set_{.2E}INSERT \\
& A_{.27a}) V1a) (ap (c_{.2E}finite_map_{.2E}FDOM A_{.27a} A_{.27b}) V0f)))))) \quad (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow (\\
& \forall V0f \in (ty_{.2E}finite_map_{.2E}fmap A_{.27a} A_{.27b}). (\forall V1a \in \\
& A_{.27a}. (\forall V2b \in A_{.27b}. (\forall V3x \in A_{.27a}. ((ap (ap (c_{.2E}finite_map_{.2E}FAPPLY \\
& A_{.27a} A_{.27b}) (ap (ap (c_{.2E}finite_map_{.2E}FUPDATE A_{.27a} A_{.27b}) V0f) \\
& (ap (ap (c_{.2E}pair_{.2E}2C A_{.27a} A_{.27b}) V1a) V2b))) V3x) = (ap (ap (ap \\
& (c_{.2E}bool_{.2E}COND A_{.27b}) (ap (ap (c_{.2E}min_{.2E}3D A_{.27a}) V3x) V1a)) \\
& V2b) (ap (ap (c_{.2E}finite_map_{.2E}FAPPLY A_{.27a} A_{.27b}) V0f) V3x)))))) \quad (33)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0fm \in (ty_2Efinite_map_2Efm\ A_27a\ A_27b). (\forall V1k \in \\ & \quad A_27a. ((ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2Efdomsub \\ & \quad A_27a\ A_27b)\ V0fm)\ V1k)) = (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a) \\ & \quad (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0fm))\ V1k)))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0fm \in (ty_2Efinite_map_2Efm\ A_27a\ A_27b). (\forall V1k1 \in \\ & \quad A_27a. (\forall V2k2 \in A_27a. ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\ & \quad A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2Efdomsub\ A_27a\ A_27b)\ V0fm) \\ & \quad V1k1))\ V2k2) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ (ap\ (ap\ (c_2Emin_2E_3D \\ & \quad A_27a)\ V1k1)\ V2k2))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b) \\ & \quad (c_2Efinite_map_2EFEMPTY\ A_27a\ A_27b))\ V2k2))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\ & \quad A_27a\ A_27b)\ V0fm)\ V2k2)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ & \quad (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & \quad A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & \quad A_27a. (\forall V2s \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ & \quad V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ & \quad V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1x \in \\ & \quad A_27a. (\forall V2y \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x) \\ & \quad (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V0s)\ V2y))) \Leftrightarrow ((p\ (ap\ (ap \\ & \quad (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0s)) \wedge (\neg(V1x = V2y)))))) \end{aligned} \quad (38)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (41)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V1q)))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (53)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ & \quad nonempty\ A.27c \Rightarrow (\forall V0R \in ((2^{A.27b})^{A.27a}).(\forall V1f1 \in \\ & \quad (ty.2Efinite_map_2Efmap\ A.27c\ A.27a).(\forall V2k \in A.27c.(\\ & \quad \forall V3f2 \in (ty.2Efinite_map_2Efmap\ A.27c\ A.27b).(\forall V4v1 \in \\ & \quad A.27a.(\forall V5v2 \in A.27b.(((p\ (ap\ (ap\ (ap\ (c.2Efinite_map_2Efmap_rel \\ & \quad A.27a\ A.27b\ A.27c)\ V0R)\ (ap\ (ap\ (c.2Efinite_map_2Efdomsb\ A.27c \\ & \quad A.27a)\ V1f1)\ V2k))\ (ap\ (ap\ (c.2Efinite_map_2Efdomsb\ A.27c\ A.27b) \\ & \quad V3f2)\ V2k))) \wedge (p\ (ap\ (ap\ V0R\ V4v1)\ V5v2)))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c.2Efinite_map_2Efmap_rel \\ & \quad A.27a\ A.27b\ A.27c)\ V0R)\ (ap\ (ap\ (c.2Efinite_map_2EFUPDATE\ A.27c \\ & \quad A.27a)\ V1f1)\ (ap\ (ap\ (c.2Epair_2E_2C\ A.27c\ A.27a)\ V2k)\ V4v1)))\ (\\ & \quad ap\ (ap\ (c.2Efinite_map_2EFUPDATE\ A.27c\ A.27b)\ V3f2)\ (ap\ (ap\ (c.2Epair_2E_2C \\ & \quad A.27c\ A.27b)\ V2k)\ V5v2)))))))))) \end{aligned}$$