

thm_2Efinite_map_2Efmap_rel_FUPDATE_LIST_same (TMarQHTLeBJ3tyraYUhP3Y1ke2MoS8CfvHb)

October 26, 2020

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b \in (((ty_2Efinite_map_2Efmap\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})^{(ty_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)}) \quad (3)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (4)$$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDL\ A_27a\ A_27b \in (((A_27b^{(ty_2Elist_2Elist\ A_27a)})^{A_27b})^{((A_27b^{A_27a})^{A_27b})}) \quad (5)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Efinite_map_2EFUPDATE_LIST$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap\ (c_2Elist_2EFOLDL\ A_27a\ A_27b)\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (6)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (7)$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \quad (8)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL\ A_27a\ A_27b \in (A_27a)^{(ty_2Esum_2Esum\ A_27a\ A_27b)} \quad (9)$$

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a})))$

Definition 5 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2EFAPPLY\ A_27a\ A_27b)$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL\ A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \quad (10)$$

Definition 6 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2EFDOM\ A_27a\ A_27b)$

Definition 7 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (c_2Ebool_2E_2F_5C\ V0t1\ V1t2\ V2t))))$

Definition 10 We define $c_2Efinite_map_2Efmap_rel$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0R \in ((2^{A_27a})^{(2^{A_27b})})^{(2^{A_27c})}$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b)^{A_27a}}) \quad (11)$$

Definition 11 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (c_2Ebool_2E_5C_2F\ V0t1\ V1t2\ V2t))))$

Definition 12 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF\ V0t))$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (12)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (13)$$

Let $c_2Elist_2ELIST_REL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2ELIST_REL\ A_27a\ A_27b \in (((2^{(ty_2Elist_2Elist\ A_27b)})^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27b})^{A_27a}}) \quad (14)$$

Definition 14 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p\ x)$ of type $\iota \Rightarrow \iota$).

Definition 15 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda P \in (2^{A_27a})$. $(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a\ P)))$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a\ A_27b \in (A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (15)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (16)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Emin_2E_40\ A_27a\ (ap\ (c_2Emin_2E_40\ A_27b\ (ap\ (c_2Emin_2E_40\ V0x\ V1y))))))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (17)$$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (20)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (21)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p V0t)))))) \quad (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\
& \forall V0f \in (ty_2Efinite_map_2E fmap A.27a A.27b).(((ap (ap \\
& (c_2Efinite_map_2EFUPDATE_LIST A.27a A.27b) V0f) (c_2Elist_2ENIL \\
& (ty_2Epair_2Eprod A.27a A.27b))) = V0f) \wedge (\forall V1h \in (ty_2Epair_2Eprod \\
& A.27a A.27b).(\forall V2t \in (ty_2Elist_2Elist (ty_2Epair_2Eprod \\
& A.27a A.27b)).((ap (ap (c_2Efinite_map_2EFUPDATE_LIST A.27a \\
& A.27b) V0f) (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod A.27a A.27b)) \\
& V1h) V2t)) = (ap (ap (c_2Efinite_map_2EFUPDATE_LIST A.27a A.27b) \\
& (ap (ap (c_2Efinite_map_2EFUPDATE A.27a A.27b) V0f) V1h)) V2t)))))) \quad (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0R \in ((2^{A_27b})^{A_27a}).(\forall V1f1 \in \\
& (ty_2Efinite_map_2Efmap\ A_27c\ A_27a).(\forall V2f2 \in (ty_2Efinite_map_2Efmap \\
& \quad A_27c\ A_27b).(\forall V3v1 \in A_27a.(\forall V4v2 \in A_27b.(\forall V5k \in \\
& \quad A_27c.(((p\ (ap\ (ap\ (ap\ (c_2Efinite_map_2Efmap_rel\ A_27a\ A_27b \\
& \quad A_27c)\ V0R)\ V1f1)\ V2f2)) \wedge (p\ (ap\ (ap\ V0R\ V3v1)\ V4v2))) \Rightarrow (p\ (ap\ (ap\ (\\
& \quad ap\ (c_2Efinite_map_2Efmap_rel\ A_27a\ A_27b\ A_27c)\ V0R)\ (ap\ (ap \\
& (c_2Efinite_map_2EFUPDATE\ A_27c\ A_27a)\ V1f1)\ (ap\ (ap\ (c_2Epair_2E_2C \\
& \quad A_27c\ A_27a)\ V5k)\ V3v1)))\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27c \\
& \quad A_27b)\ V2f2)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27c\ A_27b)\ V5k)\ V4v2)))))))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad (\forall V0f \in (A_27b^{A_27a}).((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b) \\
& \quad V0f)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL\ A_27b))) \wedge (\forall V1f \in \\
& \quad (A_27b^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in (ty_2Elist_2Elist \\
& \quad A_27a).((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad A_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ (ap\ V1f\ V2h)) \\
& \quad (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ V3t)))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\
& \quad (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& \quad A_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& \quad c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& \quad A_27a).(p\ (ap\ V0P\ V3l)))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\
& \quad A_27a).((V0l = (c_2Elist_2ENIL\ A_27a)) \vee (\exists V1h \in A_27a.(\\
& \quad \exists V2t \in (ty_2Elist_2Elist\ A_27a).(V0l = (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad A_27a)\ V1h)\ V2t)))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a0 \in A_27a.(\forall V1a1 \in \\
& \quad (ty_2Elist_2Elist\ A_27a).(\forall V2a0_27 \in A_27a.(\forall V3a1_27 \in \\
& \quad (ty_2Elist_2Elist\ A_27a).(((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0a0) \\
& \quad V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2a0_27)\ V3a1_27)) \Leftrightarrow ((V0a0 = \\
& \quad V2a0_27) \wedge (V1a1 = V3a1_27)))))) \\
& \hspace{15em} (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a1 \in (ty_2Elist_2Elist \\ & A.27a).(\forall V1a0 \in A.27a.(\neg((c_2Elist_2ENIL\ A.27a) = (ap\ (\\ & ap\ (c_2Elist_2ECONS\ A.27a)\ V1a0)\ V0a1)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0R \in ((2^{A.27b})^{A.27a}).(\forall V1a \in A.27a.(\forall V2as \in \\ & (ty_2Elist_2Elist\ A.27a).(\forall V3b \in A.27b.(\forall V4bs \in \\ & (ty_2Elist_2Elist\ A.27b).(((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL \\ & A.27a\ A.27b)\ V0R)\ (c_2Elist_2ENIL\ A.27a))\ (c_2Elist_2ENIL\ A.27b))) \Leftrightarrow \\ & True) \wedge (((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A.27a\ A.27b)\ V0R) \\ & (ap\ (ap\ (c_2Elist_2ECONS\ A.27a)\ V1a)\ V2as))\ (c_2Elist_2ENIL\ A.27b))) \Leftrightarrow \\ & False) \wedge (((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A.27a\ A.27b)\ V0R) \\ & (c_2Elist_2ENIL\ A.27a))\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27b)\ V3b)\ V4bs))) \Leftrightarrow \\ & False) \wedge ((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A.27a\ A.27b)\ V0R) \\ & (ap\ (ap\ (c_2Elist_2ECONS\ A.27a)\ V1a)\ V2as))\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A.27b)\ V3b)\ V4bs))) \Leftrightarrow ((p\ (ap\ (ap\ V0R\ V1a)\ V3b)) \wedge (p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL \\ & A.27a\ A.27b)\ V0R)\ V2as)\ V4bs))))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0R \in ((2^{A.27b})^{A.27a}).(\forall V1h \in A.27a.(\forall V2t \in \\ & (ty_2Elist_2Elist\ A.27a).(\forall V3xs \in (ty_2Elist_2Elist\ A.27b). \\ & ((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A.27a\ A.27b)\ V0R)\ (ap\ (ap\ (\\ & c_2Elist_2ECONS\ A.27a)\ V1h)\ V2t))\ V3xs)) \Leftrightarrow (\exists V4h.27 \in A.27b. \\ & (\exists V5t.27 \in (ty_2Elist_2Elist\ A.27b).((V3xs = (ap\ (ap\ (c_2Elist_2ECONS \\ & A.27b)\ V4h.27)\ V5t.27)) \wedge ((p\ (ap\ (ap\ V0R\ V1h)\ V4h.27)) \wedge (p\ (ap\ (ap \\ & (ap\ (c_2Elist_2ELIST_REL\ A.27a\ A.27b)\ V0R)\ V2t)\ V5t.27)))))))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0x \in (ty_2Epair_2Eprod\ A.27a\ A.27b).(\exists V1q \in A.27a. \\ & (\exists V2r \in A.27b.(V0x = (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b) \\ & V1q)\ V2r)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0x \in A.27a.(\forall V1y \in A.27b.((ap\ (c_2Epair_2EFST\ A.27a \\ & A.27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0x \in A.27a.(\forall V1y \in A.27b.((ap\ (c_2Epair_2ESND\ A.27a \\ & A.27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (38)$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0R \in ((2^{A_27b})^{A_27a}). (\forall V1ls1 \in \\
& \quad (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27c\ A_27a)). (\forall V2ls2 \in \\
& \quad (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27c\ A_27b)). (\forall V3f1 \in \\
& \quad (ty_2Efinite_map_2Efmap\ A_27c\ A_27a)). (\forall V4f2 \in (ty_2Efinite_map_2Efmap \\
& \quad A_27c\ A_27b). (((p\ (ap\ (ap\ (ap\ (c_2Efinite_map_2Efmap_rel\ A_27a \\
& \quad A_27b\ A_27c)\ V0R)\ V3f1)\ V4f2)) \wedge (((ap\ (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod \\
& \quad A_27c\ A_27a)\ A_27c)\ (c_2Epair_2EFST\ A_27c\ A_27a))\ V1ls1) = (ap\ (\\
& \quad ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27c\ A_27b)\ A_27c)\ (c_2Epair_2EFST \\
& \quad A_27c\ A_27b))\ V2ls2)) \wedge (p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A_27a \\
& \quad A_27b)\ V0R)\ (ap\ (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27c\ A_27a) \\
& \quad A_27a)\ (c_2Epair_2ESND\ A_27c\ A_27a))\ V1ls1))\ (ap\ (ap\ (c_2Elist_2EMAP \\
& \quad (ty_2Epair_2Eprod\ A_27c\ A_27b)\ A_27b)\ (c_2Epair_2ESND\ A_27c\ A_27b)) \\
& \quad V2ls2)))))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Efinite_map_2Efmap_rel\ A_27a \\
& \quad A_27b\ A_27c)\ V0R)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A_27c \\
& \quad A_27a)\ V3f1)\ V1ls1))\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST \\
& \quad A_27c\ A_27b)\ V4f2)\ V2ls2))))))))))
\end{aligned}$$