

thm_2Efinite_map_2Efmap_rel_FUPDATE_same (TMLsf2zYtQ7pSFusWjSG1uhqvVpbAX7xqDj)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define $c_2Ebool_2E_2COND$ to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Emin_2E_40 (2^{A_27a}))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Emin_2E_40 (2^{A_27a}))$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \quad (3)$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Efinite_map_2EFUPDATE\ A_{27a}\ A_{27b} \in (((ty_2Efinite_map_2Efmap\ A_{27a}\ A_{27b})^{(ty_2Epair_2Eprod\ A_{27a}\ A_{27b})})^{(ty_2Efinite_map_2EFUPDATE\ A_{27a}\ A_{27b})}) \quad (4)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (5)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (6)$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Efinite_map_2Efmap_REP\ A_{27a}\ A_{27b} \in (((ty_2Esum_2Esum\ A_{27b}\ ty_2Eone_2Eone)^{A_{27a}})^{(ty_2Efinite_map_2Efmap\ A_{27a}\ A_{27b})}) \quad (7)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Esum_2EOUTL\ A_{27a}\ A_{27b} \in (A_{27a})^{(ty_2Esum_2Esum\ A_{27a}\ A_{27b})} \quad (8)$$

Definition 11 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda V0f \in (ty_2Efinite_map_2EFAPPLY\ A_{27a}\ A_{27b}\ V0f)$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Esum_2EISL\ A_{27a}\ A_{27b} \in (2^{(ty_2Esum_2Esum\ A_{27a}\ A_{27b})}) \quad (9)$$

Definition 12 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda V0f \in (ty_2Efinite_map_2EFDOM\ A_{27a}\ A_{27b}\ V0f)$

Definition 13 We define c_2Ebool_2EIN to be $\lambda A_{27a} : \iota. (\lambda V0x \in A_{27a}. (\lambda V1f \in (2^{A_{27a}}). (ap\ V1f\ V0x)))$

Definition 14 We define $c_2Efinite_map_2Efmap_rel$ to be $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda A_{27c} : \iota. \lambda V0R \in ((2^{A_{27a}} \times 2^{A_{27b}}) \rightarrow 2^{A_{27c}})$

Definition 15 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (c_2Ebool_2E_5C_2F\ V0t1\ V1t2\ V2t))))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Epred_set_2EGSPEC\ A_{27a}\ A_{27b} \in ((2^{A_{27a}})^{(ty_2Epair_2Eprod\ A_{27a}\ 2)^{A_{27b}}}) \quad (10)$$

Definition 16 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Ebool_2ECOND A_27a) (ap (c_2Ebool_2ET) V1s))$

Assume the following.

$$True \tag{11}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \tag{12}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{13}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee \neg(p V0t))) \tag{14}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))) \tag{15}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{16}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))) \tag{18}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))) \tag{19}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \tag{20}$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \quad (21)$$

$$(((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27))))$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. (\forall V5y_27 \in A_27a. (((p \ V0P) \Leftrightarrow (p \ V1Q)) \wedge ((p \ V1Q) \Rightarrow (V2x = V3x_27)) \wedge ((\neg(p \ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a \ V0P) \ V2x) \ V4y) = (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a \ V1Q) \ V3x_27) \ V5y_27)))))))))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow ((\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a \ c_2Ebool_2ET) \ V0t1) \ V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a. (\forall V3t2 \in A_27a. ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a \ c_2Ebool_2EF) \ V2t1) \ V3t2) = V3t2)))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\forall V0f \in (ty_2Efinite_map_2E fmap \ A_27a \ A_27b). (\forall V1a \in A_27a. (\forall V2b \in A_27b. ((ap \ (c_2Efinite_map_2EFDOM \ A_27a \ A_27b) \ (ap \ (ap \ (c_2Efinite_map_2EFUPDATE \ A_27a \ A_27b) \ V0f) \ (ap \ (ap \ (c_2Epair_2E_2C \ A_27a \ A_27b) \ V1a) \ V2b))) = (ap \ (ap \ (c_2Epred_set_2EINSERT \ A_27a \ V1a) \ (ap \ (c_2Efinite_map_2EFDOM \ A_27a \ A_27b) \ V0f)))))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\forall V0f \in (ty_2Efinite_map_2E fmap \ A_27a \ A_27b). (\forall V1a \in A_27a. (\forall V2b \in A_27b. (\forall V3x \in A_27a. ((ap \ (ap \ (c_2Efinite_map_2EFAPPLY \ A_27a \ A_27b) \ (ap \ (ap \ (c_2Efinite_map_2EFUPDATE \ A_27a \ A_27b) \ V0f) \ (ap \ (ap \ (c_2Epair_2E_2C \ A_27a \ A_27b) \ V1a) \ V2b))) \ V3x) = (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27b) \ (ap \ (ap \ (c_2Emin_2E_3D \ A_27a) \ V3x) \ V1a)) \ V2b) \ (ap \ (ap \ (c_2Efinite_map_2EFAPPLY \ A_27a \ A_27b) \ V0f) \ V3x)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. (\forall V2s \in (2^{A_27a}). ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \ V0x) \ (ap \ (ap \ (c_2Epred_set_2EINSERT \ A_27a) \ V1y) \ V2s))) \Leftrightarrow ((V0x = V1y) \vee (p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \ V0x) \ V2s)))))) \quad (26)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & \quad nonempty\ A_27c \Rightarrow (\forall V0R \in ((2^{A_27b})^{A_27a}). (\forall V1f1 \in \\ & (ty_2Efinite_map_2E fmap\ A_27c\ A_27a). (\forall V2f2 \in (ty_2Efinite_map_2E fmap \\ & \quad A_27c\ A_27b). (\forall V3v1 \in A_27a. (\forall V4v2 \in A_27b. (\forall V5k \in \\ & \quad A_27c. (((p\ (ap\ (ap\ (ap\ (c_2Efinite_map_2E fmap_rel\ A_27a\ A_27b \\ & \quad A_27c)\ V0R)\ V1f1)\ V2f2)) \wedge (p\ (ap\ (ap\ V0R\ V3v1)\ V4v2)))) \Rightarrow (p\ (ap\ (ap\ (\\ & \quad ap\ (c_2Efinite_map_2E fmap_rel\ A_27a\ A_27b\ A_27c)\ V0R)\ (ap\ (ap \\ & (c_2Efinite_map_2EFUPDATE\ A_27c\ A_27a)\ V1f1)\ (ap\ (ap\ (c_2Epair_2E_2C \\ & \quad A_27c\ A_27a)\ V5k)\ V3v1)))\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27c \\ & \quad A_27b)\ V2f2)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27c\ A_27b)\ V5k)\ V4v2)))))))))) \end{aligned}$$