

thm_2Efinite__map_2Eo__f__DOMSUB (TMauZKLk22XBmzTJ2FxEHAGgFy6i8rBtrdo)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Efinite_map_2E fmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2E fmap A0 A1) \tag{1}$$

Let $c_2Efinite_map_2Eo_f : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c. \\ & nonempty A_27c \Rightarrow c_2Efinite_map_2Eo_f A_27a A_27b A_27c \in (((\\ & ty_2Efinite_map_2E fmap A_27a A_27c)^{(ty_2Efinite_map_2E fmap A_27a A_27b)})^{(A_27c^{A_27b})}) \end{aligned} \tag{2}$$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \tag{3}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \tag{4}$$

Let $c_2Efinite_map_2E fmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2E fmap_REP \\ & A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2E fmap\ A_27a\ A_27b)}) \end{aligned} \quad (5)$$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL \\ & A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (6)$$

Definition 6 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2E$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2E$

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ & A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (7)$$

Definition 11 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS$

Let $c_2Efinite_map_2E fmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2E fmap_ABS \\ & A_27a\ A_27b \in ((ty_2Efinite_map_2E fmap\ A_27a\ A_27b)^{((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})}) \end{aligned} \quad (8)$$

Definition 12 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap\ (c_2Efinite_map_2E$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(\lambda V2t1 \in$

Definition 14 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 15 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x))$

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod \\ & A0\ A1) \end{aligned} \quad (9)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})}) \end{aligned} \quad (10)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (11)$$

Definition 18 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Epred_set_2Ebool_2ET$

Definition 19 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 20 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Epred_set_2Ebool_2ET$

Definition 21 We define $c_2Epred_set_2Ecompl$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Epred_set_2Ebool_2ET$

Let $c_2Efinite_map_2EDRESTRICT : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EDRESTRICT \\ A_27a\ A_27b \in (((ty_2Efinite_map_2E fmap\ A_27a\ A_27b)^{(2^{A_27a}}))^{(ty_2Efinite_map_2E fmap\ A_27a\ A_27b)}) \end{aligned} \quad (12)$$

Definition 22 We define $c_2Efinite_map_2Efdomsub$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0fm \in (ty_2Efinite_map_2Efdomsub$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL \\ A_27a\ A_27b \in (A_27a^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (13)$$

Definition 23 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2EFAPPLY$

Definition 24 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap (ap (c_2Epred_set_2Ebool_2ET$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_27a.(\forall V3x_27 \in A_27a.(\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a.(((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1Q) V3x_27) \\ & V5y_27))))))))) \quad (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0t1 \in A.27a. (\forall V1t2 \in \\ & A.27a. ((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2ET)\ V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A.27a. (\forall V3t2 \in A.27a. ((ap \\ & (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2EF)\ V2t1)\ V3t2) = V3t2)))) \\ & \hspace{15em} (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0f \in (ty.2Efinite_map.2E fmap\ A.27a\ A.27b). (\forall V1g \in \\ & (ty.2Efinite_map.2E fmap\ A.27a\ A.27b). (((ap\ (c.2Efinite_map.2EFDOM \\ & A.27a\ A.27b)\ V0f) = (ap\ (c.2Efinite_map.2EFDOM\ A.27a\ A.27b)\ V1g))) \wedge \\ & (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ (ap\ (\\ & c.2Efinite_map.2EFDOM\ A.27a\ A.27b)\ V0f)))) \Rightarrow ((ap\ (ap\ (c.2Efinite_map.2EFAPPLY \\ & A.27a\ A.27b)\ V0f)\ V2x) = (ap\ (ap\ (c.2Efinite_map.2EFAPPLY\ A.27a \\ & A.27b)\ V1g)\ V2x)))) \Leftrightarrow (V0f = V1g))) \\ & \hspace{15em} (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ & nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27c^{A.27b}). (\forall V1g \in (ty.2Efinite_map.2E fmap \\ & A.27a\ A.27b). ((ap\ (c.2Efinite_map.2EFDOM\ A.27a\ A.27c)\ (ap\ (ap \\ & (c.2Efinite_map.2Eo_f\ A.27a\ A.27b\ A.27c)\ V0f)\ V1g)) = (ap\ (c.2Efinite_map.2EFDOM \\ & A.27a\ A.27b)\ V1g)))) \\ & \hspace{15em} (29) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ & nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27c^{A.27b}). (\forall V1g \in (ty.2Efinite_map.2E fmap \\ & A.27a\ A.27b). (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a) \\ & V2x)\ (ap\ (c.2Efinite_map.2EFDOM\ A.27a\ A.27b)\ V1g)))) \Rightarrow ((ap\ (ap \\ & (c.2Efinite_map.2EFAPPLY\ A.27a\ A.27c)\ (ap\ (ap\ (c.2Efinite_map.2Eo_f \\ & A.27a\ A.27b\ A.27c)\ V0f)\ V1g))\ V2x) = (ap\ V0f\ (ap\ (ap\ (c.2Efinite_map.2EFAPPLY \\ & A.27a\ A.27b)\ V1g)\ V2x)))))) \\ & \hspace{15em} (30) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0fm \in (ty.2Efinite_map.2E fmap\ A.27a\ A.27b). (\forall V1k \in \\ & A.27a. ((ap\ (c.2Efinite_map.2EFDOM\ A.27a\ A.27b)\ (ap\ (ap\ (c.2Efinite_map.2Efdomsub \\ & A.27a\ A.27b)\ V0fm)\ V1k)) = (ap\ (ap\ (c.2Epred_set.2EDELETE\ A.27a) \\ & (ap\ (c.2Efinite_map.2EFDOM\ A.27a\ A.27b)\ V0fm))\ V1k)))) \\ & \hspace{15em} (31) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0fm \in (ty_2Efinite_map_2Efm\ A_27a\ A_27b). (\forall V1k1 \in \\
& \quad \quad A_27a. (\forall V2k2 \in A_27a. ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad \quad \quad A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2Efdomsub\ A_27a\ A_27b)\ V0fm) \\
& \quad \quad \quad V1k1))\ V2k2) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ (ap\ (ap\ (c_2Emin_2E_3D \\
& \quad \quad \quad \quad A_27a)\ V1k1)\ V2k2))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b) \\
& \quad \quad \quad (c_2Efinite_map_2EFEMPTY\ A_27a\ A_27b))\ V2k2))\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad \quad \quad \quad A_27a\ A_27b)\ V0fm)\ V2k2)))))) \\
& \hspace{15em} (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1x \in \\
& \quad A_27a. (\forall V2y \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x) \\
& \quad (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V0s)\ V2y))) \Leftrightarrow ((p\ (ap\ (ap \\
& \quad \quad (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0s)) \wedge (\neg(V1x = V2y)))))) \\
& \hspace{15em} (33)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow (\forall V0g \in (A_27b^{A_27c}). (\forall V1fm \in (ty_2Efinite_map_2Efm\ \\
& \quad A_27a\ A_27c). (\forall V2k \in A_27a. ((ap\ (ap\ (c_2Efinite_map_2Efdomsub \\
& \quad \quad A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2Eo_f\ A_27a\ A_27c\ A_27b) \\
& \quad \quad V0g)\ V1fm))\ V2k) = (ap\ (ap\ (c_2Efinite_map_2Eo_f\ A_27a\ A_27c\ A_27b) \\
& \quad \quad V0g)\ (ap\ (ap\ (c_2Efinite_map_2Efdomsub\ A_27a\ A_27c)\ V1fm)\ V2k))))))
\end{aligned}$$