

thm\_2EfixedPoint\_2Egfp\_strong\_coinduction  
(TMTYLNkSgBgRVbe-  
qNuJ9Ps5nPQuP3mNKi6k)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$   
of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p x)$ )  
of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A P))))$

**Definition 5** We define  $c\_2Ecombin\_2E\_2EK$  to be  $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.(\lambda V0x \in A.\lambda V1y \in A.\lambda V2z \in A.27a x y z)$

**Definition 6** We define  $c\_2Ecombin\_2E\_2ES$  to be  $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda A.\lambda 27c : \iota.(\lambda V0f \in ((A.\lambda 27c^{A-27b})^{A-27a}))$

**Definition 7** We define  $c\_2Ecombin\_2E\_2EI$  to be  $\lambda A.\lambda 27a : \iota.(ap (ap (c\_2Ecombin\_2E\_2ES A 27a (A.\lambda 27a^{A-27a})) A 27a))$

**Definition 8** We define  $c\_2Ebool\_2E\_2EIN$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0x \in A.\lambda V1f \in (2^{A-27a}).(ap V1f V0x))$

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$   
of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_2E21$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) P P)))$

**Definition 11** We define  $c\_2Epred\_set\_2E\_2ESUBSET$  to be  $\lambda A.\lambda 27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2Emin\_2E\_3D (2^{A-27a})) s t))$

**Definition 12** We define  $c\_2Ebool\_2E\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E21 2) (V0t1 V1t2))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.\lambda 27a.nonempty A.\lambda 27b.nonempty A.\lambda 27c \Rightarrow c\_2Epair\_2EABS\_prod A.\lambda 27a A.\lambda 27b \in ((ty\_2Epair\_2Eprod A.\lambda 27a A.\lambda 27b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$



Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in ( \\ & 2^{A.27a}).(((p V0P) \wedge (\forall V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in \\ & A.27a.((p V0P) \wedge (p (ap V1Q V3x)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A-27a}). ((p V0P) \vee (\exists V2x \in A.27a. (p (ap V1Q V2x)))))) \Leftrightarrow (\exists V3x \in A.27a. ((p V0P) \vee (p (ap V1Q V3x)))))) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in 2. ((\exists V2x \in A.27a. ((p (ap V0P V2x)) \wedge (p V1Q)))) \Leftrightarrow ((\exists V3x \in A.27a. (p (ap V0P V3x))) \wedge (p V1Q)))))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A-27a}). ((\exists V2x \in A.27a. ((p V0P) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \wedge (\exists V3x \in A.27a. (p (ap V1Q V3x)))))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A-27a}). ((\forall V2x \in A.27a. ((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a. (p (ap V1Q V3x)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (28)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0P \in ((2^{A\_27b})^{A\_27a}).((\forall V1x \in A\_27a.(\exists V2y \in \\ A\_27b.(p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A\_27b^{A\_27a}).( \\ \forall V4x \in A\_27a.(p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((ap\ (c\_2Ecombin\_2EI \\ A\_27a)\ V0x) = V0x)) \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in ((2^{A\_27a})^{(2^{A\_27a})}). \\ ((p\ (ap\ (c\_2EfixedPoint\_2Emonotone\ A\_27a\ A\_27a)\ V0f)) \Rightarrow (((ap\ ( \\ c\_2EfixedPoint\_2Egfp\ A\_27a)\ V0f) = (ap\ V0f\ (ap\ (c\_2EfixedPoint\_2Egfp \\ A\_27a)\ V0f))) \wedge (\forall V1X \in (2^{A\_27a}).((V1X = (ap\ V0f\ V1X)) \Rightarrow (p \\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V1X)\ (ap\ (c\_2EfixedPoint\_2Egfp \\ A\_27a)\ V0f)))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in ((2^{A\_27a})^{(2^{A\_27a})}). \\ ((p\ (ap\ (c\_2EfixedPoint\_2Emonotone\ A\_27a\ A\_27a)\ V0f)) \Rightarrow (\forall V1X \in \\ (2^{A\_27a}).((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V1X)\ (ap \\ V0f\ V1X))) \Rightarrow (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V1X)\ (ap\ ( \\ c\_2EfixedPoint\_2Egfp\ A\_27a)\ V0f)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(p\ (ap\ ( \\ ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0s)\ V0s))) \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ (2^{A\_27a}).(p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0s)\ (ap\ ( \\ ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V0s)\ V1t)))))) \wedge (\forall V2s \in \\ (2^{A\_27a}).(\forall V3t \in (2^{A\_27a}).(p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET \\ A\_27a)\ V2s)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V3t)\ V2s)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ (2^{A\_27a}).(\forall V2u \in (2^{A\_27a}).((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET \\ A\_27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V0s)\ V1t))\ V2u)) \Leftrightarrow \\ ((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0s)\ V2u)) \wedge (p\ (ap\ (ap \\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V1t)\ V2u)))))) \end{aligned} \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (51)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0f \in ((2^{A\_27a})^{(2^{A\_27a})}). \\ & ((p (ap (c\_2EfixedPoint\_2Emonotone A\_27a A\_27a) V0f)) \Rightarrow (\forall V1X \in \\ & (2^{A\_27a}).((p (ap (ap (c\_2Epred\_set\_2ESUBSET A\_27a) V1X) (ap \\ & V0f (ap (ap (c\_2Epred\_set\_2EUNION A\_27a) V1X) (ap (c\_2EfixedPoint\_2Egfp \\ & A\_27a) V0f)))))) \Rightarrow (p (ap (ap (c\_2Epred\_set\_2ESUBSET A\_27a) V1X) \\ & (ap (c\_2EfixedPoint\_2Egfp A\_27a) V0f))))))) \end{aligned}$$