

# thm\_2Efloat\_2EDEFLOAT\_\_FLOAT\_\_ROUND (TMQ2YdoxPQS7wQfyHUL2aSQJP6xbk8cKBti)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

**Definition 4** We define `c_2Ebool_2EF` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Let `ty_2Eieeee_2Eroundmode` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Eieeee\_2Eroundmode \tag{1}$$

Let `c_2Eieeee_2ETo\_nearest` :  $\iota$  be given. Assume the following.

$$c\_2Eieeee\_2ETo\_nearest \in ty\_2Eieeee\_2Eroundmode \tag{2}$$

Let `ty_2Eenum_2Eenum` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Eenum\_2Eenum \tag{3}$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{4}$$

Let `ty_2Erealax_2Ereal` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{5}$$

Let  $c\_2Eieee\_2Eround : \iota$  be given. Assume the following.

$$c\_2Eieee\_2Eround \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum))^{ty\_2Erealax\_2Ereal})^{ty\_2Eieee\_2Eroundmode})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (6)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (8)$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 8** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (10)$$

**Definition 9** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 10** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))$

**Definition 11** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))$

**Definition 12** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ t2))\ t1)$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (12)$$

**Definition 14** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ x\ y))$

**Definition 15** We define  $c\_2Eieee\_2Efloat\_format$  to be  $(ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)))$

Let  $c\_2Eieeee\_2Eis\_valid : \iota$  be given. Assume the following.

$$c\_2Eieeee\_2Eis\_valid \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}))$$
(13)

Let  $ty\_2Eieeee\_2Efloat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eieeee\_2Efloat$$
(14)

Let  $c\_2Eieeee\_2Edefloat : \iota$  be given. Assume the following.

$$c\_2Eieeee\_2Edefloat \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum))^{ty\_2Eieeee\_2Efloat})$$
(15)

Let  $c\_2Eieeee\_2Efloat : \iota$  be given. Assume the following.

$$c\_2Eieeee\_2Efloat \in (ty\_2Eieeee\_2Efloat^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum))})$$
(16)

Assume the following.

$$True$$
(17)

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t)))$$
(18)

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x))))$$
(19)

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))))$$
(20)

Assume the following.

$$(\forall V0X \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum). (\forall V1x \in ty\_2Erealax\_2Ereal.(p\ (ap\ (ap\ c\_2Eieeee\_2Eis\_valid\ V0X)\ (ap\ (ap\ (ap\ c\_2Eieeee\_2Eround\ V0X)\ c\_2Eieeee\_2ETo\_nearest)\ V1x))))))$$
(21)

Assume the following.

$$((\forall V0a \in ty\_2Eieeee\_2Efloat. ((ap\ c\_2Eieeee\_2Efloat\ (ap\ c\_2Eieeee\_2Edefloat\ V0a) = V0a) \wedge (\forall V1r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum). ((p\ (ap\ (ap\ c\_2Eieeee\_2Eis\_valid\ c\_2Eieeee\_2Efloat\_format)\ V1r) \Leftrightarrow (ap\ c\_2Eieeee\_2Edefloat\ (ap\ c\_2Eieeee\_2Efloat\ V1r) = V1r))))))$$
(22)

**Theorem 1**

$$(\forall V0x \in ty\_2Erealx\_2Ereal.((ap\ c\_2Eieee\_2Edefloat\ (ap\ c\_2Eieee\_2Efloat\ (ap\ (ap\ (ap\ c\_2Eieee\_2ERound\ c\_2Eieee\_2Efloat\_format)\ c\_2Eieee\_2ETO\_nearest)\ V0x))) = (ap\ (ap\ (ap\ c\_2Eieee\_2ERound\ c\_2Eieee\_2Efloat\_format)\ c\_2Eieee\_2ETO\_nearest)\ V0x)))$$