

thm_2Efloat_2EINFINITY__NOT__NAN
 (TMaGvr-
 FQrHVYP3TBYjfDph7Fm8cxo4ErqH8)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Eieee_2Efloat : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eieee_2Efloat \tag{3}$$

Let $c_2Eieee_2Edefloat : \iota$ be given. Assume the following.

$$c_2Eieee_2Edefloat \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))^{ty_2Eieee_2Efloat}) \tag{4}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{6}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (8)$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (9)$$

Definition 7 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B$

Definition 8 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B$

Definition 9 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Emin_2E_3D_3D_3E$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b))^{(2^{A_27b})^{A_27a}} \quad (10)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epair_2EABS_prod$

Definition 13 We define $c_2Eieee_2Efloat_format$ to be $(ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum$

Let $c_2Eieee_2Efraction : \iota$ be given. Assume the following.

$$c_2Eieee_2Efraction \in (ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum (ty_2Epair_2Eprod ty_2Enum_2Enum))} \quad (11)$$

Let $c_2Eieee_2Exponent : \iota$ be given. Assume the following.

$$c_2Eieee_2Exponent \in (ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum (ty_2Epair_2Eprod ty_2Enum_2Enum))} \quad (12)$$

Definition 14 We define $c_2Eieee_2Eis_zero$ to be $\lambda V0X \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum$

Definition 15 We define $c_2Eieee_2Elszero$ to be $\lambda V0a \in ty_2Eieee_2Efloat. (ap (ap c_2Eieee_2Eis_zero c$

Definition 16 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t)$.

Definition 17 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E) V0t) c_2Ebool_2E_21)$.

Definition 18 We define `c_2Eieeee_2Eis__denormal` to be $\lambda V0X \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$.

Definition 19 We define `c_2Eieeee_2Elsdenormal` to be $\lambda V0a \in ty_2Eieeee_2Efloat.(ap (ap c_2Eieeee_2Eis__denormal) a)$.

Definition 20 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t) t1 t2))$.

Let `c_2Eieeee_2Eexpwidth` : ι be given. Assume the following.

$$c_2Eieeee_2Eexpwidth \in (ty_2Enum_2Enum^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}) \quad (13)$$

Let `c_2Earithmetic_2EEXP` : ι be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (14)$$

Let `c_2Earithmetic_2E_2D` : ι be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (15)$$

Definition 21 We define `c_2Eieeee_2Eemax` to be $\lambda V0X \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$.

Definition 22 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x) x)$ of type $\iota \Rightarrow \iota$.

Definition 23 We define `c_2Ebool_2E_3F` to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40) a)))$.

Definition 24 We define `c_2Eprim__rec_2E_3C` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Definition 25 We define `c_2Eieeee_2Eis__normal` to be $\lambda V0X \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$.

Definition 26 We define `c_2Eieeee_2Elsnormal` to be $\lambda V0a \in ty_2Eieeee_2Efloat.(ap (ap c_2Eieeee_2Eis__normal) a)$.

Definition 27 We define `c_2Eieeee_2EFinite` to be $\lambda V0a \in ty_2Eieeee_2Efloat.(ap (ap c_2Ebool_2E_5C_2F) a)$.

Definition 28 We define `c_2Eieeee_2Eis__nan` to be $\lambda V0X \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$.

Definition 29 We define `c_2Eieeee_2Elsnan` to be $\lambda V0a \in ty_2Eieeee_2Efloat.(ap (ap c_2Eieeee_2Eis__nan) a)$.

Definition 30 We define `c_2Eieeee_2Eminus__infinity` to be $\lambda V0X \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$.

Let `c_2Eieeee_2Efloat` : ι be given. Assume the following.

$$c_2Eieeee_2Efloat \in (ty_2Eieeee_2Efloat^{(ty_2Epair_2Eprod ty_2Enum_2Enum (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))}) \quad (16)$$

Definition 31 We define `c_2Eieeee_2EMinus__infinity` to be $(ap c_2Eieeee_2Efloat (ap c_2Eieeee_2Eminus__infinity))$.

Definition 32 We define $c_2Eieeee_2Eplus_infinity$ to be $\lambda V0X \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Efloat)$

Definition 33 We define $c_2Eieeee_2Eplus_infinity$ to be $(ap\ c_2Eieeee_2Efloat\ (ap\ c_2Eieeee_2Eplus_infinity\ ty_2Efloat))$

Definition 34 We define $c_2Eieeee_2Eis_infinity$ to be $\lambda V0X \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Efloat)$

Definition 35 We define $c_2Eieeee_2EInfinity$ to be $\lambda V0a \in ty_2Eieeee_2Efloat.(ap\ (ap\ c_2Eieeee_2Eis_infinity\ ty_2Efloat))$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow \neg(p\ V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(\neg(p\ V0t) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (21)$$

Assume the following.

$$((\forall V0t \in 2.(\neg(\neg(p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in (2^{A_27a}).((\forall V2x \in A_27a.((p\ (ap\ V0P\ V2x)) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((\forall V3x \in A_27a.(p\ (ap\ V0P\ V3x)) \wedge (\forall V4x \in A_27a.(p\ (ap\ V1Q\ V4x)))))))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\neg((\neg(p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B))) \wedge ((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B)))))))) \quad (25)$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in \text{ty_2Eieee_2Efloat}. ((\neg((p \text{ (ap c_2Eieee_2Elsnan} \\
& V0a)) \wedge (p \text{ (ap c_2Eieee_2EInfinity V0a)))) \wedge ((\neg((p \text{ (ap c_2Eieee_2Elsnan} \\
& V0a)) \wedge (p \text{ (ap c_2Eieee_2EFinite V0a)))) \wedge (\neg((p \text{ (ap c_2Eieee_2EInfinity} \\
& V0a)) \wedge (p \text{ (ap c_2Eieee_2EFinite V0a)))))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& ((p \text{ (ap c_2Eieee_2EInfinity c_2Eieee_2EPlus_infinity)}) \wedge (p \\
& \text{ (ap c_2Eieee_2EInfinity c_2Eieee_2EMinus_infinity)}))
\end{aligned} \tag{27}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p \text{ V0t}))) \Leftrightarrow (p \text{ V0t}))) \tag{28}$$

Assume the following.

$$(\forall V0A \in 2. ((p \text{ V0A}) \Rightarrow ((\neg(p \text{ V0A})) \Rightarrow \text{False}))) \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p \text{ V0A}) \vee (p \text{ V1B}))) \Rightarrow \text{False}) \Leftrightarrow \\
& ((p \text{ V0A}) \Rightarrow \text{False}) \Rightarrow ((\neg(p \text{ V1B})) \Rightarrow \text{False}))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p \text{ V0A}) \vee (p \text{ V1B}))) \Rightarrow \text{False}) \Leftrightarrow \\
& ((p \text{ V0A}) \Rightarrow ((\neg(p \text{ V1B})) \Rightarrow \text{False}))))))
\end{aligned} \tag{31}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p \text{ V0A})) \Rightarrow \text{False}) \Rightarrow (((p \text{ V0A}) \Rightarrow \text{False}) \Rightarrow \text{False}))) \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \text{ V0p}) \Leftrightarrow (\\
& (p \text{ V1q}) \Leftrightarrow (p \text{ V2r}))) \Leftrightarrow (((p \text{ V0p}) \vee ((p \text{ V1q}) \vee (p \text{ V2r}))) \wedge (((p \text{ V0p}) \vee (\neg(\\
& p \text{ V2r})) \vee (\neg(p \text{ V1q})))) \wedge (((p \text{ V1q}) \vee ((\neg(p \text{ V2r})) \vee (\neg(p \text{ V0p})))) \wedge ((p \text{ V2r}) \vee \\
& ((\neg(p \text{ V1q})) \vee (\neg(p \text{ V0p})))))))))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \text{ V0p}) \Leftrightarrow (\\
& (p \text{ V1q}) \wedge (p \text{ V2r}))) \Leftrightarrow (((p \text{ V0p}) \vee ((\neg(p \text{ V1q})) \vee (\neg(p \text{ V2r})))) \wedge (((p \text{ V1q}) \vee \\
& (\neg(p \text{ V0p}))) \wedge ((p \text{ V2r}) \vee (\neg(p \text{ V0p}))))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \text{ V0p}) \Leftrightarrow (\\
& (p \text{ V1q}) \vee (p \text{ V2r}))) \Leftrightarrow (((p \text{ V0p}) \vee (\neg(p \text{ V1q}))) \wedge (((p \text{ V0p}) \vee (\neg(p \text{ V2r}))) \wedge \\
& ((p \text{ V1q}) \vee ((p \text{ V2r}) \vee (\neg(p \text{ V0p}))))))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow (\\
& (p \vee V1q) \Rightarrow (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (p \vee V1q)) \wedge (((p \vee V0p) \vee \neg(p \vee V2r))) \wedge (\\
& \neg(p \vee V1q) \vee ((p \vee V2r) \vee \neg(p \vee V0p)))))))))) \quad (36)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee V0p) \Leftrightarrow \neg(p \vee V1q))) \Leftrightarrow (((p \vee V0p) \vee \\
& (p \vee V1q)) \wedge (\neg(p \vee V1q) \vee \neg(p \vee V0p)))))) \quad (37)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& ((\neg(p \text{ (ap c_2Eieeee_2Elsnan c_2Eieeee_2EPlus_infinity)}))) \wedge (\neg \\
& (p \text{ (ap c_2Eieeee_2Elsnan c_2Eieeee_2EMinus_infinity)})))
\end{aligned}$$