

thm_2Efmmapal_2EFUN__fmap__thm (TMaMa8RyMAAJU2pk76KUTawnRghMEH9aJJe)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_21` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. \lambda 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2E_21` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V0t \in 2. V0t)$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (P \Rightarrow Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V0t)) (\text{c_2Ebool_2E_21 } 2)))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V2t \in 2. V2t)))$

Definition 8 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P (\text{ap } P x)) \text{ then } (\lambda x. x \in A \wedge P x)$ of type $\iota \Rightarrow \iota$.

Definition 9 We define `c_2Ebool_2ECOND` to be $\lambda A. \lambda 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. (A \wedge V2t2))))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A0 A1) \tag{1}$$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c_2Epair_2EABS_prod } A. 27a A. 27b \in ((\text{ty_2Epair_2Eprod } A. 27a A. 27b))^{((2^{A-27b})^{A-27a})} \tag{2}$$

Definition 10 We define `c_2Epair_2E_2C` to be $\lambda A. \lambda 27a : \iota. \lambda A. 27b : \iota. \lambda V0x \in A. 27a. \lambda V1y \in A. 27b. (\text{ap } (\text{c_2Epair_2E_2C } V0x V1y))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (3)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (4)$$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \quad (5)$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \quad (6)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL\ A_27a\ A_27b \in (A_27a^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \quad (7)$$

Definition 11 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2EFUN_FMAP\ A_27a\ A_27b)$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL\ A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \quad (8)$$

Definition 12 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2EFUN_FMAP\ A_27a\ A_27b)$

Let $c_2Efinite_map_2EFUN_FMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUN_FMAP\ A_27a\ A_27b \in (((ty_2Efinite_map_2Efmap\ A_27a\ A_27b)^{(2^{A_27a})})^{(A_27b^{A_27a})}) \quad (9)$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b \in (((ty_2Efinite_map_2Efmap\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})^{(ty_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)}) \quad (10)$$

Definition 13 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone. V0x))$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (11)$$

Definition 14 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap\ (c_2Esum_2EABS_sum\ V0e))$

Let $c_2Efinite_map_2Efmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_ABS \\ A_27a\ A_27b \in ((ty_2Efinite_map_2Efmap\ A_27a\ A_27b)^{(ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a}}) \end{aligned} \quad (12)$$

Definition 15 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (ap\ (c_2Efinite_map_2EABS\ V0e))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (13)$$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDL \\ A_27a\ A_27b \in (((A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{A_27b})^{((A_27b)^{A_27a})^{A_27b}} \end{aligned} \quad (14)$$

Definition 16 We define $c_2Efinite_map_2EFUPDATE_LIST$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (ap\ (c_2Elist_2EABS\ V0e))$

Let $c_2Elist_2EREVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EREVERSE\ A_27a \in ((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)}) \quad (15)$$

Definition 17 We define $c_2Efmapal_2Efmap$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0l \in (ty_2Elist_2Elist\ (ty_2Elist_2Elist\ V0l))$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP \\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{A_27b})^{A_27a} \end{aligned} \quad (16)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \end{aligned} \quad (17)$$

Definition 18 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 19 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ V1t2)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}})$$
(18)

Definition 20 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2Ebool_2EF\ V0x)\ s)$

Definition 21 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 22 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ V0s)\ s)$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a})$$
(19)

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a)$$
(20)

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)})$$
(21)

Assume the following.

$$True$$
(22)

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2))))))$$
(23)

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t)))$$
(24)

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg(p\ V0t)))$$
(25)

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t) \Leftrightarrow (p\ V1x))))$$
(26)

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t))))))$$
(27)

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (31)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (32)$$

Assume the following.

$$2. (((\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow ((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (ty_2Efinite_map_2E fmap\ A_27a\ A_27b). (\forall V1x \in A_27a. (\forall V2y \in A_27b. ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1x)\ V2y)))\ V1x) = V2y)))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (ty_2Efinite_map_2E fmap\ A_27a\ A_27b). (\forall V1a \in A_27a. (\forall V2b \in A_27b. ((ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1a)\ V2b))) = (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1a)\ (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f)))))) \quad (35)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A_27a\ A_27b).(\forall V1a \in \\
& \quad A_27a.(\forall V2b \in A_27b.(\forall V3x \in A_27a.((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f) \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1a)\ V2b)))\ V3x) = (ap\ (ap\ (ap \\
& \quad (c_2Ebool_2ECOND\ A_27b)\ (ap\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V3x)\ V1a)) \\
& \quad V2b)\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b)\ V0f)\ V3x)))))) \\
& \hspace{15em} (36)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A_27a\ A_27b).(\forall V1g \in \\
& \quad (ty_2Efinite_map_2E fmap\ A_27a\ A_27b).((V0f = V1g) \Leftrightarrow (((ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_27a\ A_27b)\ V0f) = (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V1g)) \wedge \\
& \quad (\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ (ap\ (\\
& \quad c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f)))) \Rightarrow ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad A_27a\ A_27b)\ V0f)\ V2x) = (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a \\
& \quad A_27b)\ V1g)\ V2x)))))) \\
& \hspace{15em} (37)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27b^{A_27a}).(\forall V1P \in (2^{A_27a}).((p\ (ap\ (c_2Epred_set_2EFINITE \\
& \quad A_27a)\ V1P)) \Rightarrow (((ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ (ap\ (\\
& \quad ap\ (c_2Efinite_map_2EFUN_FMAP\ A_27a\ A_27b)\ V0f)\ V1P)) = V1P) \wedge \\
& \quad (\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1P)) \Rightarrow \\
& \quad ((ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUN_FMAP \\
& \quad A_27a\ A_27b)\ V0f)\ V1P))\ V2x) = (ap\ V0f\ V2x)))))) \\
& \hspace{15em} (38)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27b^{A_27a}).((ap\ (ap\ (c_2Efinite_map_2EFUN_FMAP \\
& \quad A_27a\ A_27b)\ V0f)\ (c_2Epred_set_2EEMPTY\ A_27a)) = (c_2Efinite_map_2EFEMPTY \\
& \quad A_27a\ A_27b)) \\
& \hspace{15em} (39)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2Efmmap\ A.27a\ A.27b).(((ap\ (ap \\
& \quad (c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b)\ V0f)\ (c_2Elist_2ENIL \\
& \quad (ty_2Epair_2Eprod\ A.27a\ A.27b)))) = V0f) \wedge (\forall V1h \in (ty_2Epair_2Eprod \\
& \quad A.27a\ A.27b).(\forall V2t \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod \\
& \quad A.27a\ A.27b)).((ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A.27a \\
& \quad A.27b)\ V0f)\ (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ A.27a\ A.27b)) \\
& \quad V1h)\ V2t))) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b) \\
& \quad (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A.27a\ A.27b)\ V0f)\ V1h))\ V2t)))))) \\
& \hspace{15em} (40)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0fm \in (ty_2Efinite_map_2Efmmap\ A.27a\ A.27b).(\forall V1kvl1 \in \\
& \quad (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A.27a\ A.27b)).(\forall V2kvl2 \in \\
& \quad (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A.27a\ A.27b)).((ap\ (ap\ (\\
& \quad c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b)\ V0fm)\ (ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad (ty_2Epair_2Eprod\ A.27a\ A.27b))\ V1kvl1)\ V2kvl2))) = (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE_LIST\ A.27a\ A.27b) \\
& \quad V0fm)\ V1kvl1))\ V2kvl2)))))) \\
& \hspace{15em} (41)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad (\forall V0f \in (A.27b^{A.27a}).((ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b) \\
& \quad V0f)\ (c_2Elist_2ENIL\ A.27a)) = (c_2Elist_2ENIL\ A.27b))) \wedge (\forall V1f \in \\
& \quad (A.27b^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty_2Elist_2Elist \\
& \quad A.27a)).((ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad A.27a)\ V2h)\ V3t))) = (ap\ (ap\ (c_2Elist_2ECONS\ A.27b)\ (ap\ V1f\ V2h)) \\
& \quad (ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b)\ V1f)\ V3t)))))) \\
& \hspace{15em} (42)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad (\forall V0f \in ((A.27b^{A.27a})^{A.27b}).(\forall V1e \in A.27b.((ap\ (\\
& \quad ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ A.27b)\ V0f)\ V1e)\ (c_2Elist_2ENIL \\
& \quad A.27a)) = V1e))) \wedge (\forall V2f \in ((A.27b^{A.27a})^{A.27b}).(\forall V3e \in \\
& \quad A.27b.(\forall V4x \in A.27a.(\forall V5l \in (ty_2Elist_2Elist\ A.27a). \\
& \quad ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ A.27b)\ V2f)\ V3e)\ (ap\ (c_2Elist_2ECONS \\
& \quad A.27a)\ V4x)\ V5l)) = (ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ A.27b)\ V2f) \\
& \quad (ap\ (ap\ V2f\ V3e)\ V4x))\ V5l)))))) \\
& \hspace{15em} (43)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & A.27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_2Elist_2ECONS\ A.27a\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A.27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0x \in A.27a.((p\ (ap\ (ap \\ & (c_2Ebool_2EIN\ A.27a)\ V0x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A.27a) \\ & (c_2Elist_2ENIL\ A.27a)))) \Leftrightarrow False)) \wedge (\forall V1x \in A.27a.(\forall V2h \in \\ & A.27a.(\forall V3t \in (ty_2Elist_2Elist\ A.27a).((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A.27a)\ V1x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A.27a)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A.27a)\ V2h)\ V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a) \\ & V1x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A.27a)\ V3t)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c_2Elist_2EREVERSE\ A.27a) \\ & (c_2Elist_2ENIL\ A.27a)) = (c_2Elist_2ENIL\ A.27a)) \wedge (\forall V0h \in \\ & A.27a.(\forall V1t \in (ty_2Elist_2Elist\ A.27a).((ap\ (c_2Elist_2EREVERSE \\ & A.27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27a)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Elist_2EAPPEND \\ & A.27a)\ (ap\ (c_2Elist_2EREVERSE\ A.27a)\ V1t))\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A.27a)\ V0h)\ (c_2Elist_2ENIL\ A.27a)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ & A.27a).(p\ (ap\ (c_2Epred_set_2EFINITE\ A.27a)\ (ap\ (c_2Elist_2ELIST_TO_SET \\ & A.27a)\ V0l)))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0h \in A.27b.(\forall V1t \in (ty_2Elist_2Elist\ A.27b).((\\ & (ap\ (c_2Elist_2ELIST_TO_SET\ A.27a)\ (c_2Elist_2ENIL\ A.27a)) = \\ & (c_2Epred_set_2EEMPTY\ A.27a)) \wedge ((ap\ (c_2Elist_2ELIST_TO_SET \\ & A.27b)\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27b)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Epred_set_2EINSERT \\ & A.27b)\ V0h)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A.27b)\ V1t)))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\ & A.27a.(\forall V2s \in (2^{A.27a}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a) \\ & V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A.27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ & V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V0x)\ V2s)))))) \end{aligned} \quad (49)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (\\ & \quad \forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1l \in (ty_2Elist_2Elist\ A_{27a}). \\ & \quad ((ap\ (c_2Efmopal_2Efmap\ A_{27a}\ A_{27b})\ (ap\ (ap\ (c_2Elist_2EMAP\ A_{27a} \\ & \quad (ty_2Epair_2Eprod\ A_{27a}\ A_{27b}))\ (\lambda V2x \in A_{27a}.(ap\ (ap\ (c_2Epair_2E2C \\ & \quad A_{27a}\ A_{27b})\ V2x)\ (ap\ V0f\ V2x))))\ V1l)) = (ap\ (ap\ (c_2Efinite_map_2EFUN_FMAP \\ & \quad A_{27a}\ A_{27b})\ V0f)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_{27a})\ V1l)))))) \end{aligned}$$