

thm_2Efmopal_2EORWL__DRESTRICT__THM (TMakypSLci1m7rEmMBdk2XLcY1ygK6rjRP2)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Elist_2E_2List : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2E_2List A0) \quad (1)$$

Let $ty_2E toto_2E_2toto : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2E toto_2E_2toto A0) \quad (2)$$

Let $c_2Eenumeral_2E_2EOL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eenumeral_2E_2EOL A_27a \in ((2^{(ty_2Elist_2E_2List A_27a)})^{(ty_2E toto_2E_2toto A_27a)}) \quad (3)$$

Let $c_2Elist_2E_2ELIST_2E_2TO_2E_2SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2E_2ELIST_2E_2TO_2E_2SET A_27a \in ((2^{A_27a})^{(ty_2Elist_2E_2List A_27a)}) \quad (4)$$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_2E_25C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 6 We define $c_2Eenumeral_2E_2EOWL$ to be $\lambda A_27a : \iota.\lambda V0cmp \in (ty_2E toto_2E_2toto A_27a).\lambda V1s$

Let $ty_2Epair_2E_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2E_2Eprod A0 A1) \quad (5)$$

Let $c_2E\text{fmapal_2EORL} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2E\text{fmapal_2EORL } A_27a \ A_27b \in ((2^{(ty_2E\text{list_2Elist } (ty_2E\text{pair_2Eprod } A_27a \ A_27b))})^{(ty_2E\text{toto_2Etoto } A_27a)}) \quad (6)$$

Let $c_2E\text{list_2EREVERSE} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2E\text{list_2EREVERSE } A_27a \in ((ty_2E\text{list_2Elist } A_27a)^{(ty_2E\text{list_2Elist } A_27a)}) \quad (7)$$

Let $ty_2E\text{one_2Eone} : \iota$ be given. Assume the following.

$$\text{nonempty } ty_2E\text{one_2Eone} \quad (8)$$

Definition 7 We define $c_2E\text{min_2E40}$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p \ (ap \ P \ x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define $c_2E\text{one_2Eone}$ to be $(ap \ (c_2E\text{min_2E40 } ty_2E\text{one_2Eone}) \ (\lambda V0x \in ty_2E\text{one_2Eone} \ 2E$

Definition 9 We define $c_2E\text{bool_2EF}$ to be $(ap \ (c_2E\text{bool_2E21 } 2) \ (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2E\text{bool_2E7E}$ to be $(\lambda V0t \in 2.(ap \ (ap \ c_2E\text{min_2E3D_3D_3E } V0t) \ c_2E\text{bool_2E$

Let $ty_2E\text{sum_2Esum} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2E\text{sum_2Esum } A0 \ A1) \quad (9)$$

Let $c_2E\text{sum_2EABS_sum} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2E\text{sum_2EABS_sum } A_27a \ A_27b \in ((ty_2E\text{sum_2Esum } A_27a \ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (10)$$

Definition 11 We define $c_2E\text{sum_2EINR}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap \ (c_2E\text{sum_2EABS$

Let $ty_2E\text{finite_map_2Efmap} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2E\text{finite_map_2Efmap } A0 \ A1) \quad (11)$$

Let $c_2E\text{finite_map_2Efmap_ABS} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2E\text{finite_map_2Efmap_ABS } A_27a \ A_27b \in ((ty_2E\text{finite_map_2Efmap } A_27a \ A_27b)^{(ty_2E\text{sum_2Esum } A_27b \ ty_2E\text{one_2Eone})^{A_27a}}) \quad (12)$$

Definition 12 We define $c_2E\text{finite_map_2EFEMPTY}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap \ (c_2E\text{finite_map_2E$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUPDATE \\ & A_27a\ A_27b \in (((ty_2Efinite_map_2Efm\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})^{(ty_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)}) \end{aligned} \quad (13)$$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDL \\ & A_27a\ A_27b \in (((A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{A_27b})^{((A_27b)^{A_27a})^{A_27b}} \end{aligned} \quad (14)$$

Definition 13 We define $c_2Efinite_map_2EFUPDATE_LIST$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap\ (c_2Elist_2EFOLDL\ A_27a)\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b))$

Definition 14 We define $c_2Efm\ A_27a : \iota.\lambda A_27b : \iota.\lambda V0l \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))$

Definition 15 We define $c_2Efm\ A_27a : \iota.\lambda A_27b : \iota.\lambda V0cmp \in (ty_2Etoto_2Etoto\ A_27a\ A_27b)$

Let $c_2Efinite_map_2EDRESTRICT : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EDRESTRICT \\ & A_27a\ A_27b \in (((ty_2Efinite_map_2Efm\ A_27a\ A_27b)^{(2^{A_27a})})^{(ty_2Efinite_map_2Efm\ A_27a\ A_27b)}) \end{aligned} \quad (15)$$

Let $c_2Efm\ A_27a : \iota.\lambda A_27b : \iota.\lambda V0l \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))$

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efm\ A_27a : \iota.\lambda A_27b : \iota.\lambda V0l \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b)) \\ & A_27a\ A_27b \in (((ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27b)}) \end{aligned} \quad (16)$$

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V0t1\ V2t))))$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A_27a. (p\ (ap\ V1P\ V3x))) \vee (p\ V0Q)))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \wedge (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V1B) \wedge (p\ V2C) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0cmp \in (ty_2Etoto_2Etoto\ A_27a). (\forall V1l \in (ty_2Elist_2Elist \\ & \quad (ty_2Epair_2Eprod\ A_27a\ A_27b)). ((p\ (ap\ (ap\ (c_2Efmmapal_2EORL \\ & \quad A_27a\ A_27b)\ V0cmp)\ V1l)) \Rightarrow (\forall V2m \in (ty_2Elist_2Elist\ A_27a). \\ & \quad ((p\ (ap\ (ap\ (c_2Eenumeral_2EOL\ A_27a)\ V0cmp)\ V2m)) \Rightarrow ((p\ (ap\ (ap\ (\\ & \quad c_2Efmmapal_2EORL\ A_27a\ A_27b)\ V0cmp)\ (ap\ (ap\ (ap\ (c_2Efmmapal_2Einter_merge \\ & \quad A_27a\ A_27b)\ V0cmp)\ V1l)\ V2m))) \wedge ((ap\ (c_2Efmmapal_2Efmmap\ A_27a \\ & \quad A_27b)\ (ap\ (ap\ (ap\ (c_2Efmmapal_2Einter_merge\ A_27a\ A_27b)\ V0cmp) \\ & \quad V1l)\ V2m)) = (ap\ (ap\ (c_2Efinite_map_2EDRESTRICT\ A_27a\ A_27b) \\ & \quad (ap\ (c_2Efmmapal_2Efmmap\ A_27a\ A_27b)\ V1l))\ (ap\ (c_2Elist_2ELIST_TO_SET \\ & \quad A_27a)\ V2m)))))) \quad (26) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (41)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0cmp \in (ty_2Etoto_2Etoto\ A_27a).(\forall V1s \in (ty_2Efinite_map_2Efmap \\ & \quad A_27a\ A_27b).(\forall V2l \in (ty_2Elist_2Elist\ (ty_2Epair_2Eprod \\ & \quad A_27a\ A_27b)).(\forall V3t \in (2^{A_27a}).(\forall V4m \in (ty_2Elist_2Elist \\ & \quad A_27a).(((p\ (ap\ (ap\ (ap\ (c_2Efmapal_2EORWL\ A_27a\ A_27b)\ V0cmp) \\ & \quad V1s)\ V2l)) \wedge (p\ (ap\ (ap\ (ap\ (c_2Eenumeral_2EOWL\ A_27a)\ V0cmp)\ V3t) \\ & \quad V4m)))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Efmapal_2EORWL\ A_27a\ A_27b)\ V0cmp) (ap \\ & \quad (ap\ (c_2Efinite_map_2EDRESTRICT\ A_27a\ A_27b)\ V1s)\ V3t)) (ap\ (\\ & \quad ap\ (ap\ (c_2Efmapal_2Einter_merge\ A_27a\ A_27b)\ V0cmp)\ V2l)\ V4m)))))))))) \end{aligned}$$