

thm_2Efmapal_2EORWL__FUNION__THM (TM- RBy7KSM97RDNdKfVXEbsUXNurZTRaQ7of)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (2)$$

Let $ty_2Etoto_2Etoto : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Etoto_2Etoto A0) \quad (3)$$

Let $c_2Efmapal_2EORL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efmapal_2EORL A_27a A_27b \in ((2^{(ty_2Elist_2Elist (ty_2Epair_2Eprod A_27a A_27b))})(ty_2Etoto_2Etoto A_27a)) \quad (4)$$

Let $c_2Elist_2EREVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EREVERSE A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}) \quad (5)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (6)$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 4 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 5 We define `c_2Ebool_2E_21` to be $\lambda A_{27a} : \iota. (\lambda V0P \in (2^{A_{27a}}). (ap (ap (c_2Emin_2E_3D (2^{A_{27a}})))$

Definition 6 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21 \ 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \ P \Rightarrow q)$ of type ι .

Definition 8 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (ap (ap (c_2Emin_2E_3D_3D_3E \ V0t) \ c_2Ebool_2EF))$

Definition 9 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 \ 2) (\lambda V2t \in 2. (ap$

Let `ty_2Esum_2Esum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty \ A0 \Rightarrow \forall A1.nonempty \ A1 \Rightarrow nonempty \ (ty_2Esum_2Esum \ A0 \ A1) \tag{7}$$

Let `c_2Esum_2EABS_sum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty \ A_{27a} \Rightarrow \forall A_{27b}.nonempty \ A_{27b} \Rightarrow c_2Esum_2EABS_sum \ A_{27a} \ A_{27b} \in ((ty_2Esum_2Esum \ A_{27a} \ A_{27b})^{((2^{A_{27b}})^{A_{27a}})^2}) \tag{8}$$

Definition 10 We define `c_2Esum_2EINR` to be $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda V0e \in A_{27b}. (ap (c_2Esum_2EABS_sum$

Let `ty_2Efinite_map_2Efmap` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty \ A0 \Rightarrow \forall A1.nonempty \ A1 \Rightarrow nonempty \ (ty_2Efinite_map_2Efmap \ A0 \ A1) \tag{9}$$

Let `c_2Efinite_map_2Efmap_ABS` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty \ A_{27a} \Rightarrow \forall A_{27b}.nonempty \ A_{27b} \Rightarrow c_2Efinite_map_2Efmap_ABS \ A_{27a} \ A_{27b} \in ((ty_2Efinite_map_2Efmap \ A_{27a} \ A_{27b})^{(ty_2Esum_2Esum \ A_{27b} \ ty_2Eone_2Eone)^{A_{27a}}}) \tag{10}$$

Definition 11 We define `c_2Efinite_map_2EFEMPTY` to be $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. (ap (c_2Efinite_map_2Efmap_ABS$

Let `c_2Efinite_map_2EFUPDATE` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty \ A_{27a} \Rightarrow \forall A_{27b}.nonempty \ A_{27b} \Rightarrow c_2Efinite_map_2EFUPDATE \ A_{27a} \ A_{27b} \in (((ty_2Efinite_map_2Efmap \ A_{27a} \ A_{27b})^{(ty_2Epair_2Eprod \ A_{27a} \ A_{27b})})^{ty_2Efinite_map_2EFUPDATE}) \tag{11}$$

Let `c_2Elist_2EFOLDL` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty \ A_{27a} \Rightarrow \forall A_{27b}.nonempty \ A_{27b} \Rightarrow c_2Elist_2EFOLDL \ A_{27a} \ A_{27b} \in (((A_{27b}^{(ty_2Elist_2Elist \ A_{27a})})^{A_{27b}})^{(A_{27b}^{A_{27a}})^{A_{27b}}}) \tag{12}$$

Definition 12 We define `c_2Efinite_map_2EFUPDATE_LIST` to be $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. (ap (c_2Elist_2EFOLDL$

Definition 13 We define $c_2E\text{fmapal_}2E\text{fmap}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0l \in (ty_2E\text{list_}2E\text{list } (ty_2E\text{pair_}2E\text{prod } A_27a \ A_27b))$

Definition 14 We define $c_2E\text{fmapal_}2E\text{ORWL}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0cmp \in (ty_2E\text{toto_}2E\text{toto } A_27a \ A_27b)$

Let $c_2E\text{finite_map_}2E\text{FUNION} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2E\text{finite_map_}2E\text{FUNION } A_27a \ A_27b \in (((ty_2E\text{finite_map_}2E\text{fmap } A_27a \ A_27b)^{(ty_2E\text{finite_map_}2E\text{fmap } A_27a \ A_27b)})^{(ty_2E\text{finite_map_}2E\text{fmap } A_27a \ A_27b)})) \quad (13)$$

Let $c_2E\text{fmapal_}2E\text{merge} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a \ A_27b \in (((ty_2E\text{list_}2E\text{list } (ty_2E\text{pair_}2E\text{prod } A_27a \ A_27b))^{(ty_2E\text{list_}2E\text{list } (ty_2E\text{pair_}2E\text{prod } A_27a \ A_27b))})^{(ty_2E\text{list_}2E\text{list } (ty_2E\text{pair_}2E\text{prod } A_27a \ A_27b))}) \quad (14)$$

Definition 15 We define $c_2E\text{bool_}2E\text{5C_}2E\text{F}$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap \ (c_2E\text{bool_}2E\text{21 } 2) \ (\lambda V2t \in 2.))$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\ & (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg (\neg (p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (18)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg (p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg (\\ & p \ V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (\\ & 2^{A_27a}).((\forall V2x \in A_27a.((p \ (ap \ V1P \ V2x)) \vee (p \ V0Q))) \Leftrightarrow ((\forall V3x \in \\ & A_27a.(p \ (ap \ V1P \ V3x)) \vee (p \ V0Q)))))) \end{aligned} \quad (21)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \wedge (p V2C)))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)))) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))) \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0cmp \in (ty.2Etoto.2Etoto\ A.27a). (\forall V1l \in (ty.2Elist.2Elist \\ & \quad (ty.2Epair.2Eprod\ A.27a\ A.27b)). ((p\ (ap\ (ap\ (c.2Efmupal.2EORL \\ & \quad A.27a\ A.27b)\ V0cmp)\ V1l)) \Rightarrow (\forall V2m \in (ty.2Elist.2Elist\ (ty.2Epair.2Eprod \\ & \quad A.27a\ A.27b)). ((p\ (ap\ (ap\ (c.2Efmupal.2EORL\ A.27a\ A.27b)\ V0cmp) \\ & \quad V2m)) \Rightarrow ((p\ (ap\ (ap\ (c.2Efmupal.2EORL\ A.27a\ A.27b)\ V0cmp)\ (ap\ (ap \\ & \quad (ap\ (c.2Efmupal.2Emerge\ A.27a\ A.27b)\ V0cmp)\ V1l)\ V2m))) \wedge ((ap\ (\\ & \quad c.2Efmupal.2Efmap\ A.27a\ A.27b)\ (ap\ (ap\ (ap\ (c.2Efmupal.2Emerge \\ & \quad A.27a\ A.27b)\ V0cmp)\ V1l)\ V2m))) = (ap\ (ap\ (c.2Efinite_map.2EFUNION \\ & \quad A.27a\ A.27b)\ (ap\ (c.2Efmupal.2Efmap\ A.27a\ A.27b)\ V1l))\ (ap\ (c.2Efmupal.2Efmap \\ & \quad A.27a\ A.27b)\ V2m)))))) \end{aligned} \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\ & \quad (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\ & \quad p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & \quad ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{34}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{35}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{36}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{37}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{38}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{39}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\
& \forall V0cmp \in (ty_2Etoto_2Etoto A.27a). (\forall V1s \in (ty_2Efinite_map_2Efmap \\
& A.27a A.27b). (\forall V2l \in (ty_2Elist_2Elist (ty_2Epair_2Eprod \\
& A.27a A.27b)). (\forall V3t \in (ty_2Efinite_map_2Efmap A.27a A.27b). \\
& (\forall V4m \in (ty_2Elist_2Elist (ty_2Epair_2Eprod A.27a A.27b)). \\
& (((p (ap (ap (ap (c.2Efmapal_2EORWL A.27a A.27b) V0cmp) V1s) V2l)) \wedge \\
& (p (ap (ap (ap (c.2Efmapal_2EORWL A.27a A.27b) V0cmp) V3t) V4m)))) \Rightarrow \\
& (p (ap (ap (ap (c.2Efmapal_2EORWL A.27a A.27b) V0cmp) (ap (ap (c.2Efinite_map_2EFUNION \\
& A.27a A.27b) V1s) V3t)) (ap (ap (ap (c.2Efmapal_2EMerge A.27a A.27b) \\
& V0cmp) V2l) V4m)))))))))
\end{aligned}$$