

# thm\_2Efmamal\_2Efmamap\_\_FDOM (TMR6xMUAAsorh9suWDyvnXhbtRWASJ2goN)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Epair\_2EFST A.27a A.27b \in (A.27a^{(ty\_2Epair\_2Eprod A.27a A.27b)}) \tag{2}$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \tag{3}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \tag{4}$$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2Efmap A0 A1) \tag{5}$$

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Efinite\_map\_2Efmap\_REP A.27a A.27b \in (((ty\_2Esum\_2Esum A.27b ty\_2Eone\_2Eone)^{A.27a})^{(ty\_2Efinite\_map\_2Efmap A.27a A.27b)}) \tag{6}$$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL \\ A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (7)$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a})))$

**Definition 4** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2E\_21)$

**Definition 5** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge p\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 6** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone))\ (\lambda V0x \in ty\_2Eone\_2Eone)$

**Definition 7** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2))\ (\lambda V0t \in 2.V0t)$ .

**Definition 8** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_2F))$

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2))\ (\lambda V2t \in 2. V2t)))$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (8)$$

**Definition 11** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap\ (c\_2Esum\_2EABS\_sum\ V0e))$

Let  $c\_2Efinite\_map\_2Efmap\_ABS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_ABS \\ A\_27a\ A\_27b \in ((ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)^{(ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a}}) \end{aligned} \quad (9)$$

**Definition 12** We define  $c\_2Efinite\_map\_2EFEMPTY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (ap\ (c\_2Efinite\_map\_2Efmap\_ABS\ A\_27a\ A\_27b))$

Let  $c\_2Efinite\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2EFUPDATE \\ A\_27a\ A\_27b \in (((ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})^{(ty\_2Efinite\_map\_2EFUPDATE\ A\_27a\ A\_27b)}) \end{aligned} \quad (10)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (11)$$

Let  $c\_2Elist\_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EFOLDL \\ A\_27a\ A\_27b \in (((A\_27b^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27b})^{(A\_27b^{A\_27a})^{A\_27b}}) \end{aligned} \quad (12)$$

**Definition 13** We define  $c\_2Efinite\_map\_2EFUPDATE\_LIST$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (ap (c\_2Elist\_2E$

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EREVERSE A\_27a \in ((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)}) \quad (13)$$

**Definition 14** We define  $c\_2Efmopal\_2Efmop$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0l \in (ty\_2Elist\_2Elist (ty\_2E$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (14)$$

**Definition 15** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 16** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap V1f V0x)))$

**Definition 17** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E21 2) (\lambda V2t \in$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (15)$$

**Definition 18** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b})}) \quad (16)$$

**Definition 19** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c\_2$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EMAP A\_27a A\_27b \in (((ty\_2Elist\_2Elist A\_27b)^{(ty\_2Elist\_2Elist A\_27a)})^{(A\_27b)^{A\_27a}}) \quad (17)$$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & (ap\ (c.2Efinite\_map\_2EFDOM\ A.27a\ A.27b)\ (c.2Efinite\_map\_2EFEMPTY \\ & A.27a\ A.27b)) = (c.2Epred\_set\_2EEMPTY\ A.27a)) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0kvl \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A.27a\ A.27b)). \\ & (\forall V1fm \in (ty\_2Efinite\_map\_2Efm\ A.27a\ A.27b).((ap\ (c.2Efinite\_map\_2EFDOM \\ & A.27a\ A.27b)\ (ap\ (ap\ (c.2Efinite\_map\_2EFUPDATE\_LIST\ A.27a\ A.27b) \\ & V1fm)\ V0kvl)) = (ap\ (ap\ (c.2Epred\_set\_2EUNION\ A.27a)\ (ap\ (c.2Efinite\_map\_2EFDOM \\ & A.27a\ A.27b)\ V1fm))\ (ap\ (c.2Elist\_2ELIST\_TO\_SET\ A.27a)\ (ap\ ( \\ & ap\ (c.2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A.27a\ A.27b)\ A.27a)\ (c.2Epair\_2EFST \\ & A.27a\ A.27b))\ V0kvl)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0ls \in (ty\_2Elist\_2Elist \\ & A.27a).((ap\ (c.2Elist\_2ELIST\_TO\_SET\ A.27a)\ (ap\ (c.2Elist\_2EREVERSE \\ & A.27a)\ V0ls)) = (ap\ (c.2Elist\_2ELIST\_TO\_SET\ A.27a)\ V0ls))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0s \in (2^{A.27a}).((ap\ ( \\ & ap\ (c.2Epred\_set\_2EUNION\ A.27a)\ (c.2Epred\_set\_2EEMPTY\ A.27a)) \\ & V0s) = V0s)) \wedge (\forall V1s \in (2^{A.27a}).((ap\ (ap\ (c.2Epred\_set\_2EUNION \\ & A.27a)\ V1s)\ (c.2Epred\_set\_2EEMPTY\ A.27a)) = V1s))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0f \in (A.27b^{A.27a}).(\forall V1l \in (ty\_2Elist\_2Elist\ A.27a). \\ & ((ap\ (ap\ (c.2Elist\_2EMAP\ A.27a\ A.27b)\ V0f)\ (ap\ (c.2Elist\_2EREVERSE \\ & A.27a)\ V1l)) = (ap\ (c.2Elist\_2EREVERSE\ A.27b)\ (ap\ (ap\ (c.2Elist\_2EMAP \\ & A.27a\ A.27b)\ V0f)\ V1l)))))) \end{aligned} \quad (25)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0l \in (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A.27a\ A.27b)). \\ & ((ap\ (c.2Efinite\_map\_2EFDOM\ A.27a\ A.27b)\ (ap\ (c.2Efm\ apal\_2Efm\ ap \\ & A.27a\ A.27b)\ V0l)) = (ap\ (c.2Elist\_2ELIST\_TO\_SET\ A.27a)\ (ap\ ( \\ & ap\ (c.2Elist\_2EMAP\ (ty\_2Epair\_2Eprod\ A.27a\ A.27b)\ A.27a)\ (c.2Epair\_2EFST \\ & A.27a\ A.27b))\ V0l)))) \end{aligned}$$