

thm_2Efmaptree_2Emap__thm
(TMbjogcKir3fPNALY9SAxUV5KLNPWgbiqg1)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Efinite_map_2Efmmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2Efmmap A0 A1) \quad (1)$$

Let $ty_2Efmmaptree_2Efmmaptree : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efmmaptree_2Efmmaptree A0 A1) \quad (2)$$

Let $c_2Efmmaptree_2Emap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efmmaptree_2Emap A_27a A_27b \in ((ty_2Efinite_map_2Efmmap A_27a (ty_2Efmmaptree_2Efmmaptree A_27a A_27b))^{(ty_2Efmmaptree_2Efmmaptree A_27a A_27b)}) \quad (3)$$

Let $c_2Efmmaptree_2Eitem : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efmmaptree_2Eitem A_27a A_27b \in (A_27b)^{(ty_2Efmmaptree_2Efmmaptree A_27a A_27b)} \quad (4)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (5)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (6)$$

Let $c_2Efmaptree_2EtoF : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27key.nonempty\ A_27key \Rightarrow \forall A_27value.nonempty \\ & A_27value \Rightarrow c_2Efmaptree_2EtoF\ A_27key\ A_27value \in (((ty_2Eoption_2Eoption \\ & A_27value)(ty_2Elist_2Elist\ A_27key))(ty_2Efmaptree_2Efmaptree\ A_27key\ A_27value)) \end{aligned} \quad (7)$$

Let $c_2Efinite_map_2Eo_f : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow c_2Efinite_map_2Eo_f\ A_27a\ A_27b\ A_27c \in (((\\ & ty_2Efinite_map_2Eomap\ A_27a\ A_27c)(ty_2Efinite_map_2Eomap\ A_27a\ A_27b))^{(A_27c^{A_27b})}) \end{aligned} \quad (8)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (9)$$

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 7 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone$

Definition 8 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (10)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ & A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (11)$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)) \quad (12)$$

Definition 11 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ ($

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP \\ & A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)}) \end{aligned} \quad (13)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL \\ & A_27a\ A_27b \in (A_27a^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (14)$$

Definition 12 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2EFAPPLY\ A_27a\ A_27b\ V0f)$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL \\ & A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (15)$$

Definition 13 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2EFDOM\ A_27a\ A_27b\ V0f)$

Definition 14 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (cond\ V1t1\ V2t2))))$

Definition 16 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap\ (c_2Esum_2EABS\ A_27a\ A_27b)\ V0e)$

Definition 17 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2EOption_2ESOME\ A_27a)\ V0x)$

Let $c_2Elist_2Elist_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2Elist_CASE \\ & A_27a\ A_27b \in (((A_27b^{(A_27b^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}})^{A_27b})^{(ty_2Elist_2Elist\ A_27a)}) \end{aligned} \quad (16)$$

Definition 18 We define $c_2Efmaptree_2Econstruct$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0a \in A_27a. \lambda V1kfm \in (ty_2Efmaptree_2Econstruct\ A_27a\ A_27b\ V0a\ V1kfm)$

Let $c_2Efmaptree_2EfromF : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27key.nonempty\ A_27key \Rightarrow \forall A_27value.nonempty\ A_27value \\ & \Rightarrow c_2Efmaptree_2EfromF\ A_27key\ A_27value \in ((ty_2Efmaptree_2Efmaptree\ A_27key\ A_27value)^{((ty_2Eoption_2Eoption\ A_27value)^{(ty_2Elist_2Elist\ A_27key))})} \end{aligned} \quad (17)$$

Definition 19 We define $c_2Efmaptree_2EFTNode$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0i \in A_27b. \lambda V1f \in (ty_2Efmaptree_2EFTNode\ A_27a\ A_27b\ V0i\ V1f)$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0i1 \in A_27b. (\forall V1f1 \in (ty_2Efinite_map_2E fmap \\
& \quad A_27a\ (ty_2Efmptree_2E fmptree\ A_27a\ A_27b)). (\forall V2i2 \in \\
& \quad A_27b. (\forall V3f2 \in (ty_2Efinite_map_2E fmap\ A_27a\ (ty_2Efmptree_2E fmptree \\
& \quad A_27a\ A_27b)). (((ap\ (ap\ (c_2Efmptree_2EFTNode\ A_27a\ A_27b)\ V0i1) \\
& \quad V1f1) = (ap\ (ap\ (c_2Efmptree_2EFTNode\ A_27a\ A_27b)\ V2i2)\ V3f2)) \Leftrightarrow \\
& \quad ((V0i1 = V2i2) \wedge (V1f1 = V3f2)))))) \\
& \hspace{15em} (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0ft \in (ty_2Efmptree_2E fmptree\ A_27a\ A_27b). (V0ft = \\
& \quad (ap\ (ap\ (c_2Efmptree_2EFTNode\ A_27a\ A_27b)\ (ap\ (c_2Efmptree_2Eitem \\
& \quad A_27a\ A_27b)\ V0ft))\ (ap\ (c_2Efmptree_2Emap\ A_27a\ A_27b)\ V0ft)))) \\
& \hspace{15em} (20)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0i \in A_27a. (\forall V1fm \in (ty_2Efinite_map_2E fmap\ A_27b \\
& \quad (ty_2Efmptree_2E fmptree\ A_27b\ A_27a)). ((ap\ (c_2Efmptree_2Emap \\
& \quad A_27b\ A_27a)\ (ap\ (ap\ (c_2Efmptree_2EFTNode\ A_27b\ A_27a)\ V0i)\ V1fm)) = \\
& \quad V1fm))) \\
& \hspace{15em}
\end{aligned}$$