

thm_2Efmaptree_2Ewf_rules

(TMHUe8MtCZpg17CQaPm5GLnyJ5MVLxKzb1t)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2E$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2E$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \tag{3}$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)) \tag{4}$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL\ A_27a\ A_27b \in (A_27a^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \tag{5}$$

Definition 18 We define $c_2Efmptree_2Econstruct$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0a \in A_27a.\lambda V1kfm \in$

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 20 We define $c_2Efmptree_2Ewf$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0a0 \in ((ty_2Eoption_2Eoption$

Assume the following.

$$True \tag{12}$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned} (\forall V0x \in 2.(\forall V1y \in 2.(\forall V2z \in 2.(\forall V3w \in \\ 2.(((p\ V0x) \Rightarrow (p\ V1y)) \wedge ((p\ V2z) \Rightarrow (p\ V3w))) \Rightarrow (((p\ V0x) \wedge (p\ V2z)) \Rightarrow \\ ((p\ V1y) \wedge (p\ V3w)))))) \end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned} (\forall V0y \in 2.(\forall V1x \in 2.(\forall V2z \in 2.(\forall V3w \in \\ 2.(((p\ V0y) \Rightarrow (p\ V1x)) \wedge ((p\ V2z) \Rightarrow (p\ V3w))) \Rightarrow (((p\ V1x) \Rightarrow (p\ V2z)) \Rightarrow \\ ((p\ V0y) \Rightarrow (p\ V3w)))))) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in \\ (2^{A_27a}).((\forall V2x \in A_27a.((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ (ap\ V1Q\ V2x)))) \Rightarrow \\ ((\forall V3x \in A_27a.(p\ (ap\ V0P\ V3x))) \Rightarrow (\forall V4x \in A_27a.(p\ (\\ ap\ V1Q\ V4x)))))) \end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in \\ (2^{A_27a}).((\forall V2x \in A_27a.((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ (ap\ V1Q\ V2x)))) \Rightarrow \\ ((\exists V3x \in A_27a.(p\ (ap\ V0P\ V3x))) \Rightarrow (\exists V4x \in A_27a.(p\ (\\ ap\ V1Q\ V4x)))))) \end{aligned} \tag{18}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0a \in A_27a. (\forall V1fm \in (ty_2Efinite_map_2Efmmap\ A_27b \\ & ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Elist_2Elist\ A_27b)})) . (\\ & (\forall V2k \in A_27b. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V2k)\ (ap\ (\\ & c_2Efinite_map_2EFDOM\ A_27b\ ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Elist_2Elist\ A_27b)})) \\ & V1fm))) \Rightarrow (p\ (ap\ (c_2Efmaptree_2Ewf\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\ & A_27b\ ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Elist_2Elist\ A_27b)})) \\ & V1fm)\ V2k)))) \Rightarrow (p\ (ap\ (c_2Efmaptree_2Ewf\ A_27a\ A_27b)\ (ap\ (ap\ (\\ & c_2Efmaptree_2Econstruct\ A_27a\ A_27b)\ V0a)\ V1fm)))))) \end{aligned}$$