

# thm\_2Efmsp\_2EFMSP\_\_FDOM (TMHTEp6iWhNW6dqh9wUs2RRi2GHkTRBfGea)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x) \text{ of type } \iota \Rightarrow \iota.$

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota.$

**Definition 3** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let `ty_2Eone_2Eone` :  $\iota$  be given. Assume the following.

$$\text{nonempty ty\_2Eone\_2Eone} \tag{1}$$

Let `ty_2Esum_2Esum` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Esum\_2Esum } A0 \ A1) \tag{2}$$

Let `ty_2Efinite_map_2Efmap` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Efinite\_map\_2Efmap } A0 \ A1) \tag{3}$$

Let `c_2Efinite_map_2Efmap_REP` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow \text{c\_2Efinite\_map\_2Efmap\_REP } A_{27a} \ A_{27b} \in (((\text{ty\_2Esum\_2Esum } A_{27b} \ \text{ty\_2Eone\_2Eone})^{A_{27a}})^{\text{ty\_2Efinite\_map\_2Efmap } A_{27a} \ A_{27b}}) \tag{4}$$

Let `c_2Esum_2EOUTL` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow \text{c\_2Esum\_2EOUTL } A_{27a} \ A_{27b} \in (A_{27a}^{\text{ty\_2Esum\_2Esum } A_{27a} \ A_{27b}}) \tag{5}$$

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A_{27a} : \iota. (\lambda V0P \in (2^{A_{27a}}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A_{27a}})) (\lambda V1x \in 2.V1x)) (\lambda V0x \in 2.V0x))$

**Definition 5** We define `c_2Efinite_map_2EFAPPLY` to be  $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda V0f \in (\text{ty\_2Efinite\_map\_2Efmap } A_{27a} \ A_{27b}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A_{27a}})) (\lambda V1x \in 2.V1x)) (\lambda V0x \in 2.V0x))$

Let  $c\_Esum\_EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Esum\_EISL \\ A\_27a\ A\_27b \in (2^{(ty\_Esum\_Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (6)$$

**Definition 6** We define  $c\_Efinite\_map\_EFDOM$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_Efinite\_map\_2E)$

**Definition 7** We define  $c\_Eone\_Eone$  to be  $(ap\ (c\_Emin\_2E\_40\ ty\_Eone\_Eone)\ (\lambda V0x \in ty\_Eone\_2E))$

**Definition 8** We define  $c\_Ebool\_2E$  to be  $(ap\ (c\_Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 9** We define  $c\_Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_Ebool\_2E))$

**Definition 11** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let  $c\_Esum\_EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Esum\_EABS\_sum \\ A\_27a\ A\_27b \in ((ty\_Esum\_Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (7)$$

**Definition 12** We define  $c\_Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_Esum\_EABS\_sum\ A\_27a\ A\_27b))$

Let  $ty\_Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_Eoption\_2Eoption\ A0) \quad (8)$$

Let  $c\_Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_Eoption\_2Eoption\ A\_27a)^{(ty\_Esum\_Esum\ A\_27a\ ty\_Eone\_2Eone)}) \quad (9)$$

**Definition 13** We define  $c\_Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap\ (c\_Eoption\_2Eoption\_ABS\ A\_27a)\ (c\_Eoption\_2Eoption\_NONE))$

**Definition 14** We define  $c\_Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_Esum\_EABS\_sum\ A\_27a\ A\_27b))$

**Definition 15** We define  $c\_Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_Eoption\_2Eoption\_ABS\ A\_27a)\ (c\_Eoption\_2Eoption\_SOME\ V0x))$

**Definition 16** We define  $c\_Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

**Definition 17** We define  $c\_Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(\lambda V3t3 \in 2.V3t3))))$

**Definition 18** We define  $c\_Efinite\_map\_2EFLOOKUP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_Efinite\_map\_2E)$

Let  $ty\_2Esptree\_2Espt : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Esptree\_2Espt\ A0) \quad (10)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (11)$$

Let  $c\_2Esptree\_2Elookup : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esptree\_2Elookup\ A\_27a \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esptree\_2Espt\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 20** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 21** We define  $c\_2Eoption\_2EOPTREL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R \in ((2^{A\_27b})^{A\_27a}). \lambda V1x$

**Definition 22** We define  $c\_2Efmsp\_2EFMSP$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0AN \in ((2^{ty\_2Enum\_2Enum$

Let  $c\_2Esptree\_2Edomain : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esptree\_2Edomain\ A\_27a \in ((2^{ty\_2Enum\_2Enum})^{(ty\_2Esptree\_2Espt\ A\_27a)}) \quad (13)$$

**Definition 23** We define  $c\_2Etransfer\_2EFUN\_REL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda A\_27d : \iota. \lambda V0A$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (18)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\
& (p \ V0t) \Rightarrow False) \Leftrightarrow \neg(p \ V0t))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{21}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \tag{22}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{23}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\
& p \ V0t))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in \\
& 2.(((\forall V2x \in A\_27a.(p \ (ap \ V0P \ V2x))) \wedge (p \ V1Q)) \Leftrightarrow (\forall V3x \in \\
& A\_27a.((p \ (ap \ V0P \ V3x)) \wedge (p \ V1Q))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in ( \\
& 2^{A\_27a}).((\forall V2x \in A\_27a.((p \ V0P) \vee (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow ((p \\
& V0P) \vee (\forall V3x \in A\_27a.(p \ (ap \ V1Q \ V3x))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))
\end{aligned} \tag{28}$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x\_27)) \wedge ((p \ V1x\_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y\_27)))) \Rightarrow \quad (29)$$

$$(((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x\_27) \Rightarrow (p \ V3y\_27))))$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1a \in \quad (30)$$

$$A\_27a.((\exists V2x \in A\_27a.((V2x = V1a) \wedge (p \ (ap \ V0P \ V2x)))) \Leftrightarrow (p \ (ap \ V0P \ V1a))))))$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow (\quad (31)$$

$$\forall V0f \in (ty\_2Efinite\_map\_2Efmap \ A\_27a \ A\_27b).(\forall V1x \in$$

$$A\_27a.(\forall V2v \in A\_27b.(((ap \ (c\_2Efinite\_map\_2EFLOOKUP$$

$$A\_27a \ A\_27b) \ V0f) \ V1x) = (c\_2Eoption\_2ENONE \ A\_27b)) \Leftrightarrow (\neg (p \ (ap \ (ap$$

$$(c\_2Ebool\_2EIN \ A\_27a) \ V1x) \ (ap \ (c\_2Efinite\_map\_2EFDOM \ A\_27a$$

$$A\_27b) \ V0f)))))) \wedge (((ap \ (ap \ (c\_2Efinite\_map\_2EFLOOKUP \ A\_27a \ A\_27b)$$

$$V0f) \ V1x) = (ap \ (c\_2Eoption\_2ESOME \ A\_27b) \ V2v)) \Leftrightarrow ((p \ (ap \ (ap \ (c\_2Ebool\_2EIN$$

$$A\_27a) \ V1x) \ (ap \ (c\_2Efinite\_map\_2EFDOM \ A\_27a \ A\_27b) \ V0f))) \wedge ($$

$$(ap \ (ap \ (c\_2Efinite\_map\_2EFAPPLY \ A\_27a \ A\_27b) \ V0f) \ V1x) = V2v))))))$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption \quad (32)$$

$$A\_27a.((V0opt = (c\_2Eoption\_2ENONE \ A\_27a)) \vee (\exists V1x \in A\_27a.$$

$$(V0opt = (ap \ (c\_2Eoption\_2ESOME \ A\_27a) \ V1x))))))$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \quad (33)$$

$$A\_27a.(((ap \ (c\_2Eoption\_2ESOME \ A\_27a) \ V0x) = (ap \ (c\_2Eoption\_2ESOME$$

$$A\_27a) \ V1y)) \Leftrightarrow (V0x = V1y))))$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\neg ((c\_2Eoption\_2ENONE \quad (34)$$

$$A\_27a) = (ap \ (c\_2Eoption\_2ESOME \ A\_27a) \ V0x))))$$

Assume the following.

$$(\forall V0t \in 2.((\neg (\neg (p \ V0t))) \Leftrightarrow (p \ V0t))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.((p \ V0A) \Rightarrow ((\neg (p \ V0A)) \Rightarrow \text{False}))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (49)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0t \in (ty\_2Esptree\_2Espt \\ & A\_27a). (\forall V1k \in ty\_2Enum\_2Enum. ((p (ap (ap (c\_2Ebool\_2EIN \\ & ty\_2Enum\_2Enum) V1k) (ap (c\_2Esptree\_2Edomain A\_27a) V0t))) \Leftrightarrow \\ & (\exists V2v \in A\_27a. ((ap (ap (c\_2Esptree\_2Elookup A\_27a) V1k) \\ & V0t) = (ap (c\_2Eoption\_2ESOME A\_27a) V2v))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0k \in ty\_2Enum\_2Enum. ( \\ & \forall V1t \in (ty\_2Esptree\_2Espt A\_27a). (((ap (ap (c\_2Esptree\_2Elookup \\ & A\_27a) V0k) V1t) = (c\_2Eoption\_2ENONE A\_27a)) \Leftrightarrow (\neg(p (ap (ap (c\_2Ebool\_2EIN \\ & ty\_2Enum\_2Enum) V0k) (ap (c\_2Esptree\_2Edomain A\_27a) V1t))))))) \end{aligned} \quad (51)$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow \forall A\_27b. \text{nonempty } A\_27b \Rightarrow \forall A\_27c. \\ & \text{nonempty } A\_27c \Rightarrow (\forall V0AN \in ((2^{ty\_2Enum\_2Enum})^{A\_27a}). (\forall V1BC \in \\ & ((2^{A\_27c})^{A\_27b}). (p (ap (ap (ap (ap (ap (c\_2Etransfer\_2EFUN\_REL \\ & (ty\_2Efinite\_map\_2Efmap A\_27a A\_27b) (ty\_2Esptree\_2Espt A\_27c) \\ & (2^{A\_27a}) (2^{ty\_2Enum\_2Enum})) (ap (ap (c\_2Efmsp\_2EFMSP A\_27a \\ & A\_27b A\_27c) V0AN) V1BC)) (ap (ap (c\_2Etransfer\_2EFUN\_REL A\_27a \\ & ty\_2Enum\_2Enum 2 2) V0AN) (c\_2Emin\_2E\_3D 2))) (c\_2Efinite\_map\_2EFDOM \\ & A\_27a A\_27b)) (c\_2Esptree\_2Edomain A\_27c)))))) \end{aligned}$$