

# thm\_2Efmsp\_2EFMSP\_\_FUNION

(TMW6VauNcB85vj646TRWCBA4ebhWbdUVjKD)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Efinite\_map\_2E fmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2E fmap A0 A1) \tag{1}$$

Let  $c\_2Efinite\_map\_2EFUNION : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2EFUNION A\_27a A\_27b \in (((ty\_2Efinite\_map\_2E fmap A\_27a A\_27b)^{(ty\_2Efinite\_map\_2E fmap A\_27a A\_27b)})^{(ty\_2Efinite\_map\_2E fmap A\_27a A\_27b)}) \tag{2}$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \tag{3}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \tag{4}$$

Let  $c\_2Efinite\_map\_2E fmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2E fmap\_REP A\_27a A\_27b \in (((ty\_2Esum\_2Esum A\_27b ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2E fmap A\_27a A\_27b)}) \tag{5}$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EOUTL A\_27a A\_27b \in (A\_27a^{(ty\_2Esum\_2Esum A\_27a A\_27b)}) \tag{6}$$

**Definition 5** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2E)$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL \\ A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (7)$$

**Definition 6** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2E)$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap\ P\ x)) \mathbf{then} (the\ (\lambda x. x \in A \wedge p\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone))$

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Emin\_2E\_3D\_3D\_3E\ V2t)\ V1t2)\ V0t1))))$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (8)$$

**Definition 12** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (9)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in \\ ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \end{aligned} \quad (10)$$

**Definition 13** We define  $c\_2Eoption\_2E\_NONE$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (ty\_2Eoption\_2Eoption\ A\_27a))$

**Definition 14** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

**Definition 15** We define  $c\_2Eoption\_2E\_SOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0x)$

**Definition 16** We define  $c\_2Ebool\_2E\_IN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 17** We define  $c\_2Ebool\_2E\_COND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap\ (c\_2Emin\_2E\_40\ V2t2)\ V1t1)\ V0t))))$

**Definition 18** We define  $c\_2Efinite\_map\_2EFLOOKUP$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2E)$

Let  $ty\_2Esptree\_2Espt : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Esptree\_2Espt\ A0) \quad (11)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (12)$$

Let  $c\_2Esptree\_2Elookup : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esptree\_2Elookup\ A\_27a \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esptree\_2Espt\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 20** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 21** We define  $c\_2Eoption\_2EOPTREL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R \in ((2^{A\_27b})^{A\_27a}). \lambda V1x$

**Definition 22** We define  $c\_2Efmsp\_2EFMSP$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0AN \in ((2^{ty\_2Enum\_2Enum$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (14)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (15)$$

**Definition 23** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (16)$$

**Definition 24** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2$

Let  $c\_2Eoption\_2Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Eoption\_2Eoption\_CASE\ A\_27a\ A\_27b \in (((A\_27b)^{(A\_27b)^{A\_27a}})^{A\_27b})^{(ty\_2Eoption\_2Eoption\ A\_27a)} \quad (17)$$

Let  $c\_2Esptree\_2Eunion : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esptree\_2Eunion\ A\_27a \in (((ty\_2Esptree\_2Espt\ A\_27a)^{(ty\_2Esptree\_2Espt\ A\_27a)})^{(ty\_2Esptree\_2Espt\ A\_27a)}) \quad (18)$$

**Definition 25** We define  $c\_2Etransfer\_2EFUN\_REL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda A\_27d : \iota.\lambda V0A$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee \neg(p V0t))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\exists V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (27)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in 2. ((\forall V2x \in A\_27a. ((p\ V0P\ V2x) \Rightarrow (p\ V1Q))) \Leftrightarrow ((\exists V3x \in A\_27a. (p\ (ap\ V0P\ V3x)) \Rightarrow (p\ V1Q)))))) \quad (31)$$

Assume the following.

$$(\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2R \in 2. (((p\ V0P) \vee (p\ V1Q)) \Rightarrow (p\ V2R)) \Leftrightarrow (((p\ V0P) \Rightarrow (p\ V2R)) \wedge ((p\ V1Q) \Rightarrow (p\ V2R)))))) \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (33)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. (\forall V5y\_27 \in A\_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27)\ V5y\_27)))))) \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1a \in A\_27a. ((\exists V2x \in A\_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))) \quad (36)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0t1 \in A.27a.(\forall V1t2 \in \\ & A.27a.((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2ET)\ V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A.27a.(\forall V3t2 \in A.27a.((ap \\ & (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2EF)\ V2t1)\ V3t2) = V3t2)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0f \in (ty.2Efinite\_map.2E fmap\ A.27a\ A.27b).(\forall V1g \in \\ & (ty.2Efinite\_map.2E fmap\ A.27a\ A.27b).(((ap\ (c.2Efinite\_map.2EFDOM \\ & A.27a\ A.27b)\ (ap\ (ap\ (c.2Efinite\_map.2EFUNION\ A.27a\ A.27b)\ V0f) \\ & V1g))) = (ap\ (ap\ (c.2Epred\_set.2EUNION\ A.27a)\ (ap\ (c.2Efinite\_map.2EFDOM \\ & A.27a\ A.27b)\ V0f)))\ (ap\ (c.2Efinite\_map.2EFDOM\ A.27a\ A.27b)\ V1g)))) \wedge \\ & (\forall V2x \in A.27a.((ap\ (ap\ (c.2Efinite\_map.2EFAPPLY\ A.27a \\ & A.27b)\ (ap\ (ap\ (c.2Efinite\_map.2EFUNION\ A.27a\ A.27b)\ V0f)\ V1g)) \\ & V2x) = (ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27b)\ (ap\ (ap\ (c.2Ebool.2EIN \\ & A.27a)\ V2x)\ (ap\ (c.2Efinite\_map.2EFDOM\ A.27a\ A.27b)\ V0f))))\ (ap \\ & (ap\ (c.2Efinite\_map.2EFAPPLY\ A.27a\ A.27b)\ V0f)\ V2x)))\ (ap\ (ap\ ( \\ & c.2Efinite\_map.2EFAPPLY\ A.27a\ A.27b)\ V1g)\ V2x)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & (\forall V0v \in A.27b.(\forall V1f \in (A.27b^{A.27a}).((ap\ (ap\ (ap\ (c.2Eoption.2Eoption\_CASE \\ & A.27a\ A.27b)\ (c.2Eoption.2ENONE\ A.27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\ & A.27a.(\forall V3v \in A.27b.(\forall V4f \in (A.27b^{A.27a}).(((ap\ (ap \\ & (ap\ (c.2Eoption.2Eoption\_CASE\ A.27a\ A.27b)\ (ap\ (c.2Eoption.2ESOME \\ & A.27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\ & A.27a.(((ap\ (c.2Eoption.2ESOME\ A.27a)\ V0x) = (ap\ (c.2Eoption.2ESOME \\ & A.27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\neg((c.2Eoption.2ENONE \\ & A.27a) = (ap\ (c.2Eoption.2ESOME\ A.27a)\ V0x)))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1x \in A.27a. \\
& (\forall V2y \in A.27a. (((ap (ap (ap (c.2Ebool.2ECOND (ty.2Eoption.2Eoption \\
& A.27a)) V0P) (ap (c.2Eoption.2ESOME A.27a) V1x)) (c.2Eoption.2ENONE \\
& A.27a)) = (c.2Eoption.2ENONE A.27a)) \Leftrightarrow (\neg(p\ V0P)))) \wedge (((ap (ap ( \\
& ap (c.2Ebool.2ECOND (ty.2Eoption.2Eoption A.27a)) V0P) (c.2Eoption.2ENONE \\
& A.27a)) (ap (c.2Eoption.2ESOME A.27a) V1x)) = (c.2Eoption.2ENONE \\
& A.27a)) \Leftrightarrow (p\ V0P)) \wedge (((ap (ap (ap (c.2Ebool.2ECOND (ty.2Eoption.2Eoption \\
& A.27a)) V0P) (ap (c.2Eoption.2ESOME A.27a) V1x)) (c.2Eoption.2ENONE \\
& A.27a)) = (ap (c.2Eoption.2ESOME A.27a) V2y)) \Leftrightarrow ((p\ V0P) \wedge (V1x = V2y))) \wedge \\
& (((ap (ap (ap (c.2Ebool.2ECOND (ty.2Eoption.2Eoption A.27a)) \\
& V0P) (c.2Eoption.2ENONE A.27a)) (ap (c.2Eoption.2ESOME A.27a) \\
& V1x)) = (ap (c.2Eoption.2ESOME A.27a) V2y)) \Leftrightarrow ((\neg(p\ V0P)) \wedge (V1x = \\
& V2y)))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\
& (2^{A.27a}). (\forall V2x \in A.27a. ((p (ap (ap (c.2Ebool.2EIN A.27a) \\
& V2x) (ap (ap (c.2Epred.2EUNION A.27a) V0s) V1t))) \Leftrightarrow (p (ap \tag{43} \\
& (ap (c.2Ebool.2EIN A.27a) V2x) V0s)) \vee (p (ap (ap (c.2Ebool.2EIN \\
& A.27a) V2x) V1t))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0m1 \in (ty.2Esptree.2Espt \\
& A.27a). (\forall V1m2 \in (ty.2Esptree.2Espt A.27a). (\forall V2k \in \\
& ty.2Enum.2Enum. ((ap (ap (c.2Esptree.2Elookup A.27a) V2k) (ap \\
& (ap (c.2Esptree.2Eunion A.27a) V0m1) V1m2)) = (ap (ap (ap (c.2Eoption.2Eoption.2CASE \\
& A.27a (ty.2Eoption.2Eoption A.27a)) (ap (ap (c.2Esptree.2Elookup \\
& A.27a) V2k) V0m1)) (ap (ap (c.2Esptree.2Elookup A.27a) V2k) V1m2)) \\
& (\lambda V3v \in A.27a. (ap (c.2Eoption.2ESOME A.27a) V3v))))))
\end{aligned} \tag{44}$$

### Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow (\forall V0AN \in ((2^{ty.2Enum.2Enum})^{A.27a}). (\forall V1BC \in \\
& ((2^{A.27c})^{A.27b}). (p (ap (ap (ap (ap (c.2Etransfer.2EFUN.2REL \\
& (ty.2Efinite.2map.2Efmap A.27a A.27b) (ty.2Esptree.2Espt A.27c) \\
& ((ty.2Efinite.2map.2Efmap A.27a A.27b) (ty.2Efinite.2map.2Efmap A.27a A.27b)) \\
& ((ty.2Esptree.2Espt A.27c) (ty.2Esptree.2Espt A.27c))) (ap ( \\
& ap (c.2Efmsp.2EFMSP A.27a A.27b A.27c) V0AN) V1BC)) (ap (ap (c.2Etransfer.2EFUN.2REL \\
& (ty.2Efinite.2map.2Efmap A.27a A.27b) (ty.2Esptree.2Espt A.27c) \\
& (ty.2Efinite.2map.2Efmap A.27a A.27b) (ty.2Esptree.2Espt A.27c)) \\
& (ap (ap (c.2Efmsp.2EFMSP A.27a A.27b A.27c) V0AN) V1BC)) (ap (ap \\
& (c.2Efmsp.2EFMSP A.27a A.27b A.27c) V0AN) V1BC))) (c.2Efinite.2map.2EFUNION \\
& A.27a A.27b)) (c.2Esptree.2Eunion A.27c))))
\end{aligned}$$