

thm_2Efmsp_2EFMSP_FUPDATE (TMP41HKXN8CdZKBAigstmQh1dnmLbYQwSkG)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x) \text{ of type } \iota \Rightarrow \iota)$.

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V 0 x \in 2. V 0 x)) (\lambda V 1 x \in 2. V 1 x)$.

Let `ty_2Efinite_map_2E fmap` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Efinite_map_2E fmap } A 0 \ A 1) \quad (1)$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A 0 \ A 1) \quad (2)$$

Let `c_2Efinite_map_2EFUPDATE` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow \text{c_2Efinite_map_2EFUPDATE } A_{27a} \ A_{27b} \in (((\text{ty_2Efinite_map_2E fmap } A_{27a} \ A_{27b})^{(\text{ty_2Epair_2Eprod } A_{27a} \ A_{27b})})^{(\text{ty_2Efinite_map_2E fmap } A_{27a} \ A_{27b})}) \quad (3)$$

Let `ty_2Eone_2Eone` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Eone_2Eone} \quad (4)$$

Let `ty_2Esum_2Esum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Esum_2Esum } A 0 \ A 1) \quad (5)$$

Let `c_2Efinite_map_2E fmap_REP` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow \text{c_2Efinite_map_2E fmap_REP } A_{27a} \ A_{27b} \in (((\text{ty_2Esum_2Esum } A_{27b} \ \text{ty_2Eone_2Eone})^{A_{27a}})^{(\text{ty_2Efinite_map_2E fmap } A_{27a} \ A_{27b})}) \quad (6)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL \\ A_27a\ A_27b \in (A_27a^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (7)$$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a})))$

Definition 5 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map\ 2)$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL \\ A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (8)$$

Definition 6 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map\ 2)$

Definition 7 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone))\ (\lambda V0x \in ty_2Eone_2Eone)$

Definition 8 We define c_2Ebool_2E2 to be $(ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V0t \in 2.V0t)$.

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o\ (p\ P \Rightarrow q\ Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t))\ c_2Ebool_2E_21)$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V2t \in 2. V2t)))$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (9)$$

Definition 12 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b))$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (10)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in \\ ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \end{aligned} \quad (11)$$

Definition 13 We define $c_2Eoption_2EENONE$ to be $\lambda A_27a : \iota. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a))\ (c_2Eoption_2Eoption_ABS\ A_27a)$

Definition 14 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b))$

Definition 15 We define $c_2Eoption_2EESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a))\ (c_2Eoption_2Eoption_ABS\ A_27a)$

Definition 16 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 18 We define $c_2Efinite_map_2EFLOOKUP$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2E$

Let $ty_2Esptree_2Espt : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Esptree_2Espt\ A0) \quad (12)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (13)$$

Let $c_2Esptree_2Elookup : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Esptree_2Elookup\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esptree_2Espt\ A_27a)})^{ty_2Enum_2Enum}) \quad (14)$$

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 21 We define $c_2Eoption_2EOPTREL$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27b})^{A_27a}). \lambda V1x$

Definition 22 We define c_2Efmsp_2EFMSP to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0AN \in ((2^{ty_2Enum_2Enum$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (15)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (16)$$

Definition 23 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c)^{A_27a$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (17)$$

Definition 24 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (18)$$

Definition 25 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ x)\ s)$

Let $c_2Esptree_2Einsert : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Esptree_2Einsert\ A_27a \in (((\\ (ty_2Esptree_2Espt\ A_27a)^{(ty_2Esptree_2Espt\ A_27a)})^{A_27a})^{ty_2Enum_2Enum}) \end{aligned} \quad (19)$$

Definition 26 We define $c_2Etransfer_2Erigh_unique$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27b})^{A_27a}).(ap\ (c_2Etransfer_2Eleft_unique\ A_27a\ A_27b)\ R)$

Definition 27 We define $c_2Etransfer_2Eleft_unique$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27b})^{A_27a}).(ap\ (c_2Etransfer_2Eright_unique\ A_27a\ A_27b)\ R)$

Definition 28 We define $c_2Etransfer_2Ebi_unique$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27b})^{A_27a}).(ap\ (c_2Etransfer_2Eleft_unique\ A_27a\ A_27b)\ R)$

Definition 29 We define $c_2Etransfer_2EFUN_REL$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0A \in ((2^{A_27d})^{A_27c}).(ap\ (c_2Etransfer_2Ebi_unique\ A_27a\ A_27b)\ A)$

Let $c_2Etransfer_2EPAIR_REL : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow c_2Etransfer_2EPAIR_REL \\ A_27a\ A_27b\ A_27c\ A_27d \in (((2^{(ty_2Epair_2Eprod\ A_27b\ A_27d)})^{(ty_2Epair_2Eprod\ A_27a\ A_27c)})^{(2^{A_27d})^{A_27c}}) \end{aligned} \quad (20)$$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \quad (24)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\
& True))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\
& 2^{A_27a}).(((p \ V0P) \wedge (\forall V2x \in A_27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\forall V3x \in \\
& A_27a.((p \ V0P) \wedge (p \ (ap \ V1Q \ V3x))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\
& 2^{A_27a}).((\forall V2x \in A_27a.((p \ V0P) \vee (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow ((p \\
& V0P) \vee (\forall V3x \in A_27a.(p \ (ap \ V1Q \ V3x))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee (\\
& (p \ V1B) \wedge (p \ V2C))) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \wedge ((p \ V0A) \vee (p \ V2C))))))
\end{aligned} \tag{34}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (35)$$

Assume the following.

$$2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow 2.(((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))) \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ (\forall V2x \in A_{.27a}.(\forall V3x_{.27} \in A_{.27a}.(\forall V4y \in A_{.27a}. \\ (\forall V5y_{.27} \in A_{.27a}.(((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\ ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{.27})))) \Rightarrow ((ap (ap (ap (c_{.2Ebool_2ECOND} \ A_{.27a}) \\ V0P) \ V2x) \ V4y) = (ap (ap (ap (c_{.2Ebool_2ECOND} \ A_{.27a}) \ V1Q) \ V3x_{.27} \\ V5y_{.27})))))))))) \end{aligned} \quad (37)$$

Assume the following.

$$\forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1a \in A_{.27a}.((\exists V2x \in A_{.27a}.((V2x = V1a) \wedge (p (ap \ V0P \ V2x)))) \Leftrightarrow (p (ap \ V0P \ V1a)))))) \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow ((\forall V0t1 \in A_{.27a}.(\forall V1t2 \in A_{.27a}.((ap (ap (ap (c_{.2Ebool_2ECOND} \ A_{.27a}) \ c_{.2Ebool_2ET} \ V0t1) \\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}.(\forall V3t2 \in A_{.27a}.((ap (ap (ap (c_{.2Ebool_2ECOND} \ A_{.27a}) \ c_{.2Ebool_2EF} \ V2t1) \ V3t2) = V3t2)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty \ A_{.27b} \Rightarrow (\\ \forall V0f \in (ty_{.2Efinite_map_2E fmap} \ A_{.27a} \ A_{.27b}).(\forall V1x \in A_{.27a}.(\forall V2y \in A_{.27b}.((ap (ap (c_{.2Efinite_map_2EFAPPLY} \ A_{.27a} \ A_{.27b}) \\ (ap (ap (c_{.2Efinite_map_2EFUPDATE} \ A_{.27a} \ A_{.27b}) \ V0f) \\ (ap (ap (c_{.2Epair_2E_2C} \ A_{.27a} \ A_{.27b}) \ V1x) \ V2y))) \ V1x) = V2y)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty \ A_{.27b} \Rightarrow (\\ \forall V0f \in (ty_{.2Efinite_map_2E fmap} \ A_{.27a} \ A_{.27b}).(\forall V1a \in A_{.27a}.(\forall V2b \in A_{.27b}.((ap (c_{.2Efinite_map_2EFDOM} \ A_{.27a} \ A_{.27b}) \\ (ap (ap (c_{.2Efinite_map_2EFUPDATE} \ A_{.27a} \ A_{.27b}) \ V0f) \\ (ap (c_{.2Epair_2E_2C} \ A_{.27a} \ A_{.27b}) \ V1a) \ V2b))) = (ap (ap (c_{.2Epred_set_2EINSERT} \ A_{.27a}) \ V1a) \\ (ap (c_{.2Efinite_map_2EFDOM} \ A_{.27a} \ A_{.27b}) \ V0f)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(\forall V1a \in \\
& \quad A.27a.(\forall V2b \in A.27b.(\forall V3x \in A.27a.((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A.27a\ A.27b)\ V0f) \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b)\ V1a)\ V2b)))\ V3x) = (ap\ (ap\ (ap \\
& \quad (c_2Ebool_2ECOND\ A.27b)\ (ap\ (ap\ (c_2Emin_2E_3D\ A.27a)\ V3x)\ V1a)) \\
& \quad V2b)\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A.27a\ A.27b)\ V0f)\ V3x)))))) \\
& \hspace{15em} (42)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& \quad A.27a.(((ap\ (c_2Eoption_2ESOME\ A.27a)\ V0x) = (ap\ (c_2Eoption_2ESOME \\
& \quad A.27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \\
& \hspace{15em} (43)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\neg((c_2Eoption_2ENONE \\
& \quad A.27a) = (ap\ (c_2Eoption_2ESOME\ A.27a)\ V0x)))) \\
& \hspace{15em} (44)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1x \in A.27a. \\
& \quad (\forall V2y \in A.27a.(((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Eoption_2Eoption \\
& \quad A.27a)\ V0P)\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x))\ (c_2Eoption_2ENONE \\
& \quad A.27a)) = (c_2Eoption_2ENONE\ A.27a)) \Leftrightarrow (\neg(p\ V0P))) \wedge (((ap\ (ap\ (\\
& \quad ap\ (c_2Ebool_2ECOND\ (ty_2Eoption_2Eoption\ A.27a)\ V0P)\ (c_2Eoption_2ENONE \\
& \quad A.27a))\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x)) = (c_2Eoption_2ENONE \\
& \quad A.27a)) \Leftrightarrow (p\ V0P))) \wedge (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Eoption_2Eoption \\
& \quad A.27a)\ V0P)\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x))\ (c_2Eoption_2ENONE \\
& \quad A.27a)) = (ap\ (c_2Eoption_2ESOME\ A.27a)\ V2y)) \Leftrightarrow ((p\ V0P) \wedge (V1x = V2y))) \wedge \\
& \quad (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Eoption_2Eoption\ A.27a) \\
& \quad V0P)\ (c_2Eoption_2ENONE\ A.27a))\ (ap\ (c_2Eoption_2ESOME\ A.27a) \\
& \quad V1x)) = (ap\ (c_2Eoption_2ESOME\ A.27a)\ V2y)) \Leftrightarrow ((\neg(p\ V0P)) \wedge (V1x = \\
& \quad V2y))))))))) \\
& \hspace{15em} (45)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0f \in ((A.27c^{A.27b})^{A.27a}).(\forall V1x \in \\
& \quad A.27a.(\forall V2y \in A.27b.((ap\ (ap\ (c_2Epair_2EUNCURRY\ A.27a \\
& \quad A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b)\ V1x)\ V2y)) = \\
& \quad (ap\ (ap\ V0f\ V1x)\ V2y)))))) \\
& \hspace{15em} (46)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0P \in (2^{(ty_2Epair_2Eprod\ A.27a\ A.27b)}).((\forall V1p \in \\ & (ty_2Epair_2Eprod\ A.27a\ A.27b).(p\ (ap\ V0P\ V1p))) \Leftrightarrow (\forall V2p_1 \in \\ & \quad A.27a.(\forall V3p_2 \in A.27b.(p\ (ap\ V0P\ (ap\ (ap\ (c.2Epair_2E_2C \\ & \quad A.27a\ A.27b)\ V2p_1)\ V3p_2)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\ & \quad A.27a.(\forall V2s \in (2^{A.27a}).((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a) \\ & V0x)\ (ap\ (ap\ (c.2Epred_set_2EINSERT\ A.27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ & \quad V1y) \vee (p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V0x)\ V2s)))))) \end{aligned} \quad (48)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (50)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (52)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (53)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg(\\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee (\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & \quad (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r)))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{58}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{59}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{60}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{61}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{62}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{63}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0k \in ty.2Enum.2Enum.(\\
& \forall V1a \in A.27a. (\forall V2t \in (ty.2Esptree.2Espt A.27a).(\\
& (ap (ap (c.2Esptree.2Elookup A.27a) V0k) (ap (ap (ap (c.2Esptree.2Einsert \\
& A.27a) V0k) V1a) V2t)) = (ap (c.2Eoption.2ESOME A.27a) V1a))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0k2 \in ty.2Enum.2Enum. \\
& (\forall V1v \in A.27a. (\forall V2t \in (ty.2Esptree.2Espt A.27a). \\
& (\forall V3k1 \in ty.2Enum.2Enum. ((ap (ap (c.2Esptree.2Elookup \\
& A.27a) V3k1) (ap (ap (ap (c.2Esptree.2Einsert A.27a) V0k2) V1v) \\
& V2t)) = (ap (ap (ap (c.2Ebool.2ECOND (ty.2Eoption.2Eoption A.27a)) \\
& (ap (ap (c.2Emin.2E_3D ty.2Enum.2Enum) V3k1) V0k2)) (ap (c.2Eoption.2ESOME \\
& A.27a) V1v)) (ap (ap (c.2Esptree.2Elookup A.27a) V3k1) V2t))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0AB \in (\\
& \quad (2^{A_27b})^{A_27a}).(\forall V1CD \in ((2^{A_27d})^{A_27c}).(\forall V2a \in \\
& \quad A_27a.(\forall V3c \in A_27c.(\forall V4b \in A_27b.(\forall V5d \in A_27d. \\
& \quad ((p\ (ap\ (ap\ (ap\ (ap\ (c_2Etransfer_2EPAIR_REL\ A_27a\ A_27b\ A_27c \\
& \quad A_27d)\ V0AB)\ V1CD)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27c)\ V2a)\ V3c) \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ A_27b\ A_27d)\ V4b)\ V5d))) \Leftrightarrow ((p\ (ap\ (ap\ V0AB \\
& \quad V2a)\ V4b)) \wedge (p\ (ap\ (ap\ V1CD\ V3c)\ V5d)))))))))
\end{aligned} \tag{66}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0AN \in ((2^{ty_2Enum_2Enum})^{A_27a}).(\forall V1BC \in \\
& \quad ((2^{A_27c})^{A_27b}).((p\ (ap\ (c_2Etransfer_2Ebi_unique\ A_27a\ ty_2Enum_2Enum) \\
& \quad V0AN)) \Rightarrow (p\ (ap\ (ap\ (ap\ (ap\ (c_2Etransfer_2EFUN_REL\ (ty_2Efinite_map_2Efmap \\
& \quad A_27a\ A_27b)\ (ty_2Esptree_2Espt\ A_27c)\ ((ty_2Efinite_map_2Efmap \\
& \quad A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})\ ((ty_2Esptree_2Espt \\
& \quad A_27c)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ A_27c)}))\ (ap\ (ap\ (c_2Efmsp_2EFMSP \\
& \quad A_27a\ A_27b\ A_27c)\ V0AN)\ V1BC))\ (ap\ (ap\ (c_2Etransfer_2EFUN_REL \\
& \quad (ty_2Epair_2Eprod\ A_27a\ A_27b)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum \\
& \quad A_27c)\ (ty_2Efinite_map_2Efmap\ A_27a\ A_27b)\ (ty_2Esptree_2Espt \\
& \quad A_27c))\ (ap\ (ap\ (c_2Etransfer_2EPAIR_REL\ A_27a\ ty_2Enum_2Enum \\
& \quad A_27b\ A_27c)\ V0AN)\ V1BC))\ (ap\ (ap\ (c_2Efmsp_2EFMSP\ A_27a\ A_27b\ A_27c) \\
& \quad V0AN)\ V1BC)))\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b))\ (\lambda V2sp \in \\
& \quad (ty_2Esptree_2Espt\ A_27c).(ap\ (c_2Epair_2EUNCURRY\ ty_2Enum_2Enum \\
& \quad A_27c\ (ty_2Esptree_2Espt\ A_27c))\ (\lambda V3n \in ty_2Enum_2Enum.(\\
& \quad \lambda V4v \in A_27c.(ap\ (ap\ (ap\ (c_2Esptree_2Einsert\ A_27c)\ V3n)\ V4v) \\
& \quad V2sp)))))))))
\end{aligned}$$