

thm_2Efrac_2EFRAC__AINV__0 (TM- RxZsPGNEzM3V6dyMqFQy1Q2cY6eFdCnwG)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Efrac_2Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_2Efrac_2Efrac \tag{3}$$

Let $c_2Efrac_2Erep_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Erep_frac \in ((ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)^{ty_2Efrac_2Efrac}) \tag{4}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \tag{5}$$

Definition 7 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2ESND ty_2Efrac_2Efrac))$.
Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EFST \\ A.27a A.27b \in (A.27a^{(ty_2Epair_2Eprod A.27a A.27b)}) \end{aligned} \quad (6)$$

Definition 8 We define $c_2Efrac_2Efrac_nmr$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2EFST ty_2Efrac_2Efrac))$.
Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (7)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \quad (8)$$

Definition 9 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E40 ty_2Einteger_2Eint))$.

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{ty_2Einteger_2Eint}) \quad (9)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (10)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})} \quad (11)$$

Definition 11 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$.

Definition 12 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap c_2Einteger_2Eint)$.

Definition 13 We define c_2Ebool_2E2F5C to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E21 2) (\lambda V2t \in 2))))$.

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EABS_prod \\ A.27a A.27b \in ((ty_2Epair_2Eprod A.27a A.27b)^{(2^{A.27b})^{A.27a}}) \end{aligned} \quad (12)$$

Definition 14 We define c_2Epair_2E2C to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2Epair_2EABS_prod A.27a A.27b))$.

Let $c_2Efrac_2Eabs_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Eabs_frac \in (ty_2Efrac_2Efrac^{(ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)}) \quad (13)$$

Definition 15 We define $c_2Efrac_2Efrac_ainv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.(ap\ c_2Efrac_2Eabs_frac)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (14)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (15)$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 17 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (16)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (17)$$

Definition 18 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (18)$$

Definition 19 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))$

Definition 20 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (19)$$

Definition 21 We define $c_2Efrac_2Efrac_0$ to be $(ap\ c_2Efrac_2Eabs_frac\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Einteger_2Eint_of_num))))$

Definition 22 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ P))))$

Definition 23 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V0n$

Definition 24 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT1\ n))$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})(ty_2Epair_2Eprod\ ty_2Enum)) \quad (20)$$

Definition 25 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$.

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty_2Einteger_2Eint.(\forall V1b \in ty_2Einteger_2Eint. \\ & ((p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0))\ V1b)) \Rightarrow ((ap\ c_2Efrac_2Efrac_nmr\ (ap\ c_2Efrac_2Eabs_frac \\ & (ap\ (ap\ (c_2Epair_2E.2C\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint) \\ & V0a)\ V1b))) = V0a)))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty_2Einteger_2Eint.(\forall V1b \in ty_2Einteger_2Eint. \\ & ((p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0))\ V1b)) \Rightarrow ((ap\ c_2Efrac_2Efrac_dnm\ (ap\ c_2Efrac_2Eabs_frac \\ & (ap\ (ap\ (c_2Epair_2E.2C\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint) \\ & V0a)\ V1b))) = V1b)))) \end{aligned} \quad (25)$$

Assume the following.

$$((ap\ c_2Einteger_2Eint_neg\ (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) = (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) \quad (26)$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& \quad ((p (ap (ap c_2Integer_2Eint_lt (ap c_2Integer_2Eint_of_num \\
& \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad (ap c_2Arithmetic_2EBIT1 V0n)))))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_lt \\
& \quad (ap c_2Integer_2Eint_of_num c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num \\
& \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V0n)))))) \Leftrightarrow \\
& \quad True) \wedge (((p (ap (ap c_2Integer_2Eint_lt (ap c_2Integer_2Eint_of_num \\
& \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_lt (ap c_2Integer_2Eint_of_num \\
& \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad (ap c_2Arithmetic_2ENUMERAL V0n)))))) \Leftrightarrow False) \wedge (((p (ap (ap c_2Integer_2Eint_lt \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad V0n)) (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow False) \wedge \\
& \quad (((p (ap (ap c_2Integer_2Eint_lt (ap c_2Integer_2Eint_neg \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad (ap c_2Arithmetic_2EBIT1 V0n)))))) (ap c_2Integer_2Eint_of_num \\
& \quad c_2Enum_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_lt (ap \\
& \quad c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad (ap c_2Arithmetic_2EBIT2 V0n)))))) (ap c_2Integer_2Eint_of_num \\
& \quad c_2Enum_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_lt (ap \\
& \quad c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL V0n))) \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad V1m)))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap \\
& \quad c_2Integer_2Eint_lt (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT1 V0n)))))) \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_lt (ap c_2Integer_2Eint_neg \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad (ap c_2Arithmetic_2EBIT2 V0n)))))) (ap c_2Integer_2Eint_of_num \\
& \quad (ap c_2Arithmetic_2ENUMERAL V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_lt \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad V0n)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad (ap c_2Arithmetic_2ENUMERAL V1m)))))) \Leftrightarrow False) \wedge ((p (ap (ap c_2Integer_2Eint_lt \\
& \quad (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num (\\
& \quad ap c_2Arithmetic_2ENUMERAL V0n)))) (ap c_2Integer_2Eint_neg \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad V1m)))))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n))))))))))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Theorem 1 $((ap c_2Efrac_2Efrac_ainv c_2Efrac_2Efrac_0) = c_2Efrac_2Efrac_0)$.