

# thm\_2Efrac\_2EFRAC\_EQ (TM- RtZv6WLbKotjibZd6TkwHZwAawN67Mhfk)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V0t \in 2.V0t)) (\lambda V1t \in 2.V1t))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_21))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \tag{4}$$

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Enum\_2Enum}) \tag{5}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (6)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})_{ty\_2Einteger\_2Eint}) \quad (7)$$

**Definition 8** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p\ (ap\ P\ x))$  **then** *(the*  $(\lambda x.x \in A \wedge p\ x)$  *of type*  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint$ .  $(ap\ (c\_2Emin\_2E40\ (ty\_2Einteger\_2Eint\_REP\ a)))$

Let  $c\_2Einteger\_2Eint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (8)$$

**Definition 10** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint$ .  $\lambda V1T2 \in ty\_2Einteger\_2Eint$ .  $(c\_2Einteger\_2Eint\_lt\ T1\ T2)$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \quad (9)$$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)_{ty\_2Efrac\_2Efrac}) \quad (10)$$

Let  $c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Eabs\_frac \in (ty\_2Efrac\_2Efrac^{(ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)}) \quad (11)$$

**Definition 11** We define  $c\_2Ebool\_2E2F5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ t1\ t2)))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (12)$$

**Definition 12** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ x\ y)$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (21)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \quad (22)$$

Assume the following.

$$((\forall V0a \in ty\_2Efrac\_2Efrac. ((ap \ c\_2Efrac\_2Eabs\_frac (ap \ c\_2Efrac\_2Erep\_frac \ V0a) = V0a)) \wedge (\forall V1r \in (ty\_2Epair\_2Eprod \ ty\_2Einteger\_2Eint \ ty\_2Einteger\_2Eint). ((p (ap (\lambda V2f \in (ty\_2Epair\_2Eprod \ ty\_2Einteger\_2Eint \ ty\_2Einteger\_2Eint). (ap (ap \ c\_2Einteger\_2Eint\_lt (ap \ c\_2Einteger\_2Eint\_of\_num \ c\_2Enum\_2E0)) (ap (c\_2Epair\_2ESND \ ty\_2Einteger\_2Eint \ ty\_2Einteger\_2Eint) \ V2f))) \ V1r)) \Leftrightarrow ((ap \ c\_2Efrac\_2Erep\_frac (ap \ c\_2Efrac\_2Eabs\_frac \ V1r) = V1r)))))) \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0x \in A.27a. (\forall V1y \in A.27b. (\forall V2a \in A.27a. (\forall V3b \in \\ & \quad A.27b. (((ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y) = (ap\ (ap \\ & (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair\_2ESND\ A.27a \\ & A.27b)\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (25)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0a1 \in ty\_2Einteger\_2Eint. (\forall V1b1 \in ty\_2Einteger\_2Eint. \\ & (\forall V2a2 \in ty\_2Einteger\_2Eint. (\forall V3b2 \in ty\_2Einteger\_2Eint. \\ & ((p\ (ap\ (ap\ c.2Einteger\_2Eint\_lt\ (ap\ c.2Einteger\_2Eint\_of\_num \\ & c.2Enum\_2E0))\ V1b1)) \Rightarrow ((p\ (ap\ (ap\ c.2Einteger\_2Eint\_lt\ (ap\ c.2Einteger\_2Eint\_of\_num \\ & c.2Enum\_2E0))\ V3b2)) \Rightarrow (((ap\ c.2Efrac\_2Eabs\_frac\ (ap\ (ap\ (c.2Epair\_2E\_2C \\ & ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)\ V0a1)\ V1b1)) = (ap\ c.2Efrac\_2Eabs\_frac \\ & (ap\ (ap\ (c.2Epair\_2E\_2C\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)\ V2a2)\ V3b2))) \Leftrightarrow ((V0a1 = V2a2) \wedge (V1b1 = V3b2))))))))) \end{aligned}$$