

thm_2Efrac_2EFRAC__MINV__SAVE (TMJRPwdkRJzZusvwauCXdUEyvEvvivEcttm)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))$

Definition 4 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}) P))$

Definition 6 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g \in (A_27c^{A_27b})$

Definition 7 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 8 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 9 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Efrac_2Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_2Efrac_2Efrac \tag{3}$$

Let $c_2Efrac_2Erep_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Erep_frac \in ((ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)^{ty_2Efrac_2Efrac}) \tag{4}$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2EFST\ A.27a\ A.27b \in (A.27a^{(ty_2Epair_2Eprod\ A.27a\ A.27b)}) \quad (5)$$

Definition 10 We define $c_2Efrac_2Efrac_nmr$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap\ (c_2Epair_2EFST\ ty$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (6)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 11 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 12 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Definition 13 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 14 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 15 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \quad (13)$$

Definition 16 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E.40 (t$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$\begin{aligned} c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod ty_2Enum_2Enum \\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}) \end{aligned} \quad (14)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (15)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})} \quad (16)$$

Definition 17 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$

Definition 18 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap c_2Einteger_2Eint$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (17)$$

Definition 19 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$

Definition 20 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E.21 2) (\lambda V0t \in 2.V0t))$.

Definition 21 We define $c_2Emin_2E.3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow Q)$ of type ι .

Definition 22 We define $c_2Ebool_2E.2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E.21 2) (\lambda V2t \in 2.V0t)))$

Definition 23 We define c_2Ebool_2ECOND to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Definition 24 We define $c_2EintExtension_2ESGN$ to be $\lambda V0x \in ty_2Einteger_2Eint.(ap (ap (ap (c_2Eboo$

Definition 25 We define $c_2Efrac_2Efrac_sgn$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.(ap c_2EintExtension_2ES$

Definition 26 We define $c_2Einteger_2EABS$ to be $\lambda V0n \in ty_2Einteger_2Eint.(ap (ap (ap (c_2Eboo$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2ESND \\ A.27a A.27b \in (A.27b)^{(ty_2Epair_2Eprod A.27a A.27b)} \end{aligned} \quad (18)$$

Definition 27 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2ESND t$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))^(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)} \quad (19)$$

Definition 28 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (20)$$

Definition 29 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ x\ y)$

Let $c_2Efrac_2Eabs_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Eabs_frac \in (ty_2Efrac_2Efrac^{(ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)}) \quad (21)$$

Definition 30 We define $c_2Efrac_2Efrac_minv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.(ap\ c_2Efrac_2Eabs_frac\ f\ 1)$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))^(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)} \quad (22)$$

Definition 31 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Definition 32 We define $c_2Efrac_2Efrac_save$ to be $\lambda V0nmr \in ty_2Einteger_2Eint.\lambda V1dnm \in ty_2Enum_2Enum$

Definition 33 We define $c_2Einteger_2Eint_sub$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2Eint$

Definition 34 We define $c_2Einteger_2ENum$ to be $\lambda V0i \in ty_2Einteger_2Eint.(ap\ (c_2Emin_2E_40\ ty_2Enum_2Enum)\ i)$

Definition 35 We define $c_2Eenumerals_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 36 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E)\ t)$

Definition 37 We define $c_2Einteger_2Eint_le$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2Eint$

Definition 38 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT2)\ n)$

Definition 39 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 40 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t1\ t2))\ t1)$

Definition 41 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Enumeral_2EiSUB : \iota$ be given. Assume the following.

$$c_2Enumeral_2EiSUB \in (((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^2) \quad (23)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (24)$$

Assume the following.

$$True \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \wedge (p V1t2)) \Leftrightarrow ((p V1t2) \wedge (p V0t1)))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (34)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (36)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))))) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\exists V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p (ap V0P V2x)))))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (42)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (43)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\
& (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
& V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\
& V5y_27)))))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0t1 \in A_27a. (\forall V1t2 \in \\
& A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\
& V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a. (\forall V3t2 \in A_27a. ((ap \\
& (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V2t1)\ V3t2) = V3t2))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27a^{A_27c}). \\
& (\forall V2x \in A_27c. ((ap\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_27c\ A_27b\ A_27a) \\
& V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI \\
A_27a)\ V0x) = V0x)) \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Einteger_2Eint. (\forall V1b \in ty_2Einteger_2Eint. \\
& ((p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0))\ V1b)) \Rightarrow ((ap\ c_2Efrac_2Efrac_nmr\ (ap\ c_2Efrac_2Eabs_frac \\
& (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint) \\
& V0a)\ V1b))) = V0a))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Einteger_2Eint. (\forall V1b \in ty_2Einteger_2Eint. \\
& ((p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0))\ V1b)) \Rightarrow ((ap\ c_2Efrac_2Efrac_dnm\ (ap\ c_2Efrac_2Eabs_frac \\
& (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint) \\
& V0a)\ V1b))) = V1b))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((p (ap (ap c_2Einteger_2Eint_lt V0x) V1y)) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_le \\
& (ap (ap c_2Einteger_2Eint_add V0x) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \\
& V1y))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((p (ap (ap c_2Einteger_2Eint_le V0x) V1y)) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_le \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add \\
& V1y) (ap c_2Einteger_2Eint_neg V0x))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Einteger_2Eint}). (\forall V1n \in ty_2Enum_2Enum. \\
& (p (ap V0P (ap c_2Einteger_2Eint_of_num V1n)))) \Leftrightarrow (\forall V2x \in \\
& ty_2Einteger_2Eint. ((p (ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) V2x)) \Rightarrow (p (ap V0P V2x))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\
& (\forall V2y \in ty_2Einteger_2Eint. ((p (ap (ap c_2Einteger_2Eint_le \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add \\
& V0c) V1x))) \Rightarrow ((p (ap (ap c_2Einteger_2Eint_le V1x) V2y)) \Rightarrow ((p (\\
& ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add V0c) V2y))) \Leftrightarrow True))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\
& (\forall V2y \in ty_2Einteger_2Eint. ((p (ap (ap c_2Einteger_2Eint_le \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add \\
& V0c) V1x))) \Rightarrow ((p (ap (ap c_2Einteger_2Eint_lt V2y) (ap c_2Einteger_2Eint_neg \\
& V1x))) \Rightarrow ((p (ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
& V0c) V2y))) \Leftrightarrow False))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\
& (\forall V2y \in ty_2Einteger_2Eint. ((p (ap (ap c_2Einteger_2Eint_le \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add \\
& V0c) V1x))) \Rightarrow ((p (ap (ap c_2Einteger_2Eint_lt V1x) V2y)) \Rightarrow (((ap \\
& c_2Einteger_2Eint_of_num c_2Enum_2E0) = (ap (ap c_2Einteger_2Eint_add \\
& V0c) V2y)) \Leftrightarrow False))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\
& ((p (ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add V0c) V1x))) \Rightarrow ((p \\
& (ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
& V0c) (ap c_2Einteger_2Eint_neg V1x)))) \Leftrightarrow ((ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0) = (ap (ap c_2Einteger_2Eint_add V0c) V1x))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\
& (\forall V2y \in ty_2Einteger_2Eint. (((ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0) = (ap (ap c_2Einteger_2Eint_add V0c) V1x)) \Rightarrow ((p (\\
& ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
& V0c) V2y))) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_neg \\
& V1x) V2y))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\
& ((ap (ap c_2Einteger_2Eint_add V1x) V0y) = (ap (ap c_2Einteger_2Eint_add \\
& V0y) V1x))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0z \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (\forall V2x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_add \\
& V2x) (ap (ap c_2Einteger_2Eint_add V1y) V0z)) = (ap (ap c_2Einteger_2Eint_add \\
& (ap (ap c_2Einteger_2Eint_add V2x) V1y) V0z))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_add \\
& V0x) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) = V0x))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmic_2ENUMERAL \\
& (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))) V0x) = V0x)) \quad (61)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (\forall V2z \in ty_2Einteger_2Eint. (((ap (ap c_2Einteger_2Eint_add \\
& V0x) V2z) = (ap (ap c_2Einteger_2Eint_add V1y) V2z)) \Leftrightarrow (V0x = V1y)))))) \quad (62)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap c_2Einteger_2Eint_neg (ap (ap c_2Einteger_2Eint_add V0x) \\
& V1y)) = (ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
& V0x)) (ap c_2Einteger_2Eint_neg V1y)))))) \quad (63)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap c_2Einteger_2Eint_neg (ap (ap c_2Einteger_2Eint_mul V0x) \\
& V1y)) = (ap (ap c_2Einteger_2Eint_mul (ap c_2Einteger_2Eint_neg \\
& V0x)) V1y)))))) \quad (64)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap c_2Einteger_2Eint_neg (ap (ap c_2Einteger_2Eint_mul V0x) \\
& V1y)) = (ap (ap c_2Einteger_2Eint_mul V0x) (ap c_2Einteger_2Eint_neg \\
& V1y)))))) \quad (65)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_neg V0x)) = V0x)) \quad (66)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((\neg (p (ap (ap c_2Einteger_2Eint_le V0x) V1y))) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_lt \\
& V1y) V0x)))))) \quad (67)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (((p (ap (ap c_2Einteger_2Eint_le V0x) V1y)) \wedge (p (ap (ap c_2Einteger_2Eint_le \\
& V1y) V0x)))) \Leftrightarrow (V0x = V1y)))) \quad (68)
\end{aligned}$$

Assume the following.

$$((ap\ c_2Einteger_2Eint_neg\ (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) = (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) \quad (69)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ & (\forall V2z \in ty_2Einteger_2Eint. (((ap\ (ap\ c_2Einteger_2Eint_mul\ V0x)\ V1y) = (ap\ (ap\ c_2Einteger_2Eint_mul\ V0x)\ V2z)) \Leftrightarrow ((V0x = (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) \vee (V1y = V2z)))))) \end{aligned} \quad (70)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap\ c_2Einteger_2Eint_of_num\ V0m) = (ap\ c_2Einteger_2Eint_of_num\ V1n)) \Leftrightarrow (V0m = V1n)))) \end{aligned} \quad (71)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ & (\forall V2z \in ty_2Einteger_2Eint. (((ap\ (ap\ c_2Einteger_2Eint_sub\ V0x)\ V1y) = V2z) \Leftrightarrow (V0x = (ap\ (ap\ c_2Einteger_2Eint_add\ V2z)\ V1y)))))) \end{aligned} \quad (72)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ & (((ap\ c_2Einteger_2Eint_neg\ V0x) = (ap\ c_2Einteger_2Eint_neg\ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} & (\forall V0i \in ty_2Einteger_2Eint. (((ap\ c_2Einteger_2Eint_of_num\ (ap\ c_2Einteger_2Enum\ V0i)) = V0i) \Leftrightarrow (p\ (ap\ (ap\ c_2Einteger_2Eint_le\ (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)\ V0i)))))) \end{aligned} \quad (74)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty_2Einteger_2Eint. (\forall V1n \in ty_2Enum_2Enum. \\
& (\forall V2m \in ty_2Enum_2Enum. (((ap (ap c_2Einteger_2Eint_add \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) V0p) = V0p) \wedge (((\\
& ap (ap c_2Einteger_2Eint_add V0p) (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) = V0p) \wedge (((ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) \wedge \\
& (((ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_neg V0p)) = \\
& V0p) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V1n))) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V2m))) = (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B \\
& V1n) V2m)))))) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V1n))) (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V2m)))) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Einteger_2Eint) (ap \\
& (ap c_2Earithmetic_2E_3C_3D V2m) V1n)) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V1n) \\
& V2m)))) (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V2m) \\
& V1n)))))) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V1n))) (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V2m))) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Einteger_2Eint) (ap (\\
& ap c_2Earithmetic_2E_3C_3D V1n) V2m)) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V2m) \\
& V1n)))) (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V1n) \\
& V2m)))))) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V1n))) (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V2m)))) = (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B V1n) V2m))))))))))))))
\end{aligned}$$

(75)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& \quad ((p (ap (ap c_2Integer_2Eint_lt (ap c_2Integer_2Eint_of_num \\
& \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad (ap c_2Arithmetic_2EBIT1 V0n)))))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_lt \\
& (ap c_2Integer_2Eint_of_num c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num \\
& \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V0n)))))) \Leftrightarrow \\
& \quad True) \wedge (((p (ap (ap c_2Integer_2Eint_lt (ap c_2Integer_2Eint_of_num \\
& \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_lt (ap c_2Integer_2Eint_of_num \\
& \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& (ap c_2Arithmetic_2ENUMERAL V0n)))))) \Leftrightarrow False) \wedge (((p (ap (ap c_2Integer_2Eint_lt \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad V0n)) (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow False) \wedge \\
& \quad (((p (ap (ap c_2Integer_2Eint_lt (ap c_2Integer_2Eint_neg \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad (ap c_2Arithmetic_2EBIT1 V0n)))))) (ap c_2Integer_2Eint_of_num \\
& \quad c_2Enum_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_lt (ap \\
& c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad (ap c_2Arithmetic_2EBIT2 V0n)))))) (ap c_2Integer_2Eint_of_num \\
& \quad c_2Enum_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_lt (ap \\
& \quad c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL V0n))) \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad V1m)))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap \\
& c_2Integer_2Eint_lt (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT1 V0n)))))) \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_lt (ap c_2Integer_2Eint_neg \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad (ap c_2Arithmetic_2EBIT2 V0n)))))) (ap c_2Integer_2Eint_of_num \\
& (ap c_2Arithmetic_2ENUMERAL V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_lt \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad V0n)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& (ap c_2Arithmetic_2ENUMERAL V1m)))))) \Leftrightarrow False) \wedge ((p (ap (ap c_2Integer_2Eint_lt \\
& \quad (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num (\\
& \quad ap c_2Arithmetic_2ENUMERAL V0n)))) (ap c_2Integer_2Eint_neg \\
& \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad V1m)))))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n)))))))))
\end{aligned}$$

(76)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& \quad ((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow \\
& \quad True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n)))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT1 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT1 V0n)))) \\
& \quad \quad (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V0n)))) \\
& \quad \quad (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_neg (ap \\
& \quad \quad c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL (ap \\
& \quad \quad c_2Arithmetic_2EBIT1 V0n)))) (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap \\
& \quad \quad c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Arithmetic_2EBIT2 V0n)))) (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap \\
& \quad \quad c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL V0n))) \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow (p (ap (ap c_2Arithmetic_2E_3C_3D V0n) V1m))) \wedge (((p (\\
& \quad \quad ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL V0n))) (ap c_2Integer_2Eint_neg \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Arithmetic_2EBIT1 V1m)))))) \Leftrightarrow False) \wedge (((p (ap (ap c_2Integer_2Eint_le \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n))) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V1m)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_neg \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n)))) (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_neg \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n)))) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL V1m)))))) \Leftrightarrow (p (ap (ap c_2Arithmetic_2E_3C_3D \\
& \quad \quad V1m) V0n)))))))))
\end{aligned}$$

(77)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) (ap c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& (ap c_2Earithmetic_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg (p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n)))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))))))))))
\end{aligned} \tag{78}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n))) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n)))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))))))))))
\end{aligned} \tag{79}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V0n) \\
& V1m)) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Enum_2Enum) (ap (ap c_2Eprim_rec_2E_3C \\
& V1m) V0n)) (ap c_2Earithmetic_2ENUMERAL (ap (ap (ap c_2Enumeral_2EiSUB \\
& c_2Ebool_2ET) V0n) V1m))) c_2Enum_2E0))))
\end{aligned} \tag{80}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{81}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{82}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (83)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (84)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (85)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (86)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (87)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (88)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow ((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (89)$$

Theorem 1

$$(\forall V0a1 \in ty_2Einteger_2Eint. (\forall V1b1 \in ty_2Enum_2Enum. ((\neg(V0a1 = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) \Rightarrow ((ap c_2Efrac_2Efrac_minv (ap (ap c_2Efrac_2Efrac_save V0a1) V1b1)) = (ap (ap c_2Efrac_2Efrac_save (ap (ap c_2Einteger_2Eint_mul (ap c_2EintExtension_2ESGN V0a1)) (ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_of_num V1b1)) (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) (ap c_2Einteger_2ENum (ap (ap c_2Einteger_2Eint_sub (ap c_2Einteger_2EABS V0a1)) (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))))))) \quad (90)$$