

thm\_2Efrac\_2EFRAC\_-SGN\_-TOTAL (TMa-HoxzjAWLTP1mXJRVHzN5YCtjy4ZhoKfo)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod \\ A0\ A1) \end{aligned} \quad (2)$$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \quad (3)$$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint \\ ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \quad (4)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (5)$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1f \in ty\_2Efrac\_2Efrac. (ap (c\_2Epair\_2EFST\ ty\_2Efrac\_2Efrac) f))))$

**Definition 4** We define  $c\_2Efrac\_2Efrac\_nmr$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac. (ap (c\_2Epair\_2EFST\ ty\_2Efrac\_2Efrac) f))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \quad (6)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (8)$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 6** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{omega}) \quad (10)$$

**Definition 7** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 8** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n)\ 0)$

**Definition 9** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint}) \quad (13)$$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (\lambda x.x \in A \wedge P(x)) \text{ else } 0 \text{ of type } \iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E\_40\ (ty\_2Eint\_of\_num\ a)))$

Let  $c\_2Einteger\_2Etint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (14)$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (15)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})} \quad (16)$$

**Definition 12** We define  $c_2Einteger_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\ ty\_2Enum)$

**Definition 13** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap\ c\_2Einteger\_2Eint.$

Let  $c_2Einteger_2Etint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)})\ (17)$$

**Definition 14** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger$

**Definition 15** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 16** We define  $c_{\text{2Emin\_2E\_3D\_3D\_3E}}$  to be  $\lambda P \in 2.\lambda Q \in 2.\text{inj\_o} (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 17** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 18** We define  $c_{\text{2Ebool\_2ECOND}}$  to be  $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

**Definition 19** We define  $c\_2EintExtension\_2ESGN$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint.(ap (ap (ap (ap (c\_2EBoc$

**Definition 20** We define  $c_2Efrac_2Efrac\_sgn$  to be  $\lambda V f1 \in ty_2Efrac_2Efrac.(ap\ c_2EintExtension_2ES$

**Definition 21** We define  $c_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 22** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E))$

Assume the following.

*True* (18)

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\;V0t1) \Rightarrow (p\;V1t2)) \Rightarrow (((p\;V1t2) \Rightarrow (p\;V0t1)) \Rightarrow ((p\;V0t1) \Leftrightarrow (p\;V1t2))))) \quad (19)$$

Assume the following.

$$(\forall V \forall t \in 2. (False \Rightarrow (p \ V 0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((p \ V0t) \Rightarrow False) \Rightarrow (\neg(p \ V0t)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (26)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (27)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \\ & \forall V0b \in 2.(\forall V1f \in (A\_27b^{A\_27a}).(\forall V2g \in (A\_27b^{A\_27a}). \\ & (\forall V3x \in A\_27a.((ap (ap (ap (ap (c\_2Ebool\_2ECOND (A\_27b^{A\_27a}) \\ & V0b) V1f) V2g) V3x) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27b) V0b) (ap \\ & V1f V3x)) (ap V2g V3x))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow \\
& \quad \forall V0f \in (A_{27b}^{A_{27a}}). (\forall V1b \in 2. (\forall V2x \in A_{27a}. \\
& \quad (\forall V3y \in A_{27a}. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_{2Ebool\_2ECOND}\ A_{27a}) \\
& \quad V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (c_{2Ebool\_2ECOND}\ A_{27b})\ V1b)\ (ap\ V0f\ \\
& \quad V2x))\ (ap\ V0f\ V3y))))))) \\
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0b \in 2. (\forall V1t1 \in 2. (\forall V2t2 \in 2. ((p\ (ap\ (ap \\
& \quad (ap\ (c_{2Ebool\_2ECOND}\ 2)\ V0b)\ V1t1)\ V2t2)) \Leftrightarrow (((\neg(p\ V0b)) \vee (p\ V1t1)) \wedge \\
& \quad ((p\ V0b) \vee (p\ V2t2))))))) \\
\end{aligned} \tag{33}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{34}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow \text{False}))) \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(p\ V0A) \vee (p\ V1B)) \Rightarrow \text{False}) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p\ V1B)) \Rightarrow \text{False})))) \\
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow \text{False}) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow \text{False})))) \\
\end{aligned} \tag{37}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow \text{False}) \Rightarrow (((p\ V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow \\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(p\ V1q) \\
& \quad \vee (p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q) \vee (\neg(p\ V0p))))))))))) \\
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow \\
& \quad (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\
& \quad (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \\
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
 & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r))) \wedge \\
 & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))),)))
 \end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
 & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((p V0p) \vee (\neg(p V2r))) \wedge (( \\
 & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))),))
 \end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
 & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))))
 \end{aligned} \tag{43}$$

### Theorem 1

$$\begin{aligned}
 & (\forall V0f1 \in ty\_2Efrac\_2Efrac. (((ap c\_2Efrac\_2Efrac\_sgn \\
 & V0f1) = (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
 & (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \vee \\
 & (((ap c\_2Efrac\_2Efrac\_sgn V0f1) = (ap c\_2Einteger\_2Eint\_of\_num \\
 & c\_2Enum\_2E0)) \vee ((ap c\_2Efrac\_2Efrac\_sgn V0f1) = (ap c\_2Einteger\_2Eint\_of\_num \\
 & (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))))
 \end{aligned}$$