

thm\_2Egcdset\_2Egcdset\_greatest (TMP-  
wwjM9AqAW8g8Ax4EDZDcTJNDn37Z7mhV)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p \text{ of type } \iota \Rightarrow \iota))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $c\_2Egcd\_2Egcd : \iota$  be given. Assume the following.

$$c\_2Egcd\_2Egcd \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (2)$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (3)$$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (5)$$

Let  $c\_2Enum\_2EAbs\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EAbs\_num \in (ty\_2Enum\_2Enum^\omega) \quad (6)$$

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EAbs\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 4** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 5** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 6** We define  $c_{\_2Ebool\_2E\_21}$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^A \rightarrow 27a)).(ap\ (ap\ (ap\ (c_{\_2Emin\_2E\_3D}\ (2^A \rightarrow 27a)\ V)\ P)\ 0)\ P)$

**Definition 7** We define  $c_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool\_2E_21_2)(\lambda V2t \in 2.$

**Definition 8** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c\_2Ebool\_2E_21 2))(\lambda V2t \in 2.$

**Definition 10** We define  $c_{\_2Ebool\_2ECOND}$  to be  $\lambda A.\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.\_27a.(\lambda V2t2 \in A.\_27a.($

**Definition 11** We define  $c\_2Egcd\_2Elcm$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap$

**Definition 12** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^A)^{27a}).(ap\;V0P\;(ap\;(c\_2Emin\_2E\_40$

**Definition 13** We define  $c\_2Edivides\_2Edivides$  to be  $\lambda V0a \in ty\_2Enum\_2Enum.\lambda V1b \in ty\_2Enum\_2Enum.$

**Definition 14** We define  $c_{\text{2Ebool\_2EIN}}$  to be  $\lambda A_{\text{27a}} : \iota. (\lambda V0x \in A_{\text{27a}}. (\lambda V1f \in (2^{A_{\text{27a}}})). (ap V1f V0x))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_0.\text{nonempty } A_0 \Rightarrow \forall A_1.\text{nonempty } A_1 \Rightarrow \text{nonempty} (\text{ty\_2Epair\_2Eprod } A_0 A_1) \quad (7)$$

Let  $c_{\text{2Epair\_2EABS\_prod}} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.\text{nonempty } A.27a \Rightarrow \forall A.27b.\text{nonempty } A.27b \Rightarrow c.2E\text{pair\_}2E\text{ABS\_prod } A.27a \ A.27b \in ((ty.2E\text{pair\_}2E\text{prod } A.27a \ A.27b)^{(2^{A-27b})^{A-27a}}) \quad (8)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{\_27a}.nonempty\ A_{\_27a} \Rightarrow \forall A_{\_27b}.nonempty\ A_{\_27b} \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A_{\_27a}\ A_{\_27b} \in ((2^{A_{\_27a}})((ty\_2Epair\_2Eprod\ A_{\_27a}\ 2)^{A_{\_27b}})) \quad (9)$$

**Definition 16** We define  $c_2\text{Epred\_set\_2EEMPTY}$  to be  $\lambda A.\lambda a.\lambda x.(A.27a : \iota.(\lambda V0x \in A.27a.c_2\text{Ebool\_2EF}))$ .

**Definition 17** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A.\lambda 27a : \iota. \lambda V0x \in A.27a. \lambda V1s \in (2^{A \rightarrow 27a}).(ap\ (c\_2Epred\_set\ s)\ x)$

**Definition 18** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E))$

**Definition 19** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A.\lambda 27a:\iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap(c\_2L$

**Definition 20** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1x \in A\_27a. (ap\ (ap\ (c\_2Epred\ (V0s\ x))\ (V1x)))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

*c\_2Enum\_2EREP\_num*  $\in$  (*omega*<sup>*ty\_2Enum\_2Enum*</sup>)

*n\_2ESUC\_REPO : t* be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^\omega)$$

**Definition 21** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 22** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.\lambda V0f \in (A.27b^{A^{-27c}}).\lambda V1,$

Let  $c\_2Ewhile\_2EWHILE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c_2E \text{while}_2E \text{WHILE } A_27a \in (((A_27a^{A_27a})^{(A_27a^{A_27a})})^{(2^{A_27a})}) \quad (12)$$

**Definition 23** We define  $c\_2Ewhile\_2ELEFT$  to be  $\lambda V0P \in (2^{2^y-2}enum\_2Enum}.(ap\ ap\ (ap\ (ap\ (c\_2Ewhile\_21$

**Definition 24** We define  $c\_2Epred\_set\_2EMIN\_SET$  to be  $c\_2Ewhile\_2ELEAST$ .

**Definition 25** We define  $c_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 26** We define  $c\_2Earthmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 27** We define  $c\_2E_{pred\_set\_2EINTER}$  to be  $\lambda A.27a : \lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap(c\_$

Let  $c\_2Epred\_set\_2EMAX\_SET : \iota$  be given. Assume the following.

$c\_2Epred\_set\_2EMAX\_SET \in (ty\_2Enum\_2Enum)^{2^{ty\_2Enum\_2Enum}}$

**Definition 28** We define  $c_2Egcdset$  to be  $\lambda V0s \in (2^{ty\_2Enum\_2Enum})$ .

**Definition 29** We define  $c$  to be the  $\lambda Vx \in S. Vx$ .

Let  $c$  2Earithmetic 2EEVEN :  $t$  be given. Assume the following.

$c : 2Earithmic \cdot 2EEVEN \in (2^{ty\_2Enum\_2Enum})$

*metric 2EODD*: to be given. Assume the following

$\rightarrow 2E$  with  $m = t \in 2EODD \subseteq (2tu-2Enum, 2Enum)$

Wahl 3 = 2E mit den 2E 2E und NIE mit 2E = 2E

Let  $c_2$  be given. Assume the following.

For more information about the program, please see the following:

$$e_{2E} \text{Barinmet}_{2E-2D} \in ((\text{ig}_{2E} \text{Barinmet}_{2E})^*)^* \quad (17)$$

**Definition 33** We define  $\text{c\_Zarithmical\_ZELT}$  to be  $\text{XV}\; \text{ax} \in \text{ig\_ZELTname\_ZELTname}.\;\text{v}\; \text{ax}$ .

**Definition 34** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (18)$$

**Definition 35** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2E\_2B$

**Definition 36** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2E\_2B$

**Definition 37** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 38** We define  $c\_2Epred\_set\_2Ecount$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (c\_2Epred\_set\_2EG$

**Definition 39** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E\_21$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & ((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0m) = V0m) \wedge (((ap ( \\ & ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B \\ & V0m) V1n))) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC \\ & V1n)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n))))))) \\ & (19) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & V1n) V0m)))) \\ & (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & (ap c\_2Enum\_2ESUC V0m)) V1n)))))) \\ & (21) \end{aligned}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ c\_2Enum\_2E0) V0n))) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & V1n) V0m)))))) \\ & (23) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge \\
& ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\
& (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\
& V0m) V1n)))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& \forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p ( \\
& ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (V0m = V1n) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \wedge (p ( \\
& ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V0m))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\
& V0m) V2p))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap c\_2Enum\_2ESUC V1n)) V0m))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\neg(V0m = V1n) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC \\
& V0m)) V1n)) \vee (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC \\
& V1n)) V0m))))))
\end{aligned} \tag{29}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((ap\ c\_2Enum\_2ESUC\ V0n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))\ V0n))) \quad (30)$$

Assume the following.

$$True \quad (31)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg(p\ V0t)))) \quad (34)$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \wedge (p\ V1t2) \wedge (p\ V2t3)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \wedge (p\ V2t3)))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (39)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (40)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (41)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (42)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (\forall V0t1 \in A\_27a.(\forall V1t2 \in \\ & A\_27a.(((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) \\ & V0t1) V1t2) = V1t2)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\forall V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A\_27a.(\neg(p (ap V0P V2x))))))) \quad (45)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p (ap V0P V2x))))))) \quad (46)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).(((p V0P) \wedge (\forall V2x \in A\_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A\_27a.((p V0P) \wedge (p (ap V1Q V3x))))))) \quad (47)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.((\neg((p V0A) \Rightarrow (p V1B))) \Leftrightarrow ((p V0A) \wedge (\neg(p V1B))))) \quad (48)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B))))))) \quad (50)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (53)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (54)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))) \quad (55)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \vee ((\neg(p V0t1)) \wedge (\neg(p V1t2))))))) \quad (56)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))))) \quad (57)$$

Assume the following.

$$(\forall V0a \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Edivides\_2Edivides V0a) c\_2Enum\_2E0))) \quad (58)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Edivides\_2Edivides c\_2Enum\_2E0) V0m)) \Leftrightarrow (V0m = c\_2Enum\_2E0))) \quad (59)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0a \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Edivides\_2Edivides \\
 & (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) \\
 & V0a))) \\
 \end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0a \in ty\_2Enum\_2Enum. (\forall V1b \in ty\_2Enum\_2Enum. ( \\
 & ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V1b)) \wedge (p (ap (ap c\_2Edivides\_2Edivides \\
 & V0a) V1b))) \Rightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0a) V1b)))) \\
 \end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
 & (p (ap (ap c\_2Edivides\_2Edivides V0m) (ap (ap c\_2Egcd\_2Elcm V0m) \\
 & V1n))) \wedge ((p (ap (ap c\_2Edivides\_2Edivides V1n) (ap (ap c\_2Egcd\_2Elcm \\
 & V0m) V1n))) \wedge (\forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Edivides\_2Edivides \\
 & V0m) V2p) \wedge (p (ap (ap c\_2Edivides\_2Edivides V1n) V2p))) \Rightarrow (p (ap \\
 & (ap c\_2Edivides\_2Edivides (ap (ap c\_2Egcd\_2Elcm V0m) V1n)) V2p))))))) \\
 \end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
 & ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V0m)) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
 & c\_2Enum\_2E0) V1n))) \Rightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) \\
 & (ap (ap c\_2Egcd\_2Elcm V0m) V1n))) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 & V0m) (ap (ap c\_2Egcd\_2Elcm V1n) V0m))))))) \\
 \end{aligned} \tag{63}$$

Assume the following.

$((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A V6n) V7m))))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V10n) V11m))))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP V14n) c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))))) \wedge ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2EEEXP V15n) V16m))))))) \wedge (((ap c\_2Enum\_2ESUC c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum.((ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enum\_2ESUC V17n))))))) \wedge (((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Eprim\_rec\_2EPRE V18n))))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum.((\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m))))))) \wedge ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C V23n) c\_2Enum\_2E0)) \Leftrightarrow False))) \wedge ((\forall V24n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) V24n))))))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.((\forall V26m \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C V25n) c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V26m)))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V25n) V26m))))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E c\_2Enum\_2E0) V27n)) \Leftrightarrow False))) \wedge ((\forall V28n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E V28n) c\_2Enum\_2E0) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3E c\_2Enum\_2E0) V28n))))))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.((\forall V30m \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C V29n) c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V30m)))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C V30m) V29n))))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C c\_2Enum\_2E0) V31n)) \Leftrightarrow True))) \wedge ((\forall V32n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C c\_2Enum\_2E0) V32n)) \Leftrightarrow False))) \wedge ((p (ap (ap c\_2Earithmetic\_2E\_3C c\_2Enum\_2E0) V32n)) \Leftrightarrow True)))$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))))))))))) \\
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \\
& \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\forall V2a \in A\_27a. (\forall V3b \in \\
& A\_27b. (((p (ap (c_2Epair_2E_2C A\_27a A\_27b) V0x) V1y) = (ap (ap \\
& (c_2Epair_2E_2C A\_27a A\_27b) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& (2^{A\_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a. ((p (ap (ap \\
& (c_2Ebool_2EIN A\_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN A\_27a) V2x) V1t))))))) \\
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \\
& \forall V0f \in ((ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}). (\forall V1v \in \\
& A\_27a. ((p (ap (ap (c_2Ebool_2EIN A\_27a) V1v) (ap (c_2Epred\_set\_2EGSPEC \\
& A\_27a A\_27b) V0f))) \Leftrightarrow (\exists V2x \in A\_27b. ((ap (ap (c_2Epair_2E_2C \\
& A\_27a 2) V1v) c_2Ebool_2ET) = (ap V0f V2x)))))) \\
\end{aligned} \tag{68}$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\neg(p (ap (ap \\
(c_2Ebool_2EIN A\_27a) V0x) (c_2Epred\_set\_2EMPTY A\_27a)))))) \tag{69}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& (2^{A\_27a}). (\forall V2x \in A\_27a. ((p (ap (ap (c_2Ebool_2EIN A\_27a) \\
& V2x) (ap (ap (c_2Epred\_set\_2EINTER A\_27a) V0s) V1t))) \Leftrightarrow ((p (ap \\
& (ap (c_2Ebool_2EIN A\_27a) V2x) V0s)) \wedge (p (ap (ap (c_2Ebool_2EIN \\
& A\_27a) V2x) V1t))))))) \\
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0x \in A_{\text{27a}}. (\forall V1y \in \\ A_{\text{27a}}. (\forall V2s \in (2^{A_{\text{27a}}}). ((p (ap (ap (c_2Ebool\_2EIN A_{\text{27a}}) \\ V0x) (ap (ap (c_2Epred\_set\_2EINSERT A_{\text{27a}}) V1y) V2s))) \Leftrightarrow ((V0x = \\ V1y) \vee (p (ap (ap (c_2Ebool\_2EIN A_{\text{27a}}) V0x) V2s))))))) \\ (71) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0s \in (2^{A_{\text{27a}}}). (\forall V1x \in \\ A_{\text{27a}}. (\forall V2y \in A_{\text{27a}}. ((p (ap (ap (c_2Ebool\_2EIN A_{\text{27a}}) V1x) \\ (ap (ap (c_2Epred\_set\_2EDELETE A_{\text{27a}}) V0s) V2y))) \Leftrightarrow ((p (ap (ap \\ (c_2Ebool\_2EIN A_{\text{27a}}) V1x) V0s)) \wedge (\neg(V1x = V2y))))))) \\ (72) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0s \in (2^{A_{\text{27a}}}). ((p (ap \\ (c_2Epred\_set\_2EFINITE A_{\text{27a}}) V0s)) \Rightarrow (\forall V1t \in (2^{A_{\text{27a}}}). \\ (p (ap (ap (c_2Epred\_set\_2EFINITE A_{\text{27a}}) (ap (ap (c_2Epred\_set\_2EINTER \\ A_{\text{27a}}) V0s) V1t))))))) \\ (73) \end{aligned}$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ (p (ap (ap (c_2Ebool\_2EIN ty\_2Enum\_2Enum) V0m) (ap c_2Epred\_set\_2Ecount \\ V1n))) \Leftrightarrow (p (ap (ap c_2Epred\_rec\_2E\_3C V0m) V1n)))))) \\ (74) \end{aligned}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (c_2Epred\_set\_2EFINITE \\ ty\_2Enum\_2Enum) (ap c_2Epred\_set\_2Ecount V0n)))) \quad (75)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (\forall V1Q \in (2^{ty\_2Enum\_2Enum}). \\ & (((p (ap (c_2Epred\_set\_2EFINITE ty\_2Enum\_2Enum) V0P)) \wedge ((V0P = \\ c_2Epred\_set\_2EEMPTY ty\_2Enum\_2Enum)) \Rightarrow (p (ap V1Q c_2Enum\_2E0))) \wedge \\ & (\forall V2x \in ty\_2Enum\_2Enum. (((\forall V3y \in ty\_2Enum\_2Enum. \\ & ((p (ap (ap (c_2Ebool\_2EIN ty\_2Enum\_2Enum) V3y) V0P)) \Rightarrow (p (ap (ap \\ c_2Earithmetic\_2E\_3C\_3D V3y) V2x)))) \wedge (p (ap (ap (c_2Ebool\_2EIN \\ ty\_2Enum\_2Enum) V2x) V0P)) \Rightarrow (p (ap V1Q V2x))))))) \Rightarrow (p (ap V1Q (ap \\ c_2Epred\_set\_2EMAX\_SET V0P)))))) \\ (76) \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(\forall V1Q \in (2^{ty\_2Enum\_2Enum}). \\
 & (((\neg(V0P = (c\_2Epred\_set\_2EEMPTY ty\_2Enum\_2Enum))) \wedge (\forall V2x \in \\
 & ty\_2Enum\_2Enum.((\forall V3y \in ty\_2Enum\_2Enum.((p (ap (ap (c\_2Ebool\_2EIN \\
 & ty\_2Enum\_2Enum) V3y) V0P)) \Rightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 & V2x) V3y)))) \wedge (p (ap (ap (c\_2Ebool\_2EIN ty\_2Enum\_2Enum) V2x) V0P)) \Rightarrow \\
 & (p (ap V1Q V2x)))) \Rightarrow (p (ap V1Q (ap c\_2Epred\_set\_2EMIN\_SET V0P))))))) \\
 & (77)
 \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (78)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (79)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
 & ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
 & (80)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
 & ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
 & (81)
 \end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (82)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\
 & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge ((p V2r) \vee \\
 & ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \\
 & (83)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\
 & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
 & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \\
 & (84)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\
 & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
 & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \\
 & (85)
 \end{aligned}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (86)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (87)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (88)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (89)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (90)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (91)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (92)$$

### Theorem 1

$$\begin{aligned} & (\forall V0s \in (2^{ty\_2Enum\_2Enum}). (\forall V1g \in ty\_2Enum\_2Enum. \\ & ((\forall V2e \in ty\_2Enum\_2Enum. ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Enum\_2Enum) \\ & V2e) V0s)) \Rightarrow (p (ap (ap c\_2Edivides\_2Edivides V1g) V2e)))) \Rightarrow (p (ap \\ & (ap c\_2Edivides\_2Edivides V1g) (ap c\_2Egcdset\_2Egcdset V0s))))))) \end{aligned}$$