

thm\_2Ehrat\_2EHRAT\_\_MUL\_\_LINV  
(TMHJbcmB1L4NQgPBnuGBiiRMGSUk2qazzXF)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $c\_2Ehrat\_2Etrat\_eq : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)) \tag{3}$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{4}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{5}$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (6)$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epair\_2E\_21 2) (\lambda V2t \in 2.))$

**Definition 10** We define  $c\_2Ehrat\_2Etrat\_1$  to be  $(ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) (ty\_2Ehrat\_2Ehrat)) (ty\_2Ehrat\_2Ehrat\_ABS\_CLASS))$

Let  $ty\_2Ehrat\_2Ehrat : \iota$  be given. Assume the following.

$$nonempty ty\_2Ehrat\_2Ehrat \quad (7)$$

Let  $c\_2Ehrat\_2Ehrat\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_ABS\_CLASS \in (ty\_2Ehrat\_2Ehrat^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} ty\_2Enum\_2Enum)}) \quad (8)$$

**Definition 11** We define  $c\_2Ehrat\_2Ehrat\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)$

**Definition 12** We define  $c\_2Ehrat\_2Ehrat\_1$  to be  $(ap c\_2Ehrat\_2Ehrat\_ABS c\_2Ehrat\_2Etrat\_1)$ .

Let  $c\_2Ehrat\_2Etrat\_inv : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_inv \in ((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)}) \quad (9)$$

Let  $c\_2Ehrat\_2Ehrat\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{ty\_2Ehrat\_2Ehrat}) \quad (10)$$

**Definition 13** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap P x))$  then  $(the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 14** We define  $c\_2Ehrat\_2Ehrat\_REP$  to be  $\lambda V0a \in ty\_2Ehrat\_2Ehrat.(ap (c\_2Emin\_2E\_40 (ty\_2Ehrat\_2Ehrat\_inv)))$

**Definition 15** We define  $c\_2Ehrat\_2Ehrat\_inv$  to be  $\lambda V0T1 \in ty\_2Ehrat\_2Ehrat.(ap c\_2Ehrat\_2Ehrat\_ABS c\_2Ehrat\_2Ehrat\_inv)$

Let  $c\_2Ehrat\_2Etrat\_mul : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_mul \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)})^{ty\_2Ehrat\_2Ehrat}) \quad (11)$$

**Definition 16** We define  $c\_2Ehrat\_2Ehrat\_mul$  to be  $\lambda V0T1 \in ty\_2Ehrat\_2Ehrat.\lambda V1T2 \in ty\_2Ehrat\_2Ehrat.(ap c\_2Ehrat\_2Ehrat\_inv (ap c\_2Ehrat\_2Ehrat\_mul T1 T2))$

**Definition 17** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 18** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c)^{A\_27b})^{A\_27a})$

**Definition 19** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A\_27a}) A$

**Definition 20** We define  $c\_2Equotient\_2E\_2D\_2D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda A\_27d : \iota.\lambda V0f$

**Definition 21** We define  $c\_2Equotient\_2E\_3D\_3D\_3D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R1 \in ((2^{A\_27a})^{A\_27a})$

**Definition 22** We define  $c\_2Equotient\_2EQUOTIENT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).$

**Definition 23** We define  $c\_2Ecombin\_2EW$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in ((A\_27b^{A\_27a})^{A\_27a}).(\lambda V1x$

**Definition 24** We define  $c\_2Equotient\_2Erespects$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(c\_2Ecombin\_2EW A\_27a A\_27b$

**Definition 25** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x))$

**Definition 26** We define  $c\_2Ebool\_2ERES\_FORALL$  to be  $\lambda A\_27a : \iota.(\lambda V0p \in (2^{A\_27a}).(\lambda V1m \in (2^{A\_27a}).$

**Definition 27** We define  $c\_2Equotient\_2EEQUIV$  to be  $\lambda A\_27a : \iota.\lambda V0E \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E$

Assume the following.

$$True \tag{12}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\ & A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((ap (c\_2Ecombin\_2EI \\ & A\_27a) V0x) = V0x)) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & (\forall V1q \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & ((p (ap (ap c\_2Ehrat\_2Etrat\_eq V0p) V1q)) \Rightarrow (p (ap (ap c\_2Ehrat\_2Etrat\_eq \\ & (ap c\_2Ehrat\_2Etrat\_inv V0p)) (ap c\_2Ehrat\_2Etrat\_inv V1q)))))) \end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p1 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (\forall V1p2 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (\forall V2q1 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (\forall V3q2 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (((p\ (ap\ (ap\ c\_2Ehrat\_2Etrat\_eq\ V0p1)\ V1p2)) \wedge (p\ (ap\ (ap\ c\_2Ehrat\_2Etrat\_eq\ V2q1)\ V3q2))) \Rightarrow (p\ (ap\ (ap\ c\_2Ehrat\_2Etrat\_eq\ (ap\ (ap\ c\_2Ehrat\_2Etrat\_mul\ V0p1)\ V2q1))\ (ap\ (ap\ c\_2Ehrat\_2Etrat\_mul\ V1p2)\ V3q2))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (p\ (ap\ (ap\ c\_2Ehrat\_2Etrat\_eq\ (ap\ (ap\ c\_2Ehrat\_2Etrat\_mul\ (ap\ c\_2Ehrat\_2Etrat\_inv\ V0h))\ V0h))\ c\_2Ehrat\_2Etrat\_1)))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (\forall V1q \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& ((p\ (ap\ (ap\ c\_2Ehrat\_2Etrat\_eq\ V0p)\ V1q)) \Leftrightarrow ((ap\ c\_2Ehrat\_2Etrat\_eq\ V0p) = (ap\ c\_2Ehrat\_2Etrat\_eq\ V1q))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)\ ty\_2Ehrat\_2Ehrat)\ c\_2Ehrat\_2Etrat\_eq)\ c\_2Ehrat\_2Ehrat\_ABS)\ c\_2Ehrat\_2Ehrat\_REP))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27a)\ (c\_2Emin\_2E\_3D\ A\_27a))\ (c\_2Ecombin\_2EI\ A\_27a))\ (c\_2Ecombin\_2EI\ A\_27a)))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\
& ((\forall V1x \in A\_27a. (\forall V2y \in A\_27a. ((p\ (ap\ (ap\ V0R\ V1x)\ V2y)) \Leftrightarrow \\
& ((ap\ V0R\ V1x) = (ap\ V0R\ V2y)))))) \Leftrightarrow ((\forall V3x \in A\_27a. (p\ (ap\ (ap\ V0R\ V3x)\ V3x))) \wedge ((\forall V4x \in A\_27a. (\forall V5y \in A\_27a. ((p\ (ap\ (ap\ V0R\ V4x)\ V5y)) \Rightarrow (p\ (ap\ (ap\ V0R\ V5y)\ V4x)))))) \wedge (\forall V6x \in A\_27a. (\forall V7y \in A\_27a. (\forall V8z \in A\_27a. (((p\ (ap\ (ap\ V0R\ V6x)\ V7y)) \wedge (p\ (ap\ (ap\ V0R\ V7y)\ V8z))) \Rightarrow (p\ (ap\ (ap\ V0R\ V6x)\ V8z))))))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad (A\_27b^{A\_27a})\ (A\_27d^{A\_27c}))\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E \\
& \quad A\_27a\ A\_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27c \\
& \quad A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E \\
& \quad A\_27a\ A\_27d\ A\_27c\ A\_27b)\ V1abs1)\ V5rep2))))))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x \in A\_27b.(\forall V4y \in \\
& \quad A\_27b.((V3x = V4y) \Leftrightarrow (p\ (ap\ (ap\ V0R\ (ap\ V2rep\ V3x))\ (ap\ V2rep\ V4y))))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A\_27a.(\forall V4x2 \in \\
& \quad A\_27a.(\forall V5y1 \in A\_27a.(\forall V6y2 \in A\_27a.(((p\ (ap\ (ap\ V0R \\
& \quad V3x1)\ V4x2)) \wedge (p\ (ap\ (ap\ V0R\ V5y1)\ V6y2))) \Rightarrow ((p\ (ap\ (ap\ V0R\ V3x1)\ V5y1)) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ V0R\ V4x2)\ V6y2))))))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27d^{A\_27c}). \\
& \quad ((\lambda V7x \in A\_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E \\
& \quad A\_27c\ A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A\_27a.(ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x))))))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0REL \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A\_27a.(\forall V4x2 \in \\
& \quad A\_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))))) \\
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27b}).((p\ ( \\
& \quad ap\ (c\_2Ebool\_2E\_21\ A\_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap\ (c\_2Equotient\_2ERespects\ A\_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a\ 2\ A\_27b\ 2)\ V1abs)\ (c\_2Ecombin\_2EI \\
& \quad 2))\ V3f)))))))))) \\
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27a}).(\forall V4g \in \\
& \quad (2^{A\_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad 2)\ V0R)\ (c\_2Emin\_2E\_3D\ 2)\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap\ (c\_2Equotient\_2ERespects\ A\_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ ( \\
& \quad ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL\ A\_27a)\ (ap\ (c\_2Equotient\_2ERespects \\
& \quad A\_27a\ 2)\ V0R))\ V4g)))))))))) \\
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27b^{A\_27a}). \\
& \quad (\forall V7g \in (A\_27b^{A\_27a}).(\forall V8x \in A\_27a.(\forall V9y \in \\
& \quad A\_27a.((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad A\_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ ( \\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y))))))))))))) \\
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V_0 E \in ((2^{A_{27a}})^{A_{27a}}). \\
& (\forall V_1 P \in (2^{A_{27a}}). ((p (ap (c\_2Equotient\_2EEQUIV A_{27a}) \\
V_0 E)) \Rightarrow ((p (ap (ap (c\_2Ebool\_2ERES\_FORALL A_{27a}) (ap (c\_2Equotient\_2Erespects \\
A_{27a} 2) V_0 E)) V_1 P)) \Leftrightarrow (p (ap (c\_2Ebool\_2E.21 A_{27a}) V_1 P))))))
\end{aligned} \tag{32}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V_0 h \in \text{ty\_2Ehrat\_2Ehrat}. ((ap (ap c\_2Ehrat\_2Ehrat\_mul \\
& (ap c\_2Ehrat\_2Ehrat\_inv V_0 h)) V_0 h) = c\_2Ehrat\_2Ehrat\_1))
\end{aligned}$$