

thm\_2Ehrat\_2ETRAT\_ARCH  
(TMRdCsBrhAA4ChLYswT8TJfvoGV5e3y26vx)

October 26, 2020

**Definition 1** We define `c2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \mathbf{if} \ (\exists x \in A. p \ (ap \ P \ x)) \ \mathbf{then} \ (the \ (\lambda x. x \in A \wedge p \ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_--o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A$

Let  $c2Enum.2ZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (3)$$

**Definition 4** We define `c2Enum2E0` to be (ap `c2Enum2EABS_num` `c2Enum2EZERO_REP`).

**Definition 5** We define `c2Arithmetic_EZERO` to be `c2Enum_E0`.

Let  $c\_Enum\_EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty-2Enum-2Enum}) \quad (4)$$

Let  $c\_Enum\_ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega^{\omega}}) \quad (5)$$

**Definition 6** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 7** We define c\_2Ebool\_2E\_21 to be  $\lambda A_{-27} a : \iota. (\lambda V0P \in (2^{A_{-27}a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A_{-27}a})$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ ($

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ ($

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x.$

**Definition 11** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t)).$

**Definition 12** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_21\ 2).$

**Definition 14** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V0t2).$

**Definition 15** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0n.$

**Definition 16** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V0t2).$

**Definition 17** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0n.$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (8)$$

Let  $c\_2Ehrat\_2Etrat\_add : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Ehrat\_2Etrat\_sucint : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_sucint \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Ehrat\_2Etrat\_eq : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (13)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (14)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))^{((2^{A\_27b})^{A\_27a})} \end{aligned} \quad (15)$$

**Definition 18** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Epair\_2E\_2C\ V0x\ V1y))$

**Definition 19** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap\ (c\_2Ebool\_2ECOND\ V0t\ V1t1\ V2t2)))))$

**Definition 20** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ V0m\ V1n\ V2p))))$

Assume the following.

$$\begin{aligned} ((ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)) = \\ (ap\ c\_2Enum\_2ESUC\ c\_2Enum\_2E0)) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Enum\_2E0)\ V0m) = V0m) \wedge (((ap\ ( \\ ap\ c\_2Earithmetic\_2E\_2B\ V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ (ap\ c\_2Enum\_2ESUC\ V0m))\ V1n) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ V0m)\ V1n))) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ c\_2Enum\_2ESUC \\ V1n)) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n)))))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ V1n)\ V0m)))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ \forall V2p \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m) \\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V2p)) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))\ V2p)))) \end{aligned} \quad (19)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((V0m = c\_2Enum\_2E0) \vee (\exists V1n \in ty\_2Enum\_2Enum. (V0m = (ap\ c\_2Enum\_2ESUC\ V1n)))))) \quad (20)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\neg(V1n = c\_2Enum\_2E0)) \Rightarrow (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V0m)\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n)))))) \quad (21)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\neg(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V0m)\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V1n)\ V0m)))))) \quad (22)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Earithmetic\_2E\_2D\ V0m)\ V1n) = c\_2Enum\_2E0) \Leftrightarrow (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V0m)\ V1n)))))) \quad (23)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap\ c\_2Enum\_2ESUC\ V0m) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))))) \quad (24)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Earithmetic\_2E\_2A\ V0m)\ (ap\ c\_2Enum\_2ESUC\ V1n)) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ (ap\ c\_2Earithmetic\_2E\_2A\ V0m)\ V1n)))))) \quad (25)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Earithmetic\_2E\_2A\ V0m)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))) = V0m)) \quad (26)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge ( \\
& ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\
& (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\
& V0m) V1n))))))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A (ap \\
& (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p) = (ap (ap c\_2Earithmetic\_2E\_2B \\
& (ap (ap c\_2Earithmetic\_2E\_2A V0m) V2p)) (ap (ap c\_2Earithmetic\_2E\_2A \\
& V1n) V2p))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A V0m) \\
& (ap (ap c\_2Earithmetic\_2E\_2A V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2A \\
& (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) V2p))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V0m)) \Rightarrow ((ap (ap c\_2Earithmetic\_2E\_2B \\
& (ap (ap c\_2Earithmetic\_2E\_2D V0m) V1n)) V1n) = V0m))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Rightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0m) V1n))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0m) V1n)) \Rightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap (ap c\_2Earithmetic\_2E\_2A \\
& V0m) V2p)) (ap (ap c\_2Earithmetic\_2E\_2A V1n) V2p))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A (ap \\
& (ap c\_2Earithmetic\_2E\_2D V0m) V1n)) V2p) = (ap (ap c\_2Earithmetic\_2E\_2D \\
& (ap (ap c\_2Earithmetic\_2E\_2A V0m) V2p)) (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V1n) V2p))))))
\end{aligned} \tag{33}$$

Assume the following.

$$True \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& \quad V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{35}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\
& \quad (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& \quad (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{40}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
& \quad A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\
& p \ V0t))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Enum\_2Enum.(\forall V1y \in ty\_2Enum\_2Enum.( \\
& \forall V2x\_27 \in ty\_2Enum\_2Enum.(\forall V3y\_27 \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Ehrat\_2Etrat\_add (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) V0x) V1y)) (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) V2x\_27) V3y\_27))) = (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) (ap c\_2Eprim\_rec\_2EPRE (ap (ap c\_2Earithmetic\_2E\_2B \\
& (ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0x)) (ap c\_2Enum\_2ESUC \\
& V3y\_27))) (ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V2x\_27)) \\
& (ap c\_2Enum\_2ESUC V1y)))))) (ap c\_2Eprim\_rec\_2EPRE (ap (ap c\_2Earithmetic\_2E\_2A \\
& (ap c\_2Enum\_2ESUC V1y)) (ap c\_2Enum\_2ESUC V3y\_27)))))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Enum\_2Enum.(\forall V1y \in ty\_2Enum\_2Enum.( \\
& \forall V2x\_27 \in ty\_2Enum\_2Enum.(\forall V3y\_27 \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Ehrat\_2Etrat\_eq (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) V0x) V1y)) (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) V2x\_27) V3y\_27))) \Leftrightarrow ((ap (ap c\_2Earithmetic\_2E\_2A \\
& (ap c\_2Enum\_2ESUC V0x)) (ap c\_2Enum\_2ESUC V3y\_27)) = (ap (ap c\_2Earithmetic\_2E\_2A \\
& (ap c\_2Enum\_2ESUC V2x\_27)) (ap c\_2Enum\_2ESUC V1y)))))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\
& (\forall V1q \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\
& (\forall V2r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\
& (((p (ap (ap c\_2Ehrat\_2Etrat\_eq V0p) V1q)) \wedge (p (ap (ap c\_2Ehrat\_2Etrat\_eq \\
& V1q) V2r))) \Rightarrow (p (ap (ap c\_2Ehrat\_2Etrat\_eq V0p) V2r))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Ehrat\_2Etrat\_eq ( \\
& ap c\_2Ehrat\_2Etrat\_sucint V0n)) (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum \\
& ty\_2Enum\_2Enum) V0n) c\_2Enum\_2E0))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum.(\neg((ap c\_2Enum\_2ESUC V0n) = c\_2Enum\_2E0)))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0x \in (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b).((ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A\_27a\ A\_27b)\ (ap\ (c\_2Epair\_2EFST\ A\_27a\ A\_27b)\ V0x))\ (ap\ (c\_2Epair\_2ESND \\ & \quad A\_27a\ A\_27b)\ V0x)) = V0x)) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & (((ap\ c\_2Eprim\_rec\_2EPRE\ c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge (\forall V0m \in \\ & \quad ty\_2Enum\_2Enum.((ap\ c\_2Eprim\_rec\_2EPRE\ (ap\ c\_2Enum\_2ESUC\ V0m)) = \\ & \quad V0m))) \end{aligned} \quad (50)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0h \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum). \\ & \quad (\exists V1n \in ty\_2Enum\_2Enum.(\exists V2d \in (ty\_2Epair\_2Eprod \\ & \quad ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum).(p\ (ap\ (ap\ c\_2Ehrat\_2Etrat\_eq \\ & \quad (ap\ c\_2Ehrat\_2Etrat\_sucint\ V1n))\ (ap\ (ap\ c\_2Ehrat\_2Etrat\_add \\ & \quad V0h)\ V2d)))))) \end{aligned}$$