

thm_2Ehreal_2ECUT__UP (TMWb- NiiN7Lw4zQK1ZQoCKntXZ1ta3SVUMmR)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda P \in (2^A)^{2^A}.(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Ehrat_2Ehrat : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehrat_2Ehrat \tag{3}$$

Let $c_2Ehrat_2Ehrat_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Ehrat_2Ehrat}) \tag{4}$$

Definition 5 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A \wedge P\ x))$ of type $\iota \Rightarrow \iota$.

Definition 6 We define $c_2Ehrat_2Ehrat_REP$ to be $\lambda V0a \in ty_2Ehrat_2Ehrat.(ap (c_2Emin_2E_40 (ty_2Ehrat_2Ehrat_REP_CLASS\ a)))$

Let $c_2Ehrat_2Etratl_add : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etratl_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Epair_2Eprod\ ty_2Enum_2Enum})^{c_2Ehrat_2Ehrat_REP}) \tag{5}$$

Let $c_2Ehkrat_2Etrat_eq : \iota$ be given. Assume the following.

$$c_2Ehkrat_2Etrat_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (6)$$

Let $c_2Ehkrat_2Ehkrat_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Ehkrat_2Ehkrat_ABS_CLASS \in (ty_2Ehkrat_2Ehkrat^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})}) \quad (7)$$

Definition 7 We define $c_2Ehkrat_2Ehkrat_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 8 We define $c_2Ehkrat_2Ehkrat_add$ to be $\lambda V0T1 \in ty_2Ehkrat_2Ehkrat.\lambda V1T2 \in ty_2Ehkrat_2Ehkrat$

Definition 9 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a\ V0P))))$

Definition 10 We define $c_2Ehreal_2Ehkrat_It$ to be $\lambda V0x \in ty_2Ehkrat_2Ehkrat.\lambda V1y \in ty_2Ehkrat_2Ehkrat$

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E\ V0t))$

Definition 13 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.(ap\ (c_2Emin_2E_3D_3D_3E\ V2t)\ V1t2))))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (8)$$

Let $c_2Ehreal_2Ecut : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ecut \in ((2^{ty_2Ehkrat_2Ehkrat})^{ty_2Ehreal_2Ehreal}) \quad (9)$$

Definition 14 We define $c_2Ehreal_2Eisacut$ to be $\lambda V0C \in (2^{ty_2Ehkrat_2Ehkrat}).(ap\ (ap\ c_2Ebool_2E_2F_5C\ V0C))$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & ((p\ V0t) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))))) \end{aligned} \quad (12)$$

Assume the following.

$$(\forall V0X \in ty_2Ehreal_2Ehreal.(p\ (ap\ c_2Ehreal_2Eisacut\ (ap\ c_2Ehreal_2Ecut\ V0X)))) \quad (13)$$

Theorem 1

$$\begin{aligned} & (\forall V0X \in ty_2Ehreal_2Ehreal.(\forall V1x \in ty_2Ehkrat_2Ehkrat. \\ & ((p\ (ap\ (ap\ c_2Ehreal_2Ecut\ V0X)\ V1x)) \Rightarrow (\exists V2y \in ty_2Ehkrat_2Ehkrat. \\ & ((p\ (ap\ (ap\ c_2Ehreal_2Ecut\ V0X)\ V2y)) \wedge (p\ (ap\ (ap\ c_2Ehreal_2Ehkrat_It\ V1x)\ V2y)))))) \end{aligned}$$