

thm\_2Ehreal\_2EHRAT\_\_LT\_\_ADD2  
(TMP2npqjcL7aSJGWGufjh4aukKJZvEAQkzc)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow P \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2ET` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

**Definition 5** We define `c_2Ebool_2EF` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

**Definition 7** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$nonempty \ ty\_2Enum\_2Enum \tag{1}$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty \ A0 \Rightarrow \forall A1.nonempty \ A1 \Rightarrow nonempty \ (ty\_2Epair\_2Eprod \ A0 \ A1) \tag{2}$$

Let `ty_2Ehrat_2Ehrat` :  $\iota$  be given. Assume the following.

$$nonempty \ ty\_2Ehrat\_2Ehrat \tag{3}$$

Let `c_2Ehrat_2Ehrat__REP__CLASS` :  $\iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod \ ty\_2Enum\_2Enum \ ty\_2Enum\_2Enum)})ty\_2Ehrat\_2Ehrat) \tag{4}$$

**Definition 8** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Ehrat\_2Ehtrat\_REP$  to be  $\lambda V0a \in ty\_2Ehtrat\_2Ehtrat.(ap (c\_2Emin\_2E\_40 (ty\_2E$

Let  $c\_2Ehtrat\_2Ehtrat\_add : \iota$  be given. Assume the following.

$$c\_2Ehtrat\_2Ehtrat\_add \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)})) \quad (5)$$

Let  $c\_2Ehtrat\_2Ehtrat\_eq : \iota$  be given. Assume the following.

$$c\_2Ehtrat\_2Ehtrat\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}))^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)} \quad (6)$$

Let  $c\_2Ehtrat\_2Ehtrat\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehtrat\_2Ehtrat\_ABS\_CLASS \in (ty\_2Ehtrat\_2Ehtrat^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}))}) \quad (7)$$

**Definition 10** We define  $c\_2Ehtrat\_2Ehtrat\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)$

**Definition 11** We define  $c\_2Ehtrat\_2Ehtrat\_add$  to be  $\lambda V0T1 \in ty\_2Ehtrat\_2Ehtrat.\lambda V1T2 \in ty\_2Ehtrat\_2Ehtrat$

**Definition 12** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 13** We define  $c\_2Ehreal\_2Ehtrat\_lt$  to be  $\lambda V0x \in ty\_2Ehtrat\_2Ehtrat.\lambda V1y \in ty\_2Ehtrat\_2Ehtrat$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (9)$$

Assume the following.

$$(\forall V0h \in ty\_2Ehtrat\_2Ehtrat.(\forall V1i \in ty\_2Ehtrat\_2Ehtrat. ((ap (ap c\_2Ehtrat\_2Ehtrat\_add V0h) V1i) = (ap (ap c\_2Ehtrat\_2Ehtrat\_add V1i) V0h)))) \quad (10)$$

Assume the following.

$$(\forall V0h \in ty\_2Ehtrat\_2Ehtrat.(\forall V1i \in ty\_2Ehtrat\_2Ehtrat. (\forall V2j \in ty\_2Ehtrat\_2Ehtrat.((ap (ap c\_2Ehtrat\_2Ehtrat\_add V0h) (ap (ap c\_2Ehtrat\_2Ehtrat\_add V1i) V2j)) = (ap (ap c\_2Ehtrat\_2Ehtrat\_add (ap (ap c\_2Ehtrat\_2Ehtrat\_add V0h) V1i)) V2j)))))) \quad (11)$$

**Theorem 1**

$$(\forall V0u \in ty\_2Ehtrat\_2Ehtrat.(\forall V1v \in ty\_2Ehtrat\_2Ehtrat. (\forall V2x \in ty\_2Ehtrat\_2Ehtrat.(\forall V3y \in ty\_2Ehtrat\_2Ehtrat. (((p (ap (ap c\_2Ehreal\_2Ehtrat\_lt V0u) V2x)) \wedge (p (ap (ap c\_2Ehreal\_2Ehtrat\_lt V1v) V3y)))) \Rightarrow (p (ap (ap c\_2Ehreal\_2Ehtrat\_lt (ap (ap c\_2Ehtrat\_2Ehtrat\_add V0u) V1v)) (ap (ap c\_2Ehtrat\_2Ehtrat\_add V2x) V3y))))))))))$$