

thm_2Ehreal_2EHRAT__LT__LMUL (TMVwoD- HEb6zXVJg9HVCY66nVKeZthgCPJCc)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 8 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{4}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \tag{5}$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2E$

Definition 10 We define $c_2Ehrat_2Etrat_1$ to be $(ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum$

Let $c_2Ehrat_2Etrat_eq : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (6)$$

Let $ty_2Ehrat_2Ehrat : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehrat_2Ehrat \quad (7)$$

Let $c_2Ehrat_2Ehrat_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_ABS_CLASS \in (ty_2Ehrat_2Ehrat^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})}) \quad (8)$$

Definition 11 We define $c_2Ehrat_2Ehrat_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum$

Definition 12 We define $c_2Ehrat_2Ehrat_1$ to be $(ap\ c_2Ehrat_2Ehrat_ABS\ c_2Ehrat_2Etrat_1)$.

Let $c_2Ehrat_2Ehrat_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{ty_2Ehrat_2Ehrat}) \quad (9)$$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 14 We define $c_2Ehrat_2Ehrat_REP$ to be $\lambda V0a \in ty_2Ehrat_2Ehrat.(ap\ (c_2Emin_2E_40\ (ty_2Ehrat_2Ehrat_1\ a)))$

Let $c_2Ehrat_2Etrat_inv : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_inv \in ((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (10)$$

Definition 15 We define $c_2Ehrat_2Ehrat_inv$ to be $\lambda V0T1 \in ty_2Ehrat_2Ehrat.(ap\ c_2Ehrat_2Ehrat_ABS\ (c_2Ehrat_2Etrat_inv\ T1))$

Let $c_2Ehrat_2Etrat_add : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (11)$$

Definition 16 We define $c_2Ehrat_2Ehrat_add$ to be $\lambda V0T1 \in ty_2Ehrat_2Ehrat.\lambda V1T2 \in ty_2Ehrat_2Ehrat.(ap\ c_2Ehrat_2Ehrat_ABS\ (c_2Ehrat_2Etrat_add\ T1\ T2))$

Definition 17 We define $c_2Ebool_2E_3F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ (c_2Ehrat_2Ehrat_1\ P))))$

Definition 18 We define $c_2Ehreal_2Ehrat_lt$ to be $\lambda V0x \in ty_2Ehrat_2Ehrat.\lambda V1y \in ty_2Ehrat_2Ehrat.(ap\ c_2Ehrat_2Ehrat_ABS\ (c_2Ehrat_2Etrat_lt\ x\ y))$

Let $c_2Ehrat_2Etrat_mul : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_mul \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (12)$$

Definition 19 We define $c_Ehrat_2Ehrat_mul$ to be $\lambda V0T1 \in ty_2Ehrat_2Ehrat.\lambda V1T2 \in ty_2Ehrat_2E$

Assume the following.

$$True \tag{13}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{14}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \tag{15}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{16}$$

Assume the following.

$$(\forall V0h \in ty_2Ehrat_2Ehrat.(\forall V1i \in ty_2Ehrat_2Ehrat.(\forall V2j \in ty_2Ehrat_2Ehrat.((ap (ap c_Ehrat_2Ehrat_mul V0h) (ap (ap c_Ehrat_2Ehrat_mul V1i) V2j)) = (ap (ap c_Ehrat_2Ehrat_mul (ap (ap c_Ehrat_2Ehrat_mul V0h) V1i)) V2j)))))) \tag{17}$$

Assume the following.

$$(\forall V0h \in ty_2Ehrat_2Ehrat.(\forall V1i \in ty_2Ehrat_2Ehrat.(\forall V2j \in ty_2Ehrat_2Ehrat.((ap (ap c_Ehrat_2Ehrat_mul V0h) (ap (ap c_Ehrat_2Ehrat_add V1i) V2j)) = (ap (ap c_Ehrat_2Ehrat_add (ap (ap c_Ehrat_2Ehrat_mul V0h) V1i)) (ap (ap c_Ehrat_2Ehrat_mul V0h) V2j)))))) \tag{18}$$

Assume the following.

$$(\forall V0h \in ty_2Ehrat_2Ehrat.((ap (ap c_Ehrat_2Ehrat_mul c_Ehrat_2Ehrat_1) V0h) = V0h)) \tag{19}$$

Assume the following.

$$(\forall V0h \in ty_2Ehrat_2Ehrat.((ap (ap c_Ehrat_2Ehrat_mul (ap c_Ehrat_2Ehrat_inv V0h)) V0h) = c_Ehrat_2Ehrat_1)) \tag{20}$$

Assume the following.

$$(\forall V0x \in ty_2Ehrat_2Ehrat.(\forall V1y \in ty_2Ehrat_2Ehrat.(\forall V2z \in ty_2Ehrat_2Ehrat.(((ap (ap c_Ehrat_2Ehrat_mul V0x) V1y) = (ap (ap c_Ehrat_2Ehrat_mul V0x) V2z)) \Leftrightarrow (V1y = V2z)))))) \tag{21}$$

Theorem 1

$$\begin{aligned} & (\forall V0x \in ty_2Ehrt_2Ehrt. (\forall V1y \in ty_2Ehrt_2Ehrt. \\ & (\forall V2z \in ty_2Ehrt_2Ehrt. ((p (ap (ap c_2Ehreal_2Ehrt_lt \\ (ap (ap c_2Ehrt_2Ehrt_mul V2z) V0x)) (ap (ap c_2Ehrt_2Ehrt_mul \\ V2z) V1y)))) \Leftrightarrow (p (ap (ap c_2Ehreal_2Ehrt_lt V0x) V1y)))))) \end{aligned}$$