

thm_2Ehreal_2EHRAT__LT__MUL2
(TMVqnsW9buHJHV7wz9vi1EWjMfV2iBqQK1K)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 7 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A) P))$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Ehrat_2Ehrat : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehrat_2Ehrat \tag{3}$$

Let $c_2Ehrat_2Ehrat_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)})ty_2Ehrat_2Ehrat) \tag{4}$$

Definition 8 We define $c_2Ehrat_2Ehrat_REP$ to be $\lambda V0a \in ty_2Ehrat_2Ehrat.(ap (c_2Emin_2E_40 (ty_2Eenum_2Eenum) V0a))$

Let $c_2Ehrat_2Etrat_add : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})) \quad (5)$$

Let $c_2Ehrat_2Etrat_eq : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (6)$$

Let $c_2Ehrat_2Ehtrat_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehtrat_ABS_CLASS \in (ty_2Ehtrat_2Ehtrat^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})}) \quad (7)$$

Definition 9 We define $c_2Ehtrat_2Ehtrat_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 10 We define $c_2Ehtrat_2Ehtrat_add$ to be $\lambda V0T1 \in ty_2Ehtrat_2Ehtrat.\lambda V1T2 \in ty_2Ehtrat_2Ehtrat$

Definition 11 We define $c_2Ehreal_2Ehtrat_lt$ to be $\lambda V0x \in ty_2Ehtrat_2Ehtrat.\lambda V1y \in ty_2Ehtrat_2Ehtrat$

Let $c_2Ehtrat_2Etrat_mul : \iota$ be given. Assume the following.

$$c_2Ehtrat_2Etrat_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})) \quad (8)$$

Definition 12 We define $c_2Ehtrat_2Ehtrat_mul$ to be $\lambda V0T1 \in ty_2Ehtrat_2Ehtrat.\lambda V1T2 \in ty_2Ehtrat_2Ehtrat$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0h \in ty_2Ehtrat_2Ehtrat. (\forall V1i \in ty_2Ehtrat_2Ehtrat. \\ & (\forall V2j \in ty_2Ehtrat_2Ehtrat. ((ap\ (ap\ c_2Ehtrat_2Ehtrat_add\ V0h)\ (ap\ (ap\ c_2Ehtrat_2Ehtrat_add\ V1i)\ V2j)) = (ap\ (ap\ c_2Ehtrat_2Ehtrat_add\ V0h)\ (ap\ (ap\ c_2Ehtrat_2Ehtrat_add\ V1i)\ V2j)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0h \in ty_2Ehtrat_2Ehtrat. (\forall V1i \in ty_2Ehtrat_2Ehtrat. \\ & (\forall V2j \in ty_2Ehtrat_2Ehtrat. ((ap\ (ap\ c_2Ehtrat_2Ehtrat_mul\ V0h)\ (ap\ (ap\ c_2Ehtrat_2Ehtrat_add\ V1i)\ V2j)) = (ap\ (ap\ c_2Ehtrat_2Ehtrat_mul\ V0h)\ (ap\ (ap\ c_2Ehtrat_2Ehtrat_mul\ V1i)\ (ap\ (ap\ c_2Ehtrat_2Ehtrat_mul\ V0h)\ V2j)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Ehtrat_2Ehtrat. (\forall V1y \in ty_2Ehtrat_2Ehtrat. \\ & (\forall V2z \in ty_2Ehtrat_2Ehtrat. ((ap\ (ap\ c_2Ehtrat_2Ehtrat_mul\ V0x)\ (ap\ (ap\ c_2Ehtrat_2Ehtrat_add\ V1y)\ V2z)) = (ap\ (ap\ c_2Ehtrat_2Ehtrat_mul\ V0x)\ (ap\ (ap\ c_2Ehtrat_2Ehtrat_mul\ V1y)\ V2z)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehrt_2Ehrt. (\forall V1y \in ty_2Ehrt_2Ehrt. \\
& (\forall V2z \in ty_2Ehrt_2Ehrt. (((ap (ap c_2Ehrt_2Ehrt_add \\
V0x) V1y) = (ap (ap c_2Ehrt_2Ehrt_add V0x) V2z)) \Leftrightarrow (V1y = V2z)))))) \\
& \tag{13}
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0u \in ty_2Ehrt_2Ehrt. (\forall V1v \in ty_2Ehrt_2Ehrt. \\
& (\forall V2x \in ty_2Ehrt_2Ehrt. (\forall V3y \in ty_2Ehrt_2Ehrt. \\
& (((p (ap (ap c_2Ehrt_2Ehrt_lt V0u) V2x)) \wedge (p (ap (ap c_2Ehrt_2Ehrt_lt \\
V1v) V3y)))) \Rightarrow (p (ap (ap c_2Ehrt_2Ehrt_lt (ap (ap c_2Ehrt_2Ehrt_mul \\
V0u) V1v)) (ap (ap c_2Ehrt_2Ehrt_mul V2x) V3y))))))))))
\end{aligned}$$