

# thm\_2Ehreal\_2EHREAL\_ADD\_TOTAL

## (TMGeAZQeNsV6qxeHSmbqaKbwV12NMRyNZBh)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow P \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.$

Let  $ty\_2Ehrat\_2Ehrat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehrat\_2Ehrat \tag{1}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{2}$$

Let  $c\_2Ehreal\_2Ecut : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ecut \in ((2^{ty\_2Ehrat\_2Ehrat})^{ty\_2Ehreal\_2Ehreal}) \tag{3}$$

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{4}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{5}$$

Let  $c\_2Ehrat\_2Ehrat\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Ehrat\_2Ehreal}) \tag{6}$$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 8** We define  $c\_2Ehrat\_2Ehrat\_REP$  to be  $\lambda V0a \in ty\_2Ehrat\_2Ehrat.(ap (c\_2Emin\_2E\_40 (ty\_2E$

Let  $c\_2Ehrat\_2Etrat\_add : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_add \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)})) \quad (7)$$

Let  $c\_2Ehrat\_2Etrat\_eq : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)) \quad (8)$$

Let  $c\_2Ehrat\_2Ehrat\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_ABS\_CLASS \in (ty\_2Ehrat\_2Ehrat^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}))}) \quad (9)$$

**Definition 9** We define  $c\_2Ehrat\_2Ehrat\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2E$

**Definition 10** We define  $c\_2Ehrat\_2Ehrat\_add$  to be  $\lambda V0T1 \in ty\_2Ehrat\_2Ehrat.\lambda V1T2 \in ty\_2Ehrat\_2E$

**Definition 11** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

Let  $c\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ehreal \in (ty\_2Ehreal\_2Ehreal^{(2^{ty\_2Ehrat\_2Ehrat})}) \quad (10)$$

**Definition 12** We define  $c\_2Ehreal\_2Ehreal\_add$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal.\lambda V1Y \in ty\_2Ehreal\_2E$

**Definition 13** We define  $c\_2Ebool\_2E\_F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 14** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E$

**Definition 15** We define  $c\_2Ehreal\_2Ehreal\_lt$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal.\lambda V1Y \in ty\_2Ehreal\_2E$

Assume the following.

$$\begin{aligned} & (\forall V0X \in ty\_2Ehreal\_2Ehreal.(\forall V1Y \in ty\_2Ehreal\_2Ehreal. \\ & ((V0X = V1Y) \vee ((p (ap (ap c\_2Ehreal\_2Ehreal\_lt V0X) V1Y)) \vee (p (ap \\ & (ap c\_2Ehreal\_2Ehreal\_lt V1Y) V0X)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & ((\forall V0X \in ty\_2Ehreal\_2Ehreal.(\forall V1Y \in ty\_2Ehreal\_2Ehreal. \\ & ((p (ap (ap c\_2Ehreal\_2Ehreal\_lt V0X) V1Y)) \Leftrightarrow (\exists V2D \in ty\_2Ehreal\_2Ehreal. \\ & (V1Y = (ap (ap c\_2Ehreal\_2Ehreal\_add V0X) V2D)))))) \end{aligned} \quad (12)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0X \in ty\_2Ehreal\_2Ehreal.(\forall V1Y \in ty\_2Ehreal\_2Ehreal. \\ & ((V0X = V1Y) \vee ((\exists V2D \in ty\_2Ehreal\_2Ehreal.(V1Y = (ap (ap c\_2Ehreal\_2Ehreal\_add \\ & V0X) V2D))) \vee (\exists V3D \in ty\_2Ehreal\_2Ehreal.(V0X = (ap (ap c\_2Ehreal\_2Ehreal\_add \\ & V1Y) V3D)))))) \end{aligned}$$