

thm_2Ehreal_2EHREAL_LDISTRIB (TM- MER9P5BUz1HczGTm3hK3pJEiqo4AMSMcP)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow q Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Ebool_2E_25C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 8 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{4}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (5)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2Eprod\ A_27a\ A_27b)\ x\ y)$

Definition 11 We define $c_2Ehrat_2Etrat_1$ to be $(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ x\ y)\ z)$

Let $c_2Ehrat_2Etrat_eq : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (6)$$

Let $ty_2Ehrat_2Ehrat : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehrat_2Ehrat \quad (7)$$

Let $c_2Ehrat_2Ehrat_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_ABS_CLASS \in (ty_2Ehrat_2Ehrat^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})}) \quad (8)$$

Definition 12 We define $c_2Ehrat_2Ehrat_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 13 We define $c_2Ehrat_2Ehrat_1$ to be $(ap\ c_2Ehrat_2Ehrat_ABS\ c_2Ehrat_2Etrat_1)$.

Let $c_2Ehrat_2Ehrat_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Ehrat_2Ehrat}) \quad (9)$$

Definition 14 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ then $(the\ (\lambda x.x \in A \wedge P\ x))$ of type $\iota \Rightarrow \iota$.

Definition 15 We define $c_2Ehrat_2Ehrat_REP$ to be $\lambda V0a \in ty_2Ehrat_2Ehrat.(ap\ (c_2Emin_2E_40\ (ty_2Enum_2Enum\ ty_2Enum_2Enum)\ a))$

Let $c_2Ehrat_2Etrat_inv : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_inv \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (10)$$

Definition 16 We define $c_2Ehrat_2Ehrat_inv$ to be $\lambda V0T1 \in ty_2Ehrat_2Ehrat.(ap\ c_2Ehrat_2Ehrat_ABS\ (c_2Ehrat_2Etrat_inv\ T1))$

Let $c_2Ehrat_2Etrat_add : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (11)$$

Definition 17 We define $c_2Ehrat_2Ehrat_add$ to be $\lambda V0T1 \in ty_2Ehrat_2Ehrat.\lambda V1T2 \in ty_2Ehrat_2Ehrat.(ap\ c_2Ehrat_2Ehrat_ABS\ (c_2Ehrat_2Etrat_add\ T1\ T2))$

Definition 18 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 19 We define $c_2Ehreal_2Ehreal_lt$ to be $\lambda V0x \in ty_2Ehreal_2Ehreal. \lambda V1y \in ty_2Ehreal_2Ehreal$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (12)$$

Let $c_2Ehreal_2Ecut : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ecut \in ((2^{ty_2Ehreal_2Ehreal})^{ty_2Ehreal_2Ehreal}) \quad (13)$$

Let $c_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ehreal \in (ty_2Ehreal_2Ehreal^{(2^{ty_2Ehreal_2Ehreal})}) \quad (14)$$

Definition 20 We define $c_2Ehreal_2Ehreal_add$ to be $\lambda V0X \in ty_2Ehreal_2Ehreal. \lambda V1Y \in ty_2Ehreal_2Ehreal$

Let $c_2Ehreal_2Ehreal_mul : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ehreal_mul \in (((ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum)})) \quad (15)$$

Definition 21 We define $c_2Ehreal_2Ehreal_mul$ to be $\lambda V0T1 \in ty_2Ehreal_2Ehreal. \lambda V1T2 \in ty_2Ehreal_2Ehreal$

Definition 22 We define $c_2Ehreal_2Ehreal_mul$ to be $\lambda V0X \in ty_2Ehreal_2Ehreal. \lambda V1Y \in ty_2Ehreal_2Ehreal$

Definition 23 We define $c_2Ehreal_2Eisacut$ to be $\lambda V0C \in (2^{ty_2Ehreal_2Ehreal}). (ap\ (ap\ c_2Ebool_2E_2F_5C$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (18)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (20)$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in ty_2Ehtrat_2Ehtrat. (\forall V1i \in ty_2Ehtrat_2Ehtrat. \\
& (\forall V2j \in ty_2Ehtrat_2Ehtrat. ((ap (ap c_2Ehtrat_2Ehtrat_mul \\
V0h) (ap (ap c_2Ehtrat_2Ehtrat_mul V1i) V2j)) = (ap (ap c_2Ehtrat_2Ehtrat_mul \\
& (ap (ap c_2Ehtrat_2Ehtrat_mul V0h) V1i)) V2j))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in ty_2Ehtrat_2Ehtrat. (\forall V1i \in ty_2Ehtrat_2Ehtrat. \\
& (\forall V2j \in ty_2Ehtrat_2Ehtrat. ((ap (ap c_2Ehtrat_2Ehtrat_mul \\
V0h) (ap (ap c_2Ehtrat_2Ehtrat_add V1i) V2j)) = (ap (ap c_2Ehtrat_2Ehtrat_add \\
& (ap (ap c_2Ehtrat_2Ehtrat_mul V0h) V1i)) (ap (ap c_2Ehtrat_2Ehtrat_mul \\
& V0h) V2j))))))
\end{aligned} \tag{22}$$

Assume the following.

$$(\forall V0h \in ty_2Ehtrat_2Ehtrat. ((ap (ap c_2Ehtrat_2Ehtrat_mul \\
c_2Ehtrat_2Ehtrat_1) V0h) = V0h)) \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehtrat_2Ehtrat. (\forall V1y \in ty_2Ehtrat_2Ehtrat. \\
& ((V0x = V1y) \vee ((p (ap (ap c_2Ehreal_2Ehtrat_lt V0x) V1y)) \vee (p (ap \\
& (ap c_2Ehreal_2Ehtrat_lt V1y) V0x))))))
\end{aligned} \tag{24}$$

Assume the following.

$$(\forall V0x \in ty_2Ehtrat_2Ehtrat. ((ap (ap c_2Ehtrat_2Ehtrat_mul \\
V0x) (ap c_2Ehtrat_2Ehtrat_inv V0x)) = c_2Ehtrat_2Ehtrat_1)) \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehtrat_2Ehtrat. (\forall V1y \in ty_2Ehtrat_2Ehtrat. \\
& ((p (ap (ap c_2Ehreal_2Ehtrat_lt (ap (ap c_2Ehtrat_2Ehtrat_mul \\
V0x) V1y)) V1y)) \Leftrightarrow (p (ap (ap c_2Ehreal_2Ehtrat_lt V0x) c_2Ehtrat_2Ehtrat_1))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehtrat_2Ehtrat. (\forall V1y \in ty_2Ehtrat_2Ehtrat. \\
& ((p (ap (ap c_2Ehreal_2Ehtrat_lt (ap (ap c_2Ehtrat_2Ehtrat_mul \\
& (ap c_2Ehtrat_2Ehtrat_inv V0x)) V1y)) c_2Ehtrat_2Ehtrat_1)) \Leftrightarrow (\\
& p (ap (ap c_2Ehreal_2Ehtrat_lt V1y) V0x))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0a \in ty_2Ehreal_2Ehreal. ((ap c_2Ehreal_2Ehreal (ap \\
& c_2Ehreal_2Ecut V0a)) = V0a)) \wedge (\forall V1r \in (2^{ty_2Ehtrat_2Ehtrat}). \\
& ((p (ap c_2Ehreal_2Eisacut V1r)) \Leftrightarrow ((ap c_2Ehreal_2Ecut (ap c_2Ehreal_2Ehreal \\
& V1r)) = V1r))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1x \in ty_2Ehrat_2Ehrat. \\
& (\forall V2y \in ty_2Ehrat_2Ehrat. ((p (ap (ap c_2Ehreal_2Ecut V0X) \\
& V1x)) \wedge (p (ap (ap c_2Ehreal_2Ehrat_lt V2y) V1x))) \Rightarrow (p (ap (ap c_2Ehreal_2Ecut \\
& V0X) V2y))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1Y \in ty_2Ehreal_2Ehreal. \\
& (p (ap c_2Ehreal_2Eisacut (\lambda V2w \in ty_2Ehrat_2Ehrat. (ap (c_2Ebool_2E_3F \\
& ty_2Ehrat_2Ehrat) (\lambda V3x \in ty_2Ehrat_2Ehrat. (ap (c_2Ebool_2E_3F \\
& ty_2Ehrat_2Ehrat) (\lambda V4y \in ty_2Ehrat_2Ehrat. (ap (ap c_2Ebool_2E_2F_5C \\
& (ap (ap (c_2Emin_2E_3D ty_2Ehrat_2Ehrat) V2w) (ap (ap c_2Ehrat_2Ehrat_add \\
& V3x) V4y))) (ap (ap c_2Ebool_2E_2F_5C (ap (ap c_2Ehreal_2Ecut V0X) \\
& V3x)) (ap (ap c_2Ehreal_2Ecut V1Y) V4y))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1Y \in ty_2Ehreal_2Ehreal. \\
& (p (ap c_2Ehreal_2Eisacut (\lambda V2w \in ty_2Ehrat_2Ehrat. (ap (c_2Ebool_2E_3F \\
& ty_2Ehrat_2Ehrat) (\lambda V3x \in ty_2Ehrat_2Ehrat. (ap (c_2Ebool_2E_3F \\
& ty_2Ehrat_2Ehrat) (\lambda V4y \in ty_2Ehrat_2Ehrat. (ap (ap c_2Ebool_2E_2F_5C \\
& (ap (ap (c_2Emin_2E_3D ty_2Ehrat_2Ehrat) V2w) (ap (ap c_2Ehrat_2Ehrat_mul \\
& V3x) V4y))) (ap (ap c_2Ebool_2E_2F_5C (ap (ap c_2Ehreal_2Ecut V0X) \\
& V3x)) (ap (ap c_2Ehreal_2Ecut V1Y) V4y))))))))))
\end{aligned} \tag{31}$$

Theorem 1

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1Y \in ty_2Ehreal_2Ehreal. \\
& (\forall V2Z \in ty_2Ehreal_2Ehreal. ((ap (ap c_2Ehreal_2Ehreal_mul \\
& V0X) (ap (ap c_2Ehreal_2Ehreal_add V1Y) V2Z)) = (ap (ap c_2Ehreal_2Ehreal_add \\
& (ap (ap c_2Ehreal_2Ehreal_mul V0X) V1Y)) (ap (ap c_2Ehreal_2Ehreal_mul \\
& V0X) V2Z))))))
\end{aligned}$$