

thm\_2Ehreal\_2EHREAL\_LT\_LEMMA  
(TMVLY6BN7CQ7gD9Usn2tpLRfS887Fao5k5w)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P \ x) \text{ then } (\lambda x. x \in A \wedge P \ x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \ (\text{ap } (c_2Emin_2E_40 \ A))))$

**Definition 4** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^2))) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x)$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \tag{1}$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (ty\_2Epair\_2Eprod \ A0 \ A1) \tag{2}$$

Let `ty_2Ehrat_2Ehrat` :  $\iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Ehrat\_2Ehrat \tag{3}$$

Let `c_2Ehrat_2Ehrat_REP_CLASS` :  $\iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod \ ty\_2Enum\_2Enum \ ty\_2Enum\_2Enum)})^{ty\_2Ehrat\_2Ehrat}) \tag{4}$$

**Definition 5** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^{A-27a}))))$

**Definition 6** We define `c_2Ehrat_2Ehrat_REP` to be  $\lambda V0a \in ty\_2Ehrat\_2Ehrat. (\text{ap } (c_2Emin_2E_40 \ (ty\_2Epair\_2Eprod \ ty\_2Enum\_2Enum \ ty\_2Enum\_2Enum)))$

Let `c_2Ehrat_2Etrat_add` :  $\iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_add \in (((ty\_2Epair\_2Eprod \ ty\_2Enum\_2Enum \ ty\_2Enum\_2Enum)^{ty\_2Epair\_2Eprod \ ty\_2Enum\_2Enum})^{ty\_2Ehrat\_2Ehrat}) \tag{5}$$

Let  $c\_2Eh\_rat\_2E\_tr\_at\_eq : \iota$  be given. Assume the following.

$$c\_2Eh\_rat\_2E\_tr\_at\_eq \in ((2^{(ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num\ ty\_2E\_num\_2E\_num)})^{(ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num)}) \quad (6)$$

Let  $c\_2Eh\_rat\_2E\_h\_r\_at\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Eh\_rat\_2E\_h\_r\_at\_ABS\_CLASS \in (ty\_2E\_h\_r\_at\_2E\_h\_r\_at^{(2^{(ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num\ ty\_2E\_num\_2E\_num)})}) \quad (7)$$

**Definition 7** We define  $c\_2Eh\_rat\_2E\_h\_r\_at\_ABS$  to be  $\lambda V0r \in (ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num\ ty\_2E\_num\_2E\_num)$

**Definition 8** We define  $c\_2Eh\_rat\_2E\_h\_r\_at\_add$  to be  $\lambda V0T1 \in ty\_2E\_h\_r\_at\_2E\_h\_r\_at.\lambda V1T2 \in ty\_2E\_h\_r\_at\_2E\_h\_r\_at$

**Definition 9** We define  $c\_2Eh\_real\_2E\_h\_r\_at\_lt$  to be  $\lambda V0x \in ty\_2E\_h\_r\_at\_2E\_h\_r\_at.\lambda V1y \in ty\_2E\_h\_r\_at\_2E\_h\_r\_at$

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in 2)))$

**Definition 12** We define  $c\_2Ebool\_2E\_F$  to be  $(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E\ V0t) c\_2Ebool\_2E\_2F\_5C))$

**Definition 14** We define  $c\_2Eh\_real\_2E\_is\_acut$  to be  $\lambda V0C \in (2^{ty\_2E\_h\_r\_at\_2E\_h\_r\_at}).(ap (ap c\_2Ebool\_2E\_2F\_5C\ C))$

Let  $ty\_2E\_h\_real\_2E\_h\_real : \iota$  be given. Assume the following.

$$nonempty\ ty\_2E\_h\_real\_2E\_h\_real \quad (8)$$

Let  $c\_2Eh\_real\_2E\_h\_real : \iota$  be given. Assume the following.

$$c\_2Eh\_real\_2E\_h\_real \in (ty\_2E\_h\_real\_2E\_h\_real^{(2^{ty\_2E\_h\_r\_at\_2E\_h\_r\_at})}) \quad (9)$$

Let  $c\_2Eh\_real\_2E\_cut : \iota$  be given. Assume the following.

$$c\_2Eh\_real\_2E\_cut \in ((2^{ty\_2E\_h\_r\_at\_2E\_h\_r\_at})^{ty\_2E\_h\_real\_2E\_h\_real}) \quad (10)$$

**Definition 15** We define  $c\_2Eh\_real\_2E\_h\_real\_lt$  to be  $\lambda V0X \in ty\_2E\_h\_real\_2E\_h\_real.\lambda V1Y \in ty\_2E\_h\_real\_2E\_h\_real$

**Definition 16** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in 2)))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (12)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p V0t))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0a \in ty\_2Ehreal\_2Ehreal.((ap\ c\_2Ehreal\_2Ehreal\ (ap \\
& c\_2Ehreal\_2Ecut\ V0a)) = V0a) \wedge (\forall V1r \in (2^{ty\_2Ehreal\_2Ehreal})). \\
& ((p\ (ap\ c\_2Ehreal\_2Eisacut\ V1r)) \Leftrightarrow ((ap\ c\_2Ehreal\_2Ecut\ (ap\ c\_2Ehreal\_2Ehreal \\
& V1r)) = V1r))))
\end{aligned} \tag{15}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{16}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{19}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg( \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{24}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0X \in ty\_2Ehreal\_2Ehreal. (\forall V1Y \in ty\_2Ehreal\_2Ehreal. \\
& ((p \ (ap \ (ap \ c\_2Ehreal\_2Ehreal\_lt \ V0X) \ V1Y)) \Rightarrow (\exists V2x \in ty\_2Ehreal\_2Ehreal. \\
& ((\neg(p \ (ap \ (ap \ c\_2Ehreal\_2Ecut \ V0X) \ V2x))) \wedge (p \ (ap \ (ap \ c\_2Ehreal\_2Ecut \\
& \ V1Y) \ V2x))))))
\end{aligned}$$