

thm\_2Ehreal\_2EHREAL\_\_MUL\_\_ASSOC  
 (TMZaRbXjudqSWRb-  
 JSL2niBbvMTKH8Hnc46v)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{2}$$

Let  $c\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ehreal \in (ty\_2Ehreal\_2Ehreal^{(2^{ty\_2Ehreal\_2Ehreal})}) \tag{3}$$

Let  $c\_2Ehreal\_2Ecut : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ecut \in ((2^{ty\_2Ehreal\_2Ehreal})^{ty\_2Ehreal\_2Ehreal}) \tag{4}$$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (5)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (6)$$

Let  $c\_2Ehrat\_2Ehrat\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Ehrat\_2Ehrat}) \quad (7)$$

**Definition 8** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p\ (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 9** We define  $c\_2Ehrat\_2Ehrat\_REP$  to be  $\lambda V0a \in ty\_2Ehrat\_2Ehrat$ .( $ap\ (c\_2Emin\_2E\_40\ (ty\_2E$

Let  $c\_2Ehrat\_2Etrat\_mul : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum})^{ty\_2Ehrat\_2Ehrat}) \quad (8)$$

Let  $c\_2Ehrat\_2Etrat\_eq : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)})^{ty\_2Ehrat\_2Ehrat} \quad (9)$$

Let  $c\_2Ehrat\_2Ehrat\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_ABS\_CLASS \in (ty\_2Ehrat\_2Ehrat^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})})^{ty\_2Ehrat\_2Ehrat} \quad (10)$$

**Definition 10** We define  $c\_2Ehrat\_2Ehrat\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$

**Definition 11** We define  $c\_2Ehrat\_2Ehrat\_mul$  to be  $\lambda V0T1 \in ty\_2Ehrat\_2Ehrat$ . $\lambda V1T2 \in ty\_2Ehrat\_2Ehrat$

**Definition 12** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota$ .( $\lambda V0P \in (2^{A\_27a})$ ).( $ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 13** We define  $c\_2Ehreal\_2Ehreal\_mul$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal$ . $\lambda V1Y \in ty\_2Ehreal\_2Ehreal$

Let  $c\_2Ehrat\_2Etrat\_add : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum})^{ty\_2Ehrat\_2Ehrat}) \quad (11)$$

**Definition 14** We define  $c\_2Ehrat\_2Ehrat\_add$  to be  $\lambda V0T1 \in ty\_2Ehrat\_2Ehrat$ . $\lambda V1T2 \in ty\_2Ehrat\_2Ehrat$

**Definition 15** We define  $c\_2Ehreal\_2Ehrat\_lt$  to be  $\lambda V0x \in ty\_2Ehrat\_2Ehrat$ . $\lambda V1y \in ty\_2Ehrat\_2Ehrat$

**Definition 16** We define  $c\_2Ehreal\_2Eisacut$  to be  $\lambda V0C \in (2^{ty\_2Ehrat\_2Ehrat})$ .( $ap\ (ap\ c\_2Ebool\_2E\_2F\_5C$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (16)$$

Assume the following.

$$(\forall V0h \in ty\_2Ehurat\_2Ehurat.(\forall V1i \in ty\_2Ehurat\_2Ehurat.(\forall V2j \in ty\_2Ehurat\_2Ehurat.((ap (ap c\_2Ehurat\_2Ehurat\_mul V0h) (ap (ap c\_2Ehurat\_2Ehurat\_mul V1i) V2j)) = (ap (ap c\_2Ehurat\_2Ehurat\_mul (ap (ap c\_2Ehurat\_2Ehurat\_mul V0h) V1i)) V2j)))))) \quad (17)$$

Assume the following.

$$((\forall V0a \in ty\_2Ehreal\_2Ehreal.((ap c\_2Ehreal\_2Ehreal (ap c\_2Ehreal\_2Ecut V0a) = V0a)) \wedge (\forall V1r \in (2^{ty\_2Ehurat\_2Ehurat}).((p (ap c\_2Ehreal\_2Eisacut V1r)) \Leftrightarrow ((ap c\_2Ehreal\_2Ecut (ap c\_2Ehreal\_2Ehreal V1r)) = V1r)))))) \quad (18)$$

Assume the following.

$$(\forall V0X \in ty\_2Ehreal\_2Ehreal.(\forall V1Y \in ty\_2Ehreal\_2Ehreal.(p (ap c\_2Ehreal\_2Eisacut (\lambda V2w \in ty\_2Ehurat\_2Ehurat.(ap (c\_2Ebool\_2E\_3F ty\_2Ehurat\_2Ehurat) (\lambda V3x \in ty\_2Ehurat\_2Ehurat.(ap (c\_2Ebool\_2E\_3F ty\_2Ehurat\_2Ehurat) (\lambda V4y \in ty\_2Ehurat\_2Ehurat.(ap (ap c\_2Ebool\_2E\_2F\_5C (ap (ap (c\_2Emin\_2E\_3D ty\_2Ehurat\_2Ehurat) V2w) (ap (ap c\_2Ehurat\_2Ehurat\_mul V3x) V4y))) (ap (ap c\_2Ebool\_2E\_2F\_5C (ap (ap c\_2Ehreal\_2Ecut V0X) V3x)) (ap (ap c\_2Ehreal\_2Ecut V1Y) V4y)))))))))) \quad (19)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0X \in ty\_2Ehreal\_2Ehreal. (\forall V1Y \in ty\_2Ehreal\_2Ehreal. \\ & (\forall V2Z \in ty\_2Ehreal\_2Ehreal. ((ap (ap c\_2Ehreal\_2Ehreal\_mul \\ V0X) (ap (ap c\_2Ehreal\_2Ehreal\_mul V1Y) V2Z)) = (ap (ap c\_2Ehreal\_2Ehreal\_mul \\ (ap (ap c\_2Ehreal\_2Ehreal\_mul V0X) V1Y)) V2Z)))))) \end{aligned}$$