

thm_2Ehreal_2EHREAL__MUL__LINV (TMcUP- NUuqWxTQxBq8VQYjvX8cbf8VyJjSBB)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 0t \in 2.V 0t))$.

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A 0 A 1) \tag{2}$$

Let `ty_2Ehrat_2Ehrat` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Ehrat_2Ehrat} \tag{3}$$

Let `c_2Ehrat_2Ehrat__REP__CLASS` : ι be given. Assume the following.

$$\text{c_2Ehrat_2Ehrat_REP_CLASS} \in ((2^{(\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum})} \text{ty_2Ehrat_2Ehrat})) \tag{4}$$

Definition 5 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 6 We define `c_2Ehrat_2Ehrat__REP` to be $\lambda V 0a \in \text{ty_2Ehrat_2Ehrat}. (\text{ap } (\text{c_2Emin_2E_40 } (\text{ty_2Ehrat_2Ehrat } a)))$

Let `c_2Ehrat_2Etrat__inv` : ι be given. Assume the following.

$$\text{c_2Ehrat_2Etrat_inv} \in ((\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum})^{(\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum})}) \tag{5}$$

Let $c_2Ehrat_2Etrat_eq : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (6)$$

Let $c_2Ehrat_2Ehtrat_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehtrat_ABS_CLASS \in (ty_2Ehtrat_2Ehtrat)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})} \quad (7)$$

Definition 7 We define $c_2Ehtrat_2Ehtrat_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 8 We define $c_2Ehtrat_2Ehtrat_inv$ to be $\lambda V0T1 \in ty_2Ehtrat_2Ehtrat.(ap\ c_2Ehtrat_2Ehtrat_ABS$

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E$

Let $c_2Ehtrat_2Etrat_add : \iota$ be given. Assume the following.

$$c_2Ehtrat_2Etrat_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (8)$$

Definition 11 We define $c_2Ehtrat_2Ehtrat_add$ to be $\lambda V0T1 \in ty_2Ehtrat_2Ehtrat.\lambda V1T2 \in ty_2Ehtrat_2Ehtrat$

Definition 12 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 13 We define $c_2Ehreal_2Ehtrat_lt$ to be $\lambda V0x \in ty_2Ehtrat_2Ehtrat.\lambda V1y \in ty_2Ehtrat_2Ehtrat$

Definition 14 We define $c_2Ehreal_2Ecut_of_htrat$ to be $\lambda V0x \in ty_2Ehtrat_2Ehtrat.(\lambda V1y \in ty_2Ehtrat_2Ehtrat$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (10)$$

Definition 15 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 16 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (11)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod$

Definition 18 We define $c_Eh_rat_2E_trat_1$ to be $(ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum$

Definition 19 We define $c_Eh_rat_2E_h_rat_1$ to be $(ap c_2Eh_rat_2E_h_rat_ABS c_2Eh_rat_2E_trat_1)$.

Let $ty_2Eh_real_2Eh_real : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eh_real_2Eh_real \quad (12)$$

Let $c_2Eh_real_2Eh_real : \iota$ be given. Assume the following.

$$c_2Eh_real_2Eh_real \in (ty_2Eh_real_2Eh_real^{(2^{ty_2Eh_rat_2Eh_rat})}) \quad (13)$$

Definition 20 We define $c_2Eh_real_2Eh_real_1$ to be $(ap c_2Eh_real_2Eh_real (ap c_2Eh_real_2Ecut_of_h_rat$

Let $c_2Eh_real_2Ecut : \iota$ be given. Assume the following.

$$c_2Eh_real_2Ecut \in ((2^{ty_2Eh_rat_2Eh_rat})^{ty_2Eh_real_2Eh_real}) \quad (14)$$

Let $c_2Eh_rat_2E_trat_mul : \iota$ be given. Assume the following.

$$c_2Eh_rat_2E_trat_mul \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})) \quad (15)$$

Definition 21 We define $c_2Eh_rat_2E_h_rat_mul$ to be $\lambda V0T1 \in ty_2Eh_rat_2E_h_rat.\lambda V1T2 \in ty_2Eh_rat_2E_h_rat$

Definition 22 We define $c_2Eh_real_2Eh_real_mul$ to be $\lambda V0X \in ty_2Eh_real_2Eh_real.\lambda V1Y \in ty_2Eh_real_2Eh_real$

Definition 23 We define $c_2Eh_real_2Eh_real_inv$ to be $\lambda V0X \in ty_2Eh_real_2Eh_real.(ap c_2Eh_real_2Eh_real$

Definition 24 We define $c_2Eh_real_2Eisacut$ to be $\lambda V0C \in (2^{ty_2Eh_rat_2Eh_rat}).(ap (ap c_2Ebool_2E_2F_5C$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0h \in ty_2Ehrtat_2Ehrtat. (\forall V1i \in ty_2Ehrtat_2Ehrtat. ((ap\ (ap\ c_2Ehrtat_2Ehrtat_mul\ V0h)\ V1i) = (ap\ (ap\ c_2Ehrtat_2Ehrtat_mul\ V1i)\ V0h)))) \quad (23)$$

Assume the following.

$$(\forall V0h \in ty_2Ehrtat_2Ehrtat. (\forall V1i \in ty_2Ehrtat_2Ehrtat. (\forall V2j \in ty_2Ehrtat_2Ehrtat. ((ap\ (ap\ c_2Ehrtat_2Ehrtat_mul\ V0h)\ (ap\ (ap\ c_2Ehrtat_2Ehrtat_mul\ V1i)\ V2j)) = (ap\ (ap\ c_2Ehrtat_2Ehrtat_mul\ (ap\ (ap\ c_2Ehrtat_2Ehrtat_mul\ V0h)\ V1i))\ V2j)))))) \quad (24)$$

Assume the following.

$$(\forall V0h \in ty_2Ehrtat_2Ehrtat. ((ap\ (ap\ c_2Ehrtat_2Ehrtat_mul\ c_2Ehrtat_2Ehrtat_1)\ V0h) = V0h)) \quad (25)$$

Assume the following.

$$(\forall V0h \in ty_2Ehrtat_2Ehrtat. ((ap\ (ap\ c_2Ehrtat_2Ehrtat_mul\ (ap\ c_2Ehrtat_2Ehrtat_inv\ V0h))\ V0h) = c_2Ehrtat_2Ehrtat_1)) \quad (26)$$

Assume the following.

$$(\forall V0x \in ty_2Ehrtat_2Ehrtat. (\forall V1y \in ty_2Ehrtat_2Ehrtat. (\forall V2z \in ty_2Ehrtat_2Ehrtat. (((p\ (ap\ (ap\ c_2Ehrtat_2Ehrtat_lt\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Ehrtat_2Ehrtat_lt\ V1y)\ V2z))) \Rightarrow (p\ (ap\ (ap\ c_2Ehrtat_2Ehrtat_lt\ V0x)\ V2z)))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in ty_2Ehrtat_2Ehrtat. ((ap\ (ap\ c_2Ehrtat_2Ehrtat_mul\ V0x)\ c_2Ehrtat_2Ehrtat_1) = V0x)) \quad (28)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehrtat_2Ehrtat. (\forall V1y \in ty_2Ehrtat_2Ehrtat. \\
& (\forall V2z \in ty_2Ehrtat_2Ehrtat. ((p (ap (ap c_2Ehreal_2Ehrtat_lt \\
& (ap (ap c_2Ehrtat_2Ehrtat_mul V2z) V0x)) (ap (ap c_2Ehrtat_2Ehrtat_mul \\
& V2z) V1y)))) \Leftrightarrow (p (ap (ap c_2Ehreal_2Ehrtat_lt V0x) V1y))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehrtat_2Ehrtat. (\forall V1y \in ty_2Ehrtat_2Ehrtat. \\
& ((p (ap (ap c_2Ehreal_2Ehrtat_lt c_2Ehrtat_2Ehrtat_1) (ap (ap c_2Ehrtat_2Ehrtat_mul \\
& (ap c_2Ehrtat_2Ehrtat_inv V0x)) V1y)))) \Leftrightarrow (p (ap (ap c_2Ehreal_2Ehrtat_lt \\
& V0x) V1y))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehrtat_2Ehrtat. (\forall V1y \in ty_2Ehrtat_2Ehrtat. \\
& ((p (ap (ap c_2Ehreal_2Ehrtat_lt V0x) V1y)) \Rightarrow (\exists V2z \in ty_2Ehrtat_2Ehrtat. \\
& ((p (ap (ap c_2Ehreal_2Ehrtat_lt V0x) V2z)) \wedge (p (ap (ap c_2Ehreal_2Ehrtat_lt \\
& V2z) V1y))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0a \in ty_2Ehreal_2Ehreal. ((ap c_2Ehreal_2Ehreal (ap \\
& c_2Ehreal_2Ecut V0a)) = V0a)) \wedge (\forall V1r \in (2^{ty_2Ehrtat_2Ehrtat}). \\
& ((p (ap c_2Ehreal_2Eisacut V1r)) \Leftrightarrow ((ap c_2Ehreal_2Ecut (ap c_2Ehreal_2Ehreal \\
& V1r)) = V1r))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1x \in ty_2Ehrtat_2Ehrtat. \\
& (\forall V2y \in ty_2Ehrtat_2Ehrtat. (((p (ap (ap c_2Ehreal_2Ecut V0X) \\
& V1x)) \wedge (\neg (p (ap (ap c_2Ehreal_2Ecut V0X) V2y)))) \Rightarrow (p (ap (ap c_2Ehreal_2Ehrtat_lt \\
& V1x) V2y))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1u \in ty_2Ehrtat_2Ehrtat. \\
& ((p (ap (ap c_2Ehreal_2Ehrtat_lt c_2Ehrtat_2Ehrtat_1) V1u)) \Rightarrow (\\
& \exists V2x \in ty_2Ehrtat_2Ehrtat. ((p (ap (ap c_2Ehreal_2Ecut V0X) \\
& V2x)) \wedge (\neg (p (ap (ap c_2Ehreal_2Ecut V0X) (ap (ap c_2Ehrtat_2Ehrtat_mul \\
& V1u) V2x))))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal.(p (ap c_2Ehreal_2Eisacut (\\
& \lambda V1w \in ty_2Ehreal_2Ehreal.(ap (c_2Ebool_2E_3F ty_2Ehreal_2Ehreal) \\
& (\lambda V2d \in ty_2Ehreal_2Ehreal.(ap (ap c_2Ebool_2E_2F_5C (ap (ap \\
& c_2Ehreal_2Ehreal_lt V2d) c_2Ehreal_2Ehreal_1)) (ap (c_2Ebool_2E_21 \\
& ty_2Ehreal_2Ehreal) (\lambda V3x \in ty_2Ehreal_2Ehreal.(ap (ap c_2Emin_2E_3D_3D_3E \\
& (ap (ap c_2Ehreal_2Ecut V0X) V3x)) (ap (ap c_2Ehreal_2Ehreal_lt \\
& (ap (ap c_2Ehreal_2Ehreal_mul V1w) V3x)) V2d))))))))))
\end{aligned} \tag{35}$$

Theorem 1

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal.((ap (ap c_2Ehreal_2Ehreal_mul \\
& (ap c_2Ehreal_2Ehreal_inv V0X)) V0X) = c_2Ehreal_2Ehreal_1))
\end{aligned}$$