

thm_2Eind__type_2ECONSTR__BOT (TMT3p8VeHecCyofbuKjjArJz1exy8zEpGzd)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Definition 9 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty \ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 10 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 11 We define $c_2Eind_type_2EINJN$ to be $\lambda A.\lambda a : \iota.\lambda V0m \in ty_2Enum_2Enum.(\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Eind_type_2ENUMRIGHT : \iota$ be given. Assume the following.

$$c_2Eind_type_2ENUMRIGHT \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Eind_type_2ENUMLEFT : \iota$ be given. Assume the following.

$$c_2Eind_type_2ENUMLEFT \in (2^{ty_2Enum_2Enum}) \quad (5)$$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 14 We define $c_2Eind_type_2EINJP$ to be $\lambda A_27a : \iota.\lambda V0f1 \in ((2^{A_27a})^{ty_2Enum_2Enum}).\lambda V1f$

Definition 15 We define $c_2Eind_type_2EZBOT$ to be $\lambda A_27a : \iota.(ap (ap (c_2Eind_type_2EINJP A_27a) (a$

Let $ty_2Eind_type_2Erecspace : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eind_type_2Erecspace A0) \quad (6)$$

Let $c_2Eind_type_2Emk_rec : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eind_type_2Emk_rec A_27a \in ((ty_2Eind_type_2Erecspace A_27a)^{(2^{A_27a})^{ty_2Enum_2Enum}}) \quad (7)$$

Definition 16 We define $c_2Eind_type_2EBOTTOM$ to be $\lambda A_27a : \iota.(ap (c_2Eind_type_2Emk_rec A_27a$

Let $c_2Eind_type_2Edest_rec : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eind_type_2Edest_rec A_27a \in (((2^{A_27a})^{ty_2Enum_2Enum})^{(ty_2Eind_type_2Erecspace A_27a)}) \quad (8)$$

Let $c_2Eind_type_2ENUMSND : \iota$ be given. Assume the following.

$$c_2Eind_type_2ENUMSND \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Eind_type_2ENUMFST : \iota$ be given. Assume the following.

$$c_2Eind_type_2ENUMFST \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \quad (10)$$

Definition 17 We define $c_2Eind_type_2EINJF$ to be $\lambda A_27a : \iota.\lambda V0f \in (((2^{A_27a})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})$

Definition 18 We define $c_2Eind_type_2EINJA$ to be $\lambda A_27a : \iota.\lambda V0a \in A_27a.(\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (12)$$

Definition 19 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 20 We define $c_2Eind_type_2EZCONSTR$ to be $\lambda A_27a : \iota.\lambda V0c \in ty_2Enum_2Enum.\lambda V1i \in A$

Definition 21 We define $c_2Eind_type_2ECONSTR$ to be $\lambda A_27a : \iota.\lambda V0c \in ty_2Enum_2Enum.\lambda V1i \in A$

Definition 22 We define $c_2Eind_type_2EZRECSpace$ to be $\lambda A_27a : \iota.(\lambda V0a0 \in ((2^{A_27a})^{ty_2Enum_2Enum}$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (18)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (21)$$

Assume the following.

$$2.(((p \ V0x) \Rightarrow (p \ V1y)) \wedge ((p \ V2z) \Rightarrow (p \ V3w))) \Rightarrow (((p \ V0x) \wedge (p \ V2z)) \Rightarrow ((p \ V1y) \wedge (p \ V3w)))) \quad (22)$$

Assume the following.

$$2.(((p \ V0x) \Rightarrow (p \ V1y)) \wedge ((p \ V2z) \Rightarrow (p \ V3w))) \Rightarrow (((p \ V0x) \vee (p \ V2z)) \Rightarrow ((p \ V1y) \vee (p \ V3w)))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p \ (ap \ V0P \ V2x)) \Rightarrow (p \ (ap \ V1Q \ V2x)))) \Rightarrow ((\forall V3x \in A_27a. (p \ (ap \ V0P \ V3x))) \Rightarrow (\forall V4x \in A_27a. (p \ (ap \ V1Q \ V4x))))))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p \ (ap \ V0P \ V2x)) \Rightarrow (p \ (ap \ V1Q \ V2x)))) \Rightarrow ((\exists V3x \in A_27a. (p \ (ap \ V0P \ V3x))) \Rightarrow (\exists V4x \in A_27a. (p \ (ap \ V1Q \ V4x))))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0c \in ty_2Enum_2Enum. (\forall V1i \in A_27a. (\forall V2r \in ((2^{A_27a})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}). (\neg((ap \ (ap \ (ap \ (c_2Eind_type_2EZCONSTRA_27a) \ V0c) \ V1i) \ V2r) = (c_2Eind_type_2EZBOT \ A_27a)))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow ((\forall V0a \in (ty_2Eind_type_2Erecspace \ A_27a). ((ap \ (c_2Eind_type_2Emk_rec \ A_27a) \ (ap \ (c_2Eind_type_2Edest_rec \ A_27a) \ V0a)) = V0a)) \wedge (\forall V1r \in ((2^{A_27a})^{ty_2Enum_2Enum}). ((p \ (ap \ (c_2Eind_type_2EZRECSpace \ A_27a) \ V1r)) \Leftrightarrow ((ap \ (c_2Eind_type_2Edest_rec \ A_27a) \ (ap \ (c_2Eind_type_2Emk_rec \ A_27a) \ V1r)) = V1r)))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in ((2^{A_27a})^{ty_2Enum_2Enum}). (\forall V1y \in ((2^{A_27a})^{ty_2Enum_2Enum}). (((ap \ (c_2Eind_type_2Emk_rec \ A_27a) \ V0x) = (ap \ (c_2Eind_type_2Emk_rec \ A_27a) \ V1y)) \Rightarrow (((p \ (ap \ (c_2Eind_type_2EZRECSpace \ A_27a) \ V0x)) \wedge (p \ (ap \ (c_2Eind_type_2EZRECSpace \ A_27a) \ V1y))) \Rightarrow (V0x = V1y)))))) \quad (28)$$

Theorem 1

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0c \in \text{ty_2Enum_2Enum}. (\forall V1i \in A_{27a}. (\forall V2r \in ((\text{ty_2Eind_type_2Erecspace } A_{27a})^{\text{ty_2Enum_2Enum}}). (\neg((\text{ap } (\text{ap } (\text{ap } (\text{c_2Eind_type_2ECONSTR } A_{27a}) V0c) V1i) V2r) = (\text{c_2Eind_type_2EBOTTOM } A_{27a}))))))))$$