

# thm\_2Eind\_\_type\_2EZRECSPACE\_\_cases (TMT27wpQcSwrUUAU2NnApnVtxAZDud3Yhwx)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Eind\_type\_2ENUMSND : \iota$  be given. Assume the following.

$$c\_2Eind\_type\_2ENUMSND \in (ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum} \tag{2}$$

Let  $c\_2Eind\_type\_2ENUMFST : \iota$  be given. Assume the following.

$$c\_2Eind\_type\_2ENUMFST \in (ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum} \tag{3}$$

**Definition 7** We define  $c\_2Eind\_type\_2EINJF$  to be  $\lambda A.\lambda a : \iota.\lambda V0f \in (((2^{A-27a})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})$

**Definition 8** We define  $c\_2Eind\_type\_2EINJA$  to be  $\lambda A.\lambda a : \iota.\lambda V0a \in A.\lambda a.(\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Eind\_type\_2ENUMRIGHT : \iota$  be given. Assume the following.

$$c\_2Eind\_type\_2ENUMRIGHT \in (ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum} \tag{4}$$

Let  $c\_2Eind\_type\_2ENUMLEFT : \iota$  be given. Assume the following.

$$c\_2Eind\_type\_2ENUMLEFT \in (2^{ty\_2Enum\_2Enum}) \tag{5}$$

**Definition 9** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_2E\_21) 2) (\lambda V2t \in 2.$

**Definition 10** We define  $c\_Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_Ebool\_2ECOND$  to be  $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

**Definition 12** We define  $c\_Eind\_type\_2EINJP$  to be  $\lambda A.27a : \iota.\lambda V0f1 \in ((2^{A.27a})^{ty\_2Enum\_2Enum}).\lambda V1f2 \in$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (8)$$

**Definition 13** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num$

**Definition 14** We define  $c\_Eind\_type\_2EINJN$  to be  $\lambda A.27a : \iota.\lambda V0m \in ty\_2Enum\_2Enum.(\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 15** We define  $c\_Eind\_type\_2EZCONSTR$  to be  $\lambda A.27a : \iota.\lambda V0c \in ty\_2Enum\_2Enum.\lambda V1i \in 2$

**Definition 16** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A.27a}).(ap V0P (ap (c\_Emin\_2E\_40$

Let  $c\_2Enum\_2EZZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZZERO\_REP \in \omega \quad (9)$$

**Definition 17** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZZERO\_REP)$ .

**Definition 18** We define  $c\_Eind\_type\_2EZBOT$  to be  $\lambda A.27a : \iota.(ap (ap (c\_Eind\_type\_2EINJP A.27a) (ap$

**Definition 19** We define  $c\_Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_2E\_21) 2) (\lambda V2t \in 2.$

**Definition 20** We define  $c\_Eind\_type\_2EZRECSpace$  to be  $\lambda A.27a : \iota.(\lambda V0a0 \in ((2^{A.27a})^{ty\_2Enum\_2Enum})$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1y \in 2.(\forall V2z \in 2.(\forall V3w \in \\ & 2.((((p V0x) \Rightarrow (p V1y)) \wedge ((p V2z) \Rightarrow (p V3w))) \Rightarrow (((p V0x) \wedge (p V2z)) \Rightarrow \\ & ((p V1y) \wedge (p V3w)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1y \in 2.(\forall V2z \in 2.(\forall V3w \in \\ & 2.((((p V0x) \Rightarrow (p V1y)) \wedge ((p V2z) \Rightarrow (p V3w))) \Rightarrow (((p V0x) \vee (p V2z)) \Rightarrow \\ & ((p V1y) \vee (p V3w)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in \\ & (2^{A.27a}).((\forall V2x \in A.27a.((p (ap V0P V2x)) \Rightarrow (p (ap V1Q V2x)))) \Rightarrow \\ & ((\forall V3x \in A.27a.(p (ap V0P V3x))) \Rightarrow (\forall V4x \in A.27a.(p ( \\ & ap V1Q V4x)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in \\ & (2^{A.27a}).((\forall V2x \in A.27a.((p (ap V0P V2x)) \Rightarrow (p (ap V1Q V2x)))) \Rightarrow \\ & ((\exists V3x \in A.27a.(p (ap V0P V3x))) \Rightarrow (\exists V4x \in A.27a.(p ( \\ & ap V1Q V4x)))))) \end{aligned} \quad (16)$$

### Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0a0 \in ((2^{A.27a})_{ty\_2Enum\_2Enum}). \\ & ((p (ap (c\_2Eind\_type\_2EZRECSpace \ A.27a) \ V0a0)) \Leftrightarrow ((V0a0 = (c\_2Eind\_type\_2EZBOT \\ & A.27a)) \vee (\exists V1c \in ty\_2Enum\_2Enum.(\exists V2i \in A.27a.(\exists V3r \in \\ & ((2^{A.27a})_{ty\_2Enum\_2Enum})_{ty\_2Enum\_2Enum}).((V0a0 = (ap (ap \\ & (ap (c\_2Eind\_type\_2EZCONSTR \ A.27a) \ V1c) \ V2i) \ V3r)) \wedge (\forall V4n \in \\ & ty\_2Enum\_2Enum.(p (ap (c\_2Eind\_type\_2EZRECSpace \ A.27a) \ (ap \\ & V3r \ V4n)))))))))) \end{aligned}$$